Q. P. Code: 21237

Time: 3 Hours Marks: 80

Note: 1) Q.1 is COMPULSORY.

- 2) Attempt ANY 3 questions from Q.2 to Q.6
- 3) Use of scientific calculators allowed.
- 4) Figures to right indicate marks.
- Q.1 a) Find the Laplace transform of t e^t sin2t cost. (05)

b) Find the inverse Laplace transform of
$$\frac{s+2}{s^2(s+3)}$$
 (05)

- c) Determine whether the function $f(z) = x^2 y^2 + 2ixy$ is analytic and if so find its derivative. (05)
- d) Find the Fourier series for $f(x) = e^{-|x|}$ in the interval $(-\pi, \pi)$. (05)

Q.2 a) Evaluate
$$\int_0^\infty \frac{e^{-t} - cost}{te^{4t}} dt$$
 (06)

b) Find the Z- Transform of
$$f(k) = \begin{cases} 3^k, & k < 0 \\ 2^k, & k \ge 0 \end{cases}$$
 (06)

- c) Show that the function u = 2x (1 y) is a harmonic function. Find its harmonic conjugate and corresponding analytic function. (08)
- Q.3 a) Find the equation of the line of regression of y on x for the following data (06)

| X | 10 | 12 | 13 | 16 | 17 | 20 | 25 |
|---|----|----|----|----|----|----|----|
| y | 19 | 22 | 24 | 27 | 29 | 33 | 37 |

- b) Find the bilinear transformation which maps z = 2, 1, 0 onto w = 1, 0, i. (06)
- c) Obtain the expansion of $f(x) = x(\pi x)$, $0 < x < \pi$ as a half range cosine series.

Hence show that
$$\sum_{1}^{\infty} \frac{(-1)^{n+1}}{n^2} = \frac{\pi^2}{12}$$
. (08)

Q.4 a) Find the inverse Laplace Transform by using convolution theorem

$$\frac{1}{(s^2+1)(s^2+9)} \tag{06}$$

b) Calculate the coefficient of correlation between Price and Demand. (06)

Price : 2, 3, 4, 7, 4.

Demand: 8, 7, 3, 1, 1.

Q. P. Code: 21237

(08)

(06)

c) Find the inverse Z-transform for the following;

i)
$$\frac{z}{z-5}$$
, $|z| < 5$

ii)
$$\frac{1}{(z-1)^2}$$
 , $|z| > 1$

- Q.5 a) Find the Laplace transform of e^{-t} sint H(t π)
 - b) Show that the set of functions $\{\sin x, \sin 3x, \sin 5x, \dots \}$ is orthogonal over $[0, \pi/2]$. Hence construct orthonormal set of functions. (06)

c) Solve using Laplace transform
$$\frac{d^2y}{dt^2} + 2\frac{dy}{dt} + y = 3t e^{-t}$$
, given $y(0) = 4$ and $y'(0) = 2$. (08)

- Q.6 a) Find the complex form of Fourier series for f(x) = 3x in $(0, 2\pi)$. (06)
 - b) If f(z) is an analytic function with constant modulus then, prove that f(z) is constant. (06)
 - c) Fit a curve of the form $y = ax^b$ to the following data. (08)

| X | 1 | 2 | 3 | 4 |
|---|-----|---|----|----|
| У | 2.5 | 8 | 19 | 50 |

Q. P. Code: 35356

10

10


5

[Total Marks: 80] (3 Hours)

- N.B.: 1. Question **ONE** is **Compulsory.**
 - 2. Solve any **THREE** out of remaining.
 - 3. **Draw** neat and **clean** Diagrams.
 - 4. Assume suitable data if required

Q.1. Attempt the following

- A. Explain with diagram Input and output characteristic of Common base configuration 5 B. List the ideal Characteristic of op-amp 5 C. Calculate the percent power saving an SSB signal if the AM wave is modulated to a depth of (a) 100 % and (b) 50% 5 D. Define the term Information theory. Give definitions for Information Rate and Entropy 5
- Q.2. A. For the circuit shown in Figure below calculate V_{CB} , I_{E} , and I_{B} if $\beta=100$



- B. Explain how op-amp can be used as a differentiator.
- Q.3. A. What do you mean by Zero Crossing detector? Explain with diagram 5 B. Write Short note on generation of FM by Armstrong method. 5
 - C. Use op-amp IC741 to realize the expression 5
 - $V0=5V_1+2V_2-3V_3$ D. What is a Nyquist criteria? What is its significance
- Q.4. A. Explain Delta Modulation with neat diagram and waveforms after each block. 10
- B. An AM signal appears across a 50 Ω load and has the following equation 10 $v(t)=12(1+\sin 12.566 \times 10^{3}t)\sin 18.85 \times 10^{8}t \text{ volts}$
 - 1. Sketch the envelope of this signal in time domain
 - 2. Calculate modulation index, sideband frequencies, total power and bandwidth
- Q.5. A. Compare PAM,PWM and PPM pulse modulation techniques 10
 - B. Explain the generation of DSBSC using Balance modulator 10
- A. What do you mean by multiplexing? Explain TDM Q.6. 10
 - B. List down various parameters of op-amp with their practical values for IC741. 10 Explain common mode gain and differential mode gain.

Paper / Subject Code: 50903 / Discrete Structures

QP CODE: 40415

(3 hrs) Max. Marks: 80

- 1) Question **no.1** is **compulsory**.
- 2) Solve any **THREE** questions out of remaining **FIVE** questions.
- 3) All questions carry equal marks as indicated by figures to the right.
- 4) Assume appropriate data whenever required. State all assumptions clearly.

Q.1 a) Prove using Mathematical Induction

(05M)

2+5+8+...+(3n-1)=n(3n+1)/2

b) Find the generating function for the following finite sequences

(05M)

i) 1,2,3,4,... ii) 2,2,2,2,2

c) Let A = $\{1, 4, 7, 13\}$ and R = $\{(1,4), (4,7), (7,4), (1,13)\}$

Find Transitive Closure using Warshall's Algorithm

(05M)

d) Let f: R O R, where f(x) = 2x - 1 and $f^{-1}(x) = (x+1)/2$

(05M)

Find $(f O f^{-1})(x)$

Q.2 a) Define Lattice. Check if the following diagram is a lattice or not.

(04M)



- b) Prove that set G = {1,2,3,4,5,6} is a finite abelian group of order 6 with respect to multiplication module 7 (08 M)
- c) A travel company surveyed it's travelers, to learn how much of their travel is taken with an Airplane, a Train or a Car. The following data is known; make a complete Venn Diagram with all the data. The number of people who flew was 1307. The number of people who both flew and used a train was 602. The people who used all three were 398 in number. Those who flew but didn't drive came to a total of 599. Those who drove but did not use a train totaled 1097. There were 610 people who used both trains and cars. The number of people who used either a car or a train or both was 2050. Lastly, 421 people used none of these Find out how many people drove but used neither a train nor an airplane, and also, how many people were in the entire survey.

(08 M)

- Q.3 a) Prove $\neg (p \lor (\neg p \land q))$ and $\neg p \land \neg q$ are logically equivalent by developing a series of logical equivalences. (04 M)
 - b) Consider the (3,5) group encoding function defined by

(04 M)

e(000)=00000 e(001)=00110

e(010)=01001 e(011)=01111

e(100)=10011 e(101)=10101

e(110)=11010 e(111)=11000


Decode the following words relative to a maximum likelyhood decoding function.

i) 11001 ii) 01010 iii) 00111

c) Mention all the elements of set D₃₆ also specify R on D₃₆ as aRb if a | b. Mention Domain and Range of R. Explain if the relation is Equivalence Relation or a Partially Ordered Relation. If it is a Partially Ordered Relation, draw its Hasse Diagram. (08 M)

QP CODE: 40415

- Q.4 a) Explain Extended pigeonhole Principle. How many friends must you have to guarantee that at least five of them will have birthdays in the same month. (04 M)
 - b) Define Euler Path and Hamiltonian Path.
 - i) Determine Euler Cycle and path in graph shown in (a)
 - ii) Determine Hamiltonian Cycle and path in graph shown in (b)



- c) In a group of 6 boys and 4 girls, four children are to be selected. In how many different ways can they be selected such that at least one boy should be there? (08 M)
- Q.5 a) Let G be a group. Prove that the identity element e is unique. (04M)
 - b) A pack contains 4 blue, 2 red and 3 black pens. If 2 pens are drawn at random from the pack, NOT replaced and then another pen is drawn. What is the probability of drawing 2 blue pens and 1 black pen? (08M)
 - c) Let A be a set of integers, let R be a relation on AXA defined by (a,b) R (c,d) if and only if a+d=b+c. Prove that R is an equivalence Relation. (08M)
- Q.6 a) Define reflexive closure and symmetric closure of a relation. Also find reflexive and symmetric closure of R. (04 M)

 $A=\{1,2,3,4\}$

 $R=\{(1,1),(1,2),(1,4),(2,4),(3,1),(3,2),(4,2),(4,3),(4,4)\}$

b) Let H=


| 1 | 0 | 0 |
|--------|----|--------|
| Ô | 1 | 1 |
| 1 | 1. | 1 |
| | | |
| 1 | 0 | 0 |
| 1 0 | 0 | 0 0 |

Be a parity check matrix. Determine the group code $e_H B^3 \rightarrow B^6$


(M80)

(M80)

c) Determine if following graphs G_1 and G_2 are isomorphic or not.



G1



G2

Paper / Subject Code: 50903 / Discrete Structures

| | | | QP | CODE: 40415 |
|-------------------|---|---|----|-------------|
| | | | | CODE: 40415 |
| | | 3 | | |
| 8 6 C C C S S S S | \$ \\ \delta \ | 3 | | |

Paper / Subject Code: 50902 / Digital Logic Design and Analysis

| (Time: 3 Hours) | (Marks:80) |
|--|------------|
| N.B. (1) Question No. 1 is compulsory | |
| (2)Assume suitable data if necessary | |
| (3)Attempt any three questions from remaining questions | |
| | |
| 1 Attempt ant 5 | |
| (a) Convert (451.43) ₁₀ into octal, binary and hexadecimal and base 7. | (4) |
| (b) Subtract using 1's and 2's complement method $(73)_{10} - (49)_{10}$ | (4) |
| (c) Perform (52) ₁₀ - (68) ₁₀ in BCD using 9's complement. | (4) |
| (d) State De Morgan's theorem. Prove OR-AND configuration is equivalent t | |
| NOR-NOR configuration. | (4) |
| (e) Encode the data bits 111010001using Hamming code. | (4) |
| (f) Explain SOP and POS and solve the following using K-Map | |
| $F(A,B,C,D)=\pi M(1,3,5,6,7,10,11)+d(2,4)$ | (4) |
| (g) Explain lockout condition. How can it be avoided | (4) |
| 2 (a) Reduce equation using Quine McCluskey method and realize circuit using basic gates. | (10) |
| $F(A,B,C,D) = \sum_{i=1}^{n} (1,5,6,12,13,14) + d(2,4)$ | 525 |
| (b) Design 4-bit BCD subtractor using IC 7483. | (10) |
| 3 (a) Implement the following using only one 8:1 Mux. $F(A,B,C,D) = \sum_{i=1}^{n} (0,2,4,6,8,10,12,14)$ | (5) |
| (b) Design a Full Subtractor using only NAND gates. | (5) |
| (c) Design a logic circuit to convert 4-bit gray code to its corresponding BCD code | |
| 4(a) Compare different logic families with respect to fan in, fan out, speed, | |
| Propogation delay and power dissipation. | (5) |
| (b) Implement 3 bit binary to gray code converter using Decoder. | (5) |
| (c) Explain 4 bitbidirectional shift register. | (10) |
| 5 (a) Design mod 13 synchronous counter using T flipflop | (10) |
| (b) Convert SR flipflop to JK flipflop and D flipflop. | (10) |
| 6 Write short note on (any four):- | (20) |
| (a) ALU | (20) |
| (b) 3 bit Up/Down Asynchronous Counter | |
| (c) Octal to Binary Encoder | |
| (d) 4-bit Universal shift register | |
| (e) VHDL | |
| | |

Paper / Subject Code: 50905 / Data Structures

| | Time: 3 Hours | Marks: 80 |
|--|--|------------------|
| N.B | 3: (1) Question No.1 is compulsory (2) Attempt any three questions of the remaining five questions (3 Figures to the right indicate full marks | |
| | (4) Make suitable assumptions wherever necessary with proper justification | ns |
| Q.1 | (a) Explain Linear and Non-Linear data structures. | (5) |
| | (b) Explain Priority Queue with example. | (5) |
| | (c) Write a program in 'C' to implement Quick sort. | (10) |
| Q.2 | (a) Write a program to implement Circular Linked List. Provide the following | ng |
| | operations: | (10) |
| | (i) Insert a node. | 15 1 4 6 9 3 3 A |
| | (ii) Delete a node | |
| | (iv) Display the list | |
| | (b) Explain Threaded Binary tree in detail | (10) |
| Q.3 (a) Explain Huffman Encoding with suitable example | | (10) |
| ۷.5 | (b) Write a program in 'C' to check for balanced parenthesis in an expression | 1 6 1 |
| | using stack | (10) |
| 0.4 | (a) Write a program in 'C' to implement Queue using array. | (10) |
| | (b) Explain different cases for deletion of a node in binary search tree. Write | ` ′ |
| | for each case | (10) |
| 0.5 | (a) Write a program in 'C' to implement Stack using Linked-List .Perform t | he following |
| (| operations: | (10) |
| | (i) Push | ` / |
| | (ii) Pop | |
| | (iii) Peek | |
| ,A | (iii) Display the stack contents | |
| 45 | (b) Explain Depth First search (DFS) Traversal with an example. Write the | recursive |
| 500 | function for DFS | (10) |
| $\Omega \epsilon$ | 6. Write Short notes on (any two) | (20) |
| | (a) Application of Linked-List –Polynomial addition | (20) |
| 206 | (b) Collision Handling techniques | |
| 800 | (c) Expression Tree | |
| 187 S | (d) Topological Sorting | |
| 50% | | |
| 7 2 | 87. 03. 93. 75. 87. 70. 83. 75. 03. 87. 87. 87. | |
