UOM Exam Second half 2021_Question paper_R2019/CSC301 - Engineering Mathematics III /Sem-III / CYBER SECURITY

Dear Student,

Please note before you attempt this section of examination:

- 1. Q1, Q2, Q3 and Q4 carry 20 marks each.
- 2. This paper contains 20 Marks MCQ and 60 marks subjective section for 150 minutes duration.
- 3. It is mandatory for all the students to upload their answer papers in a single PDF format only.
- 4. You have to write Date of Examination, Seat number, Program, Scheme and semester, Subject name, Signature on EVERY PAGE.
- 5. Remain in the meet with your camera on and you in clear view throughout the duration of the exam.

| * | * Required | | |
|----|--|--------------------------------|--|
| 1. | Email * | | |
| 2. | Student Name (As per exam form filled) * | | |
| 3. | Seat No * Refer Hall ticket | | |
| | - Please up | load a single PDF for Q1 to Q4 | |

- For MCQs Question write Question number & correct option with complete text in option.
- Q2 to Q4 are subjective questions Solve Questions as per the instructions and marks allotted.

Page 1/6

| Q1. | Choose the correct option for following questions. All the Questions are | | |
|-----------|--|--|--|
| | compulsory and carry equal marks | | |
| 1. | The Lenlage transform of $\int_{0}^{1} 1 - e^{\frac{du}{dt}} dt$ is | | |
| | The Laplace transform of $\int_0^{t} \frac{1-e^{\frac{du}{u}}}{u} du$ is | | |
| Option A: | $\frac{1}{s}\log\left(\frac{s-a}{s}\right)$ | | |
| Option B: | $\frac{1}{s}\log\left(\frac{s-a}{s}\right)$ | | |
| Option C: | $\frac{1}{s}\log\left(\frac{s-a}{s}\right)$ | | |
| Option D: | $\frac{1}{s}\log\left(\frac{s-a}{s}\right)$ | | |
| | | | |
| 2 | If $f(x) = \sqrt{(1-\cos x)}$, $0 < x < 2\pi$ then find a_0 . | | |
| Option A: | $2\sqrt{2}$ | | |
| | T T | | |
| Option B: | $\frac{\sqrt{2}}{\pi}$ | | |
| | | | |
| Option C: | $\sqrt{2}$ | | |
| | $\frac{\sqrt{2}}{3\pi}$ | | |
| Option D: | 1 | | |
| | $\overline{\pi}$ | | |
| | | | |

Page 2/6

| 3. | If $f(z) = u + iv$ is analytic then |
|-----------|--|
| Option A: | u is harmonic but v may or may not be harmonic. |
| Option B: | v is harmonic but u may or may not be harmonic. |
| Option C: | u and v both need not be harmonic. |
| Option D: | u and v both harmonic. |
| | |
| 4. | If $Var(X) = 4$ then $Var(3x+5)$ is |
| Option A: | 12 |
| Option B: | 20 |
| Option C: | 26 |
| Option D: | 36 |
| | |
| 5. | If $f(x)$ is an even function in the interval $(-l, l)$ then in the Fourier series |
| | expansion of $f(x)$ |
| Option A: | $a_n = 0, b_n = 0.$ |
| Option B: | $a_n = 0, a_0 = 0.$ |
| Option C: | $b_n = 0.$ |
| Option D: | $a_0 = 0, b_n = 0.$ |
| | |
| 6 | If $b_{yx} = 0.7764$, $b_{xy} = 1.2321$ then coefficient of correlation |
| Option A: | 0.9781 |
| Option B: | 0.6291 |
| Option C: | 1.2307 |
| Option D: | 0.0023 |
| | |

Page 3/6

| 7 | Find the constants a, b, c, d if $f(z) = x^2 + 2axy + 2by^2 + i(2cx^2 + dxy + y^2)$ |
|-----------|---|
| Option A: | $a = 1, b = -\frac{1}{2}, c = -\frac{1}{2}, d = 2.$ |
| Option B: | $a = 0, b = -\frac{1}{2}, c = -\frac{1}{2}, d = 2.$ |
| Option C: | $a = 1, b = -2, c = -\frac{1}{2}, d = 1.$ |
| Option D: | $a = 3, b = -\frac{1}{2}, c = -\frac{1}{2}, d = 2.$ |
| | |
| 8 | If X_1 has mean 4 and variance 9 and If X_2 has mean -2 and variance 4 and they are independent then $Var(2X_1 + X_2 - 3)$ is |
| Option A: | 41 |
| Option B: | 40 |
| Option C: | 36 |
| Option D: | 37 |
| | |
| 9 | Suppose two fair dice are thrown and sum of the numbers on dice is noted, what |
| | is the probability that the sum can be equal to 6, 7, 8 or 9. |
| Option A: | 2/9 |
| Option B: | 5/9 |
| Option C: | 4/9 |
| Option D: | 7/9 |
| | |
| 10. | Let X denotes the demand in quintals and Y denotes the price in rupees per kg. |
| | Also if $\overline{X} = 68$, $\overline{Y} = 69$, $\sum (X - \overline{X})^2 = 36$, $\sum (Y - \overline{Y})^2 = 44$, |
| | $\sum (X - \overline{X})(Y - \overline{Y}) = 24 \text{then the Karl Pearson's coefficient (r) of correlation is}$ |
| Option A: | 0.4030 |
| Option B: | 0.5030 |
| Option C: | 0.7030 |
| Option D: | 0.6030 |
| | |

Page 4/6

| Q2 | Solve any Four out of Six 5 marks each |
|----|---|
| A | If $L\{\sin\sqrt{t}\}=\frac{\sqrt{\pi}}{2s\sqrt{s}}.e^{-1/(+s)}$, find $L\{\sin2\sqrt{t}\}$ |
| В | Find the inverse Laplace transform of $\frac{s+29}{(s+4)(s^2+9)}$ |
| С | Find the Fourier series for $f(x)$ in $(0,2\pi)$ where $f(x) = \begin{cases} x, & 0 < x \le \pi \\ 2\pi - x, & \pi \le x < 2\pi \end{cases}$ |
| D | If $v = 3x^2y + 6xy - y^3$, show that v is harmonic function and find the corresponding analytic function. |
| E | Calculate the value of rank correlation coefficient from the following data regarding marks of 6 students in Statistics and Mathematics in a test: Marks: Statistics : 40, 42, 45, 35, 36, 39 Marks: Mathematics : 46, 43, 44, 39, 40, 43 |
| F | Three factories A , B , C produces 30%, 50% and 20% of the total production of an item. Out of their production 80%, 50% and 10% are defective. An item is chosen at random and found to be defective. Find the probability that it was produced by the factory A . |

Page 5/6

| Q3 | Solve any Four out of Six 5 marks each |
|----|--|
| А | By using Laplace transform, prove that $\int_{0}^{\infty} e^{-t} \cdot \frac{\sin^{2} t}{t} dt = \frac{1}{4} \log 5$ |
| В | Using convolution theorem, find the inverse Laplace transform of $\frac{1}{(s-2)^{s}(s+3)}$ |
| С | Obtain Fourier series for $f(x) = x + x^2$; $-1 < x < 1$ |
| D | Find an analytic function $f(z) = u + iv$, where $u + v = e^{x}(\cos y + \sin y)$ |
| E | State true or false with justification. "If two lines of regression are $x + 3y - 5 = 0$ and $4x + 3y - 8 = 0$, then the correlation coefficient is $+0.5$ ". |
| F | If the mean of the following distribution is 16. Find m,n and variance. $X : 8, 12, 16, 20, 24$ $P(X) : 1/8 m n 1/4 1/12$ |

Page 6/6

| Q4 | Solve any Four out of Six 5 marks each |
|----|---|
| A | Find the Laplace transform of $e^{-t} \int_{0}^{t} u \sin 3u du$ |
| В | Find the inverse Laplace transform of $\tan^{-1}\left(\frac{a}{s}\right)$ |
| С | Obtain half- range sine series for $f(x)$ where $f(x) = \begin{cases} x, & 0 < x < (\pi/2) \\ \pi - x, & (\pi/2) < x < \pi \end{cases}$ |
| D | Find the orthogonal trajectory of the family of curves given by $2x - x^3 + 3xy^2 = \alpha$ |
| E | Fit a straight line to the following data. $(x,y) = (-1,-5)(1,1)(2,4)(3,7)(4,10)$ Estimate y when $x = 7$ |
| F | A random variable X has the following probability density function $f(x) = \begin{cases} ke^{-kx}, & x > 0, k > 0 \\ 0, & \textit{elsewhere} \end{cases}$ Find the moment generating function and hence, the mean and variance. |

- Please Upload complete scanned answer copy in a single PDF file. *
 Files submitted:
- Have you uploaded correct scanned copy of the answer sheets. *
 Mark only one oval.

YES

This content is neither created nor endorsed by Google.

UOM Exam Second half 2021_Question paper_R2019/CSC302 - Discrete Structures & Graph Theory /Sem-III / CYBER SECURITY

Dear Student,

Please note before you attempt this section of examination:

- 1. Q1, Q2, Q3 and Q4 carry 20 marks each.
- 2. This paper contains 20 Marks MCQ and 60 marks subjective section for 150 minutes duration.
- 3. It is mandatory for all the students to upload their answer papers in a single PDF format only.
- 4. You have to write Date of Examination, Seat number, Program, Scheme and semester, Subject name, Signature on EVERY PAGE.
- 5. Remain in the meet with your camera on and you in clear view throughout the duration of the exam.

| * | Required |
|----|--|
| 1. | Email * |
| 2. | Student Name (As per exam form filled) * |
| 3. | Seat No * Refer Hall ticket |
| | - Please upload a single PDF for Q1 to Q4 - For MCQs Question write Question number & correct option |

- For MCQs Question write Question number & correct option with complete text in option.
- Q2 to Q4 are subjective questions Solve Questions as per the instructions and marks allotted.

Page 1/5

| Let a set $S = \{2, 3, 4, 6, 9, 12, 18, 24, 54\}$ and R be the partial order relation of |
|--|
| divisibility. Number of edges in its hasse diagram are |
| 10 |
| 12 |
| 14 |
| 8 |
| |
| The number of elements in the power set of $A = \{e, f, g, h\}$ is |
| 9 |
| 8 |
| 16 |
| 12 |
| |
| Which of the following Poset is a Distributed Lattice? |
| D ₅₀ |
| D ₁₀₅ |
| D ₂₀ |
| D ₇₅ |
| |
| Let f and g be the functions from the set of integers to itself, defined by |
| f(x) = 3x + 1 and $g(x) = 4x + 4$. Then the composition of f and g is |
| 12x+4 |
| |
| 12x+5 |
| 12x + 13 |
| 12x+8 |
| |
| How many strings of length 8 either begin with 2 zeros or end with 4 ones? |
| 80 |
| 42 |
| 76 |
| 64 |
| |

Page 2/5

| | ļ· |
|-----------|---|
| 6. | If every vertex of simple graph has same degree then it is called as |
| Option A: | Bipartite Graph |
| Option B: | Regular Graph |
| Option C: | Planner Graph |
| Option D: | Sub graph |
| | |
| 7. | What is the identity element in the group $G = \{1, 2, 3, 4, 5, 6, 7, 8\}$ under multiplication modulo 9? |
| Option A: | 1 |
| Option B: | 5 |
| Option C: | 4 |
| Option D: | 9 |
| | |
| 8. | Total how many Cut Vertices exist in the following graph? |
| | |
| Option A: | 2 |
| Option B: | 4 |
| Option C: | 3 |
| Option D: | 1 |
| орион В. | |
| 9. | A planer graph with 10 edges & 5 vertices has regions. |
| Option A: | 5 |
| Option B: | 7 |
| Option C: | 15 |
| Option D: | 13 |
| Option D. | 15 |
| | |
| 10. | Consider the following subsets of the positive integers N. Which of the following |
| | is not closed under multiplication operation? |
| Option A: | A={0,1} |
| Option B: | E={1,3,5,} |
| Option C: | C={x: x is prime} |
| Option D: | F={0,1,2} |
| - | 1 |

Page 3/5

| 02 | |
|-----------|---|
| Q2 | |
| (20 Marks | |
| Each) | |
| A | Solve any Two 5 marks each |
| i. | Prove using Mathematical Induction that |
| | $7^{2n}+2^{3n-3}*3^{n-1}$ is divisible by 25 for all $n \in \mathbb{N}$ |
| ii. | What is a lattice? Draw the hasse diagram of D ₆₆ . Whether it is a distributive |
| | lattice? Justify your answer. |
| iii. | What are the isomorphic graphs? Determine whether following graphs G & H are |
| | isomorphic. |
| | at |
| | f w |
| | l e x |
| | |
| | |
| | |
| | |
| | d G u |
| | |
| В | Solve any One 10 marks each |
| i. | Define the transitive property of a relation. Find the transitive closure of R using |
| | Warshall's algorithm where $A=\{1, 2, 3, 4, 5, 6\}$ & $R=\{(1, 2), (2, 3), (3, 5), (5, 6),$ |
| | (5,2)} |
| ii. | Describe the following terms with suitable example- |
| | a) Disjunctive Normal Form (DNF) |
| | b) partition set |
| | c) Complement of a relation |
| | d) Ring |
| | e) Bipartite graphs |
| | 7-1 |

Page 4/5

| Q3 | |
|--------------------|--|
| (20 Marks Each) | |
| A | Solve any Two 5 marks each |
| i. | Define the equivalence relation. Let R be the relation on Z which is defined as |
| | xRyif 3x+5y is divisible by 8. Determine whether this is an equivalence relation. |
| ii. | What is a linearly ordered set? Draw the hasse diagram of D ₆₂₅ . Determine |
| | whether it is the linearly ordered set or not. |
| iii. | Let A = {1, 2, 3, 4, 6, 9} and let R be the relation on A defined by "x divides y" |
| | written x/y. |
| | a) Write R as a set of ordered pairs. |
| | b) Drawits directed graph. |
| | c) Find indegree & outdegree of each vertex. |
| | d) Write the relation matrix of it. |
| | e) Find the inverse relation of R. |
| | c) This die inverse relation of K. |
| В | Solve any One 10 marks each |
| i. | a) Show that if 6 colors are used to paint 37 bicycles, then 7 of them must have |
| | same color. |
| | |
| | b) There are 6 Mathematics books, 8 Discrete Structures books, 9 Data Structures |
| | books. How many ways can be used by the student so that 2 books from |
| | different categories can be chosen? |
| ii. | Define minimum hamming distance. Find the code words generated by the parity |
| 11. | |
| | |
| | check matrix H given below. |
| | |
| | check matrix H given below. 101 H= 110 |
| | check matrix H given below. 1 0 1 |
| | check matrix H given below. 1 0 1 |
| | check matrix H given below. 1 0 1 |
| | check matrix H given below. 1 0 1 |

Page 5/5

| | T |
|-----------|--|
| Q4 | |
| (20 Marks | |
| Each) | |
| A | Solve any Two 5 marks each |
| i. | How many integers between 1 & 250 are divisible by 3, 5 or 7? |
| ii. | f: $R \rightarrow R$ is defined as $f(x) = x^3$ |
| | g: R \rightarrow R is defined as $f(x) = 4x^2 + 1$ |
| | h: $R \rightarrow R$ is defined as $h(x) = 7x - 1$ |
| | find the rule of defining (hog)of, go(hof). |
| iii. | What is an adjacency matrix & incidence matrix? Give the suitable examples of |
| | both. |
| В | Solve any One 10 marks each |
| i. | a) Define the term bijective function. |
| | Let $f: R \to (7/5) \to R - \left(\frac{2}{5}\right)$ be defined by $f(x) = \frac{2x-3}{5x-7}$. |
| | Prove that it is a bijection. Hence find f ⁻¹ . |
| ii. | What is a group? Let S= {0,3,6,9,12} |
| | Prepare the composition table w.r.t. the operation of addition modulo 15. |
| | Show that it is an abelian group. |
| | Find the inverses of all the elements. |
| | |
| | Whether it is a cyclic group? |

| 4 | Diagonal Indonesia | | | :I- DDF f:I- * |
|-------|--------------------|------------------|------------------|------------------------|
| 4 | Please Ubload | complete scanne | i answer copy ir | n a single PDF file. * |
| • • • | cacc op.caa | oompioto oodimio | я апоттог оор, п | . a cg.c . Dc. |

Files submitted:

5. Have you uploaded correct scanned copy of the answer sheets. *

Mark only one oval.

() YES

This content is neither created nor endorsed by Google.

UOM Exam Second half 2021_Question paper_R2019/CSC303 - Data Structure / Sem-III / CYBER SECURITY

Dear Student,

Please note before you attempt this section of examination:

- 1. Q1, Q2, Q3 and Q4 carry 20 marks each.
- 2. This paper contains 20 Marks MCQ and 60 marks subjective section for 150 minutes duration.
- 3. It is mandatory for all the students to upload their answer papers in a single PDF format only.
- 4. You have to write Date of Examination, Seat number, Program, Scheme and semester, Subject name, Signature on EVERY PAGE.
- 5. Remain in the meet with your camera on and you in clear view throughout the duration of the exam.

| * | Required | |
|----|---------------------------------------|--|
| 1. | Email * | |
| 2. | Student Name (As per exam form filled | I) * |
| 3. | Seat No * Refer Hall ticket | |
| | | - Please upload a single PDF for Q1 to Q4 - For MCOs Question write Question number & correct option |

- For MCQs Question write Question number & correct option with complete text in option.
- Q2 to Q4 are subjective questions Solve Questions as per the instructions and marks allotted.

| | Choose the correct option for following questions. All the Questions are | | |
|-----------|---|--|--|
| Q1. | compulsory and carry equal marks | | |
| 1. | Balanced factor of root node after inserting the element 19 in the given AVL tree will become - | | |
| | 9 20 7 | | |
| Option A: | -1 | | |
| Option B: | 1 | | |
| Option C: | 2 | | |
| Option D: | -2 | | |
| | | | |
| 2. | Which of the following condition can hold true, if a circular queue implemented | | |
| | using an array of size MAX, overflows? | | |
| Option A: | front=rear+1 | | |
| Option B: | rear=front | | |
| Option C: | front=(rear+1)%MAX | | |
| Option D: | rear=MAX-1 | | |
| | | | |
| 3. | Which among the following is not a linear data structure? | | |
| Option A: | Two Dimensional Array | | |
| Option B: | Double Ended Queue | | |
| Option C: | Binary Search Tree | | |
| Option D: | Doubly Linked List | | |
| | | | |
| 4. | Consider a stack containing following elements 9 3 7 2 << top, where the top | | |
| | element is 2. You need to get the following stack 9 3 5 7 << top. The operations | | |
| | that needed to be performed are (You can perform only push and pop): | | |
| Option A: | pop(), push(5) | | |
| Option B: | pop(), pop(), push(5), push(7) | | |
| Option C: | pop(), pop(), push(5), pop(), push(7) | | |
| Option D: | push(5), push(7) | | |
| | | | |

| | [1 |
|-----------|--|
| 5. | Which of the following is not a collision resolution method? |
| Option A: | Separate chaining |
| Option B: | Linear search |
| Option C: | Linear probing |
| Option D: | Double hashing |
| | |
| 6. | The post order traversal for the below given binary search tree, after deleting the nodes 6 and 13 is - |
| | 3 10 1 6 14 4 7 13 |
| Option A: | 1,3,4,7,8,10,14 |
| Option B: | 1,4,7,3,8,10,14 |
| Option C: | 1,4,7,3,10,14,8 |
| Option D: | 1,4,7,3,14,10,8 |
| | |
| 7. | Which type of linked list begins with a pointer to the first node and each node contains a pointer to the next node, and the pointer in the last node points back to the first node? |
| Option A: | Singly linked list |
| Option B: | Doubly linked list |
| Option C: | Circular singly linked list |
| Option D: | Circular doubly linked list |
| | |

| 8. | After inserting the elements 60, 30, 14, 78, 72, 89 in sequence in a B-tree of |
|-----------|--|
| | order-3, what will be the root node? |
| Option A: | 60,72 |
| Option B: | 30,78 |
| Option C: | 60,78 |
| Option D: | 30,72 |
| | |
| 9. | The Data structure used in the standard implementation of Breadth First Search |
| | is? |
| Option A: | Tree |
| Option B: | Linked List |
| Option C: | Queue |
| Option D: | Stack |
| | |
| 10. | What will be the topological ordering for the below graph. |
| | F B C |
| Option A: | ABCDEF |
| Option B: | ABEFCD |
| Option C: | ABECFD |
| Option D: | ABCDFE |
| | |

| Q2 | Solve any Four out of Six 5 marks each | |
|----|--|--|
| A | What is a non-linear data structure? Explain with example. | |
| В | Explain Queue ADT. | |
| C | Write a function to find and display the sum and average of elements in a singly | |
| С | linked list. | |
| D | Explain different cases of deletion of a node in binary search tree with an example. | |
| E | Explain in brief Double Ended Queue. | |
| | Consider a hash table of size 11 that uses quadratic probing to resolve collisions. | |
| F | Insert the keys: 12,19,23,30,34,45,59,61 in sequence in the hash table. Draw the | |
| F | table after inserting in the given order and also find the total number of | |
| | collisions. | |

| Q3 | Solve any Two Questions out of Three 10 marks each | | |
|--|---|--|--|
| A | Write a program in C to check for balanced parentheses using stack. Simulate with an example, | | |
| B Write the function for BFS traversal of a graph ADT. Show with a directed gr BFS traversal. | | | |
| C Create AVL tree by inserting the given values in sequence: 45,8, 33, 85, 61, 10, 48, 76, 57,99 | | | |

| Q4 | Solve any Two Questions out of Three 10 marks each | |
|--|--|--|
| | Write a program to create a singly linked list containing following functions: | |
| A | a) Insert at end | |
| A | b) Display | |
| | c) Count odd and even elements in the list. | |
| В | Create B tree of order 3 by inserting the given values in sequence: | |
| ь | 56, 9, 567, 66, 234, 89, 12, 45, 789, 74. | |
| C Write a program to implement circular queue using linked list. | | |

| 4. Please Upload complete scanned answer copy in a single P | DF file. * | |
|---|------------|--|
|---|------------|--|

Files submitted:

5. Have you uploaded correct scanned copy of the answer sheets. *

Mark only one oval.

YES

This content is neither created nor endorsed by Google.

UOM Exam Second half 2021_Question paper_R2019/CSC304 - Digital Logic & Computer Architecture /Sem-III / CYBER SECURITY

Dear Student,

Please note before you attempt this section of examination:

- 1. Q1, Q2, Q3 and Q4 carry 20 marks each.
- 2. This paper contains 20 Marks MCQ and 60 marks subjective section for 150 minutes duration.
- 3. It is mandatory for all the students to upload their answer papers in a single PDF format only.
- 4. You have to write Date of Examination, Seat number, Program, Scheme and semester, Subject name, Signature on EVERY PAGE.
- 5. Remain in the meet with your camera on and you in clear view throughout the duration of the exam.

| * | Required | | |
|----|--|--|--|
| 1. | Email * | | |
| | | | |
| | | | |
| 2. | Student Name (As per exam form filled) * | | |
| | | | |
| 3. | Seat No * | | |
| | Refer Hall ticket | | |
| | | | |
| | | | |

- Please upload a single PDF for Q1 to Q4
- For MCQs Question write Question number & correct option with complete text in option.
- Q2 to Q4 are subjective questions Solve Questions as per the instructions and marks allotted.

Page 1/3

| Q1. | Choose the correct option for following questions. All the Questions are compulsory and carry equal marks | | |
|-----------|---|--|--|
| 1. | What is does the Program Counter Holds | | |
| Option A: | It Holds the Address of the Current Instruction | | |
| Option B: | It Holds the Address of the Next Instruction | | |
| Option C: | It Holds the Current Instruction | | |
| Option D: | It Holds the Next Instruction | | |
| | | | |
| 2. | Arrange the steps for obtaining IEEE representation of floating point in proper format | | |
| | 1) calculate the biased exponent | | |
| | 2) convert to binary | | |
| | 3) convert to normalized form | | |
| Option A: | 1,2,3 | | |
| Option B: | 3,2,1 | | |
| Option C: | 2,3,1 | | |
| Option D: | 2,1,3 | | |
| | | | |
| 3. | In Booths Algorithm in one of the step M=0010 A=0010 Q=0100 Q-1=0 and count is not zero what it will be the value of M A Q and Q-1 in the immediate next step | | |
| Option A: | M=0010 A=0001 Q=0100 Q-1=0 | | |
| Option B: | M=0010 A=0001 Q=0010 Q-1=0 | | |
| Option C: | M=0010 A=0001 Q=0010 Q-1=1 | | |
| Option D: | M=0010 A=0001 Q=0000 Q-1=0 | | |
| _ | | | |
| 4. | Identify the type of addressing mode for the diagram shown below | | |
| | Instruction EA Operand Opcode R Register Set Memory | | |
| Option A: | Register Addressing mode | | |
| Option B: | Register Direct Addressing Mode | | |
| Option C: | Immediate Addressing Mode | | |
| Option D: | Register Indirect Addressing Mode | | |
| | Are Broker and are coming and are | | |

Page 2/3

| 5. | Which of the following is not a key characteristics of memory devices or memory | | |
|-----------|--|--|--|
| | system | | |
| Option A: | Location | | |
| Option B: | Physical Characteristics | | |
| Option C: | Availability | | |
| Option D: | Access Method | | |
| | | | |
| 6. | The correspondence between the main memory blocks and those in the cache is given by | | |
| Option A: | Mapping function | | |
| Option B: | Hash function | | |
| Option C: | Locale function | | |
| Option D: | Assign function | | |
| | | | |
| 7. | Basic task for control unit is | | |
| Option A: | to perform logical operations | | |
| Option B: | to perform execution | | |
| Option C: | to initiate the resources | | |
| Option D: | to decode instructions and generate control signal | | |
| | | | |
| 8. | Micro program consisting of is stored in control memory of control unit | | |
| Option A: | Instructions | | |
| Option B: | micro instructions | | |
| Option C: | micro program | | |
| Option D: | macro program | | |
| | | | |
| 9. | Flynn's taxonomy classifies computer architectures based on | | |
| Option A: | the number of instructions that can be executed | | |
| Option B: | how they operate on data. | | |
| Option C: | the number of instructions that can be executed and how they operate on data. | | |
| Option D: | The number of Control Signals Generated | | |
| 10. | Which of the following is not a valid type of centralized bus arbitration | | |
| Option A: | Dependent Request | | |
| Option B: | Daisy chaining | | |
| Option C: | Polling method | | |
| Option D: | Independent Request | | |

Page 3/3

| Q2 | Solve any Four out of Six 5 marks each |
|----|---|
| A | Describe the detailed Von-Neumann Model. |
| В | Convert 12.5 in IEEE 754 Single Precision Format. |
| C | Write a Short note on Flip Flops. |
| D | Differentiate between Hardwired control unit and Micro programmed control unit. |
| E | Describe the Difference between SRAM & DRAM. |
| F | Write short notes on PCI Bus. |

| Q3 | Solve any Four out of Six 5 marks each | |
|----|---|--|
| A | Explain any five Addressing Modes. | |
| В | Explain State Table design method for Hardwired control unit. | |
| C | List the Characteristics of Memory. | |
| D | What is Instruction Pipelining? Define the Pipeline performance Measures like SpeedUp, Efficiency, CPI, Throughput. | |
| E | Draw the neat block diagram for Flynn's Classification (Only the Diagram). | |
| F | Explain the Bus Arbitration. | |

| Q4. | Solve any Two Questions out of Three 10 marks each | | |
|-----|--|--|--|
| A | Draw the flowchart of Booth's Algorithm & perform 6 x -3 using this Algorithm | | |
| В | Describe the Micro programmed Control unit. Write micro program for the instruction ADD A, B (Register A and B are added and result is stored at Register A.). | | |
| С | Explain any two Cache memory Mapping Techniques. | | |

| 4. | Please Upload complete scanned answer copy in a single PDF file. * |
|----|--|
| | Files submitted: |

5. Have you uploaded correct scanned copy of the answer sheets. *

Mark only one oval.

| | | VEC |
|---|-----|-----|
| \ | - / | ILO |

This content is neither created nor endorsed by Google.

UOM Exam Second half 2021_Question paper_R2019/CSC305 - Computer Graphics /Sem-III / CYBER SECURITY

Dear Student,

Please note before you attempt this section of examination:

- 1. Q1, Q2, Q3 and Q4 carry 20 marks each.
- 2. This paper contains 20 Marks MCQ and 60 marks subjective section for 150 minutes duration.
- 3. It is mandatory for all the students to upload their answer papers in a single PDF format only.
- 4. You have to write Date of Examination, Seat number, Program, Scheme and semester, Subject name, Signature on EVERY PAGE.
- 5. Remain in the meet with your camera on and you in clear view throughout the duration of the exam.

| * | Required |
|----|--|
| | |
| _ | |
| 1. | Email * |
| | |
| | |
| | |
| | |
| 2. | Student Name (As per exam form filled) * |
| ۷. | Student Name (As per exam form filled) |
| | |
| | |
| | |
| _ | C . I N . * |
| 3. | Seat No * |
| | Refer Hall ticket |
| | |
| | |
| | |

- Please upload a single PDF for Q1 to Q4
- For MCQs Question write Question number & correct option with complete text in option.
- Q2 to Q4 are subjective questions Solve Questions as per the instructions and marks allotted.

Page 1/4

| Q1. | Choose the correct option for following questions. All the Questions are | |
|------------|--|--|
| V1. | compulsory and carry equal marks | |
| 1. | Which of the following statement does not define computer graphics | |
| Option A: | The technology that deals with designs and pictures on computers. | |
| Option B: | Visual images or designs on some surface such as wall, paper to inform, illustrate or entertain. | |
| Option C: | Almost everything on computer that is not text or sound. | |
| Option D: | It is an art of drawing pictures on a computer screen with the help of programming. | |
| 2. | In DDA line drawing method, for lines having negative slope with absolute value greater than 1 and taking right end point as starting point, the X and Y coordinate increments are | |
| Option A: | 1/m and -1 | |
| Option B: | -1/m and 1 | |
| Option C: | -1 and -m | |
| Option D: | 1 and m | |
| | | |
| 3. | In Homogenous Coordinate System, all Transformations are captured by | |
| Option A: | Addition | |
| Option B: | Subtraction | |
| Option C: | Multiplication | |
| Option D: | Division | |
| _ | | |
| 4. | Coordinates of clipping window: Lower Left Comer (10,10) and Upper Right Comer (50,50). What is the region code of point (7,60)? | |
| Option A: | 1001 | |
| Option B: | 1010 | |
| Option C: | 0110 | |
| Option D: | 0101 | |
| | | |

Page 2/4

| | I. | |
|-----------|--|--|
| 5. | In depth buffer method, depth of (x,y) is set to z only when | |
| Option A: | $Depth(x,y) \le z$ | |
| Option B: | $Depth(x,y) \le z$ | |
| Option C: | Depth(x,y) > z | |
| Option D: | $Depth(x,y) \ge z$ | |
| | | |
| 6. | A cube is defined by 8 vertices A(0,0,0), B(2,0,0), C(2,2,0), D(0,2,0), E(0,0,2), | |
| | F(2,0,2), $G(2,2,2)$, $H(0,2,2)$ After translation by $tx=1$, $ty=2$, $tz=1$ resultant position | |
| | is, | |
| Option A: | A(1,2,1), B(3,2,1), C(3,4,1), D(1,4,1), E(1,2,3), F(3,2,3), G(3,4,3), H(1,4,3) | |
| Option B: | A(1,2,1), B(1,2,3), C(3,4,1), D(1,1,1), E(1,2,3), F(1,4,3),G(3,2,3), H(3,3,3) | |
| Option C: | A(1,2,1), B(3,2,1), C(1,4,3), D(1,4,1), E(3,2,1), F(1,4,3),G(2,2,3), H(3,3,4) | |
| Option D: | A(1,1,1), B(3,2,1), C(1,2,3), D(1,4,1), E(3,2,1), F(1,4,3),G(2,2,2), H(3,3,4) | |
| | | |
| 7. | (5,10) is a point on an ellipse that has a center at the origin (0,0). Which of the | |
| | following point is also on the same ellipse | |
| Option A: | (0, 10) | |
| Option B: | (10, 5) | |
| Option C: | (-10, -5) | |
| Option D: | (-5, -10) | |
| | | |
| 8. | What happens when in 3D space uniform scaling with respect to origin is | |
| | performed, | |
| | Original shape of object may change | |
| | II) Original position of object may change | |
| Option A: | Only I | |
| Option B: | Only II | |
| Option C: | Both I and II | |
| Option D: | Neither I nor II | |
| | | |

Page 3/4

| | | _ |
|-----------|---|---|
| | | |
| 9. | In mid point ellipse method, is (Xi, Yi) is plotted in region 2, then for next point, | |
| | the ellipse function is evaluated at | |
| Option A: | $(X_i + \frac{1}{2}, Y_i - 1)$ | |
| Option B: | $(X_i - \frac{1}{2}, Y_i + 1)$ | 7 |
| Option C: | $(X_i - 1, Y_i + \frac{1}{2})$ | 7 |
| Option D: | $(X_i + 1, Y_i - \frac{1}{2})$ | |
| | | 7 |
| 10. | Liang Barsky Line Clipping method uses equations for clipping. | 1 |
| Option A: | Linear | |
| Option B: | Quadratic | |
| Option C: | Slope Intercept form | |
| Option D: | Parametric | |
| | + | 1 |
| | | |

| Q2 | | |
|------------|---|-----------------------------|
| (20 marks) | | |
| | Solve any Four | 5 marks each |
| i. | What is an Animation? What are the different | principles of animation? |
| ii. | What is aliasing effect? Explain antialiasing techni | ques. |
| iii. | Explain homogeneous coordinates system and its use in geometric | |
| | transformations. | |
| iv. | Explain the following terms | |
| | a. Scan conversion | |
| | b. Window and viewport | |
| v. | Write a short note on key framing | |
| vi. | Prove that 2D rotation and scaling commute if Sx : | = Sy and θ = n π |

Page 4/4

| Q3 | | | |
|------------|--|-------|--|
| (20 marks) | | | |
| | Solve any Two 10 marks each | | |
| i. | Calculate the pixel positions along a straight line between P1(20,20) and | | |
| | P2(10,12) using Bresenham's line drawing method. | | |
| ii. | Derive the matrix for 3D rotation of an object about an arbitrary rotation | axis. | |
| iii. | What is visible surface detection? Explain depth buffer method with suita | ıble | |
| | diagrams. | | |

| Q4 (20 marks) | |
|------------------|--|
| | Solve any Two 10 marks each |
| i. | Derive the equations for mid-point ellipse drawing algorithm with suitable diagrams. |
| ii. | Given an object with coordinate points A (10, 0), B (20, 0), C (20, 10), D(10, 10). Scale the polygon by 0.5 units in x direction and 2 units in y direction. Find new coordinates of an object. |
| iii. | Explain Cohen Sutherland line clipping method with suitable example |

| 4. | Please Upload complete scanned answer copy in a single PDF file. * |
|----|--|
| | Files submitted: |
| | |
| 5. | Have you uploaded correct scanned copy of the answer sheets. * |
| | Mark only one oval. |
| | YES |
| | |
| | |

This content is neither created nor endorsed by Google.