

Q.P. Code : 591602

(3 Hours)

[Total Marks :80

- N.B. :** (1) **Question No.1** is compulsory.
 (2) Solve any **three** questions from the remaining questions
 (3) Assume suitable data if necessary

1. Solve any **four** of the following. 20
 - (1) Explain CMOS inverter characteristic mentioning all regions of operation.
 - (2) Draw and explain AND gate using pass transistor logic
 - (3) Implement 4 x 4 barrel shifter.
 - (4) What are various programming techniques used for EEPROM.
 - (5) Implement following function using CMOS.

$$F = A \bar{B} + \bar{A} \bar{C} + AB$$
2. (a) Define scaling. Explain various types of scaling in detail. 10
 (b) Explain clock skew and describe techniques to minimize it. 10
3. (a) Draw 6T SRAM cell and explain it's read & write operation. 10
 (b) Draw Dand JK latch using CMOS transmission gate and explain the working. 10
4. (a) Explain latch up in CMOS in detail. What are remedie to avoid it. 10
 (b) Compare Ripple carry adder and carry look ahead adder. Explain 4 bit CLA adder implementation. 10
5. (a) What is ESD protection ? Explain in detail. 10
 (b) Explain different clock generation schemes. Explain one clock distribution scheme in detail. 10
6. Write short notes on: **any 4** 20
 - (a) Decoder circuits for ROM array
 - (b) Inter connect scaling
 - (c) Comparison of pseudo NMOS, Dynamic Static CMOS logic
 - (d) Array multiplier
 - (e) Sense amplitier

Sem - VI

29/11/2016

ETRX (CBCS)

7

ALS

Q. P. Code : 591704

(3 Hours)

[Total Marks : 80]

- Note :** (1) Question No.1 is compulsory.
(2) Attempt any three questions from remaining five questions.
(3) Assume suitable data if necessary.
(4) Figure to the right indicate full marks.

1. Explain in brief
- a) Integral controller 05
 - b) Electronic type temperature transmitter 05
 - c) Pneumatic logic gates 05
 - d) Data logger 05
2. (a) Explain loading of valves in pump application with diagram. 10
(b) Explain control valve characteristics. The temperature has a range of 300 K to 440 K and a setpoint of 384 K. Find the % span error when the temperature is 379 K. 10
3. (a) What is the necessity of valve positioner? Give the details about the force balance and motion balance valve positioners. 10
(b) Explain detail cylinder of construction with its dynamics. 10
4. (a) What are the different types of hydraulic pumps? Explain with neat sketch. 10
(b) Explain the installation procedure of control valve. 10
5. a) Explain the need of controller tuning. What are the different methods of controller tuning? 10
(b) Explain compressed air receiver unit. What are the different control strategies for air receiver unit? 10
6. a) Compare conventional and smart transmitters. Explain the working of DP transmitter. 10
(b) Write short note on: a) Telemetry b) I-P converter. 10

- N.B. :** (1) Question No. 1 is **Compulsory**.
 (2) Attempt any **three** questions from remaining **five**.
 (3) Each question carries 10 marks.

1. Attempt any **five**:-

- | | | |
|-----|--|----|
| (a) | What is Ethernet? | 2 |
| (b) | Which are the different types of operating system? | 2 |
| (c) | Define and explain intranet. | 2 |
| (d) | State and explain elements of IT infrastructure? | 2 |
| (e) | What is E-governance? | 2 |
| (f) | What is Biometric system? Explain it. | 2 |
| (g) | Explain in brief Video Surveillance. | 2 |
| 2. | (a) Differentiate between TCP/IP and OSI. | 5 |
| | (b) Write a short note on Cabling infrastructure. | 5 |
| 3. | (a) State and Explain network topologies. | 5 |
| | (b) Explain Information Technology Audit in brief. | 5 |
| 4. | (a) Explain Simple Network Management Protocol. | 5 |
| | (b) Explain World Wide Web. | 5 |
| 5. | (a) Explain Enterprise resource planning (ERP) and its need. | 5 |
| | (b) Explain password management system. | 5 |
| 6. | Write short notes on:- | 10 |
| | (i) Internetworks. | |
| | (ii) Data Mining | |
| | (iii) Web browser | |
| | (iv) Firewall | |
| | (v) CIA triangle | |
-

Computer Organization

Q.P. Code : 591802

(3 Hours)

[Total Marks : 80]

- N.B. :** (1) Question No.1 is compulsory.
 (2) Attempt any Three questions from remaining questions.
 (3) All questions carry equal marks.
 (4) Figures to the right indicate full marks.

1. (a) Calculate the effective memory access time for 20
 M1: 50 ns access time,
 M2: 400 ns access time and hit ratio of M1 : 0.95
 (b) Explain nano-programming and enumerate its advantages.
 (c) Explain the principles of locality of reference used in cache memories.
 (d) Show the address decoding for 128KB ROM (32 bit memory) using 32 bit addresses.
2. (a) Explain hardwired control unit with a neat diagram. Describe clearly the generation of control signals with examples. 10
 (b) A 32 bit processor has a 32 bit memory address. It has 8KB of cache memory. The computer follows 4-way set-associative mapping with each cache line size being 16 bytes. Show the memory address format and explain the process of lookup. (Draw neat diagrams). 10
3. (a) Explain the register structure of the IA-32 family with neat diagrams. Describe the functions of each register in brief. 10
 (b) Explain the paging mechanism. State advantages of paging and the importance of the Translation Look aside Buffer (TLB) in paging. 10
4. (a) Compare CISC and RISC design philosophies in detail (atleast five points of difference). 10
 (b) State the advantages of pipelining. Explain various types of pipeline hazards and their solutions. Give examples. 10
5. (a) Explain the multi-bus data path organization with a neat diagram. 10
 (b) Write a control sequence and explain the steps for the following instruction 10
 ADD R2, [R1]
6. Write short notes on : 20
 (a) Cache coherency
 (b) Storage devices
 (c) Flynn's classification

Q.P. Code : 592001

(3 Hours)

[Total Marks : 80

- N.B. :** (1) Question number 1 is **Compulsory**.
 (2) Solve any **three** question out of remaining
 (3) Assume suitable data if required.

1. Answer any **four**

- (a) Differentiate between Butterworth and chebyshev filter. **5**
 (b) Explain the concept of pipelining in DSP processor. **5**
 (c) Explain frequency warping effect in designing IIR filter using BLT method. **5**
 (d) Explain Quantization effect in computation of DFT. **5**
 (e) State the relationship between DFS, DFT and Z Transform. **5**

2. (a) Compute IDFT of the following sequence using inverse FFT algorithm. **10**
 $x(k) = \{3,0,3,0,3,0,3,0\}$
 (b) Prove the Parseval's theorem for the sequence $x(n) = \{2,4,2,4\}$ **5**
 (c) Find the linear convolution and circular convolution of the sequences $x(n) = \{1,2,1,2\}$ and $h(n) = \{4,0,4,0\}$ **5**

3. (a) Design an analog Butterworth filter that has -2dB passband attenuation at frequency of 20 rad/sec and atleast -10dB stopband attenuation at 30 rad/sec. **10**
 (b) Convert the following filters with system functions **10**

$$(i) H(s) = \frac{1}{(s+2)(s+0.6)}$$

$$(ii) H(s) = \frac{(s+0.1)}{(s+0.1)^2 + 9}$$

into a digital filter by means of impulse invariant and BLT method.

4. (a) Explain the concept of linear phase in FIR filter. **10**
 prove the following statement 'a filter is said to have linear phase response if its phase response is $\theta(\omega) = -\alpha\omega$.
 (b) Design a low pass FIR filter with 7 coefficients for the following **10**
 specifications passband frequency = 0.25 khz and sampling frequency = 1 khz. Use hamming window in designing.

[TURN OVER

Q.P. Code : 592001

2

5. (a) Draw neat architecture of TMS 320C67xx DSP processor and explain each block. **10**
- (b) Explain addressing modes of DSP processor with example. **10**
6. Write short notes on:- (any **three**) **20**
- (a) Subband coding
 - (b) Application of DSP processor to Radar signal processing
 - (c) Limit cycle oscillations
 - (d) Product quantization error and input quantization error
-

MUPD16460 5060 12/20/2016 1:37:32 PM MUPD16460 5060 12/20/2016 1:37:32 PM MUPD16460 5060 12/20/2016 1:37:32 PM

(3 Hours)

[Total Marks :80

- N.B. :** (1) Question No. 1 is compulsory.
 (2) Attempt any **three** questions out of remaining questions.
 (3) **Assume** suitable **data** wherever **necessary**.

1. Solve any **four**. 20
- Explain dynamic characteristics of SCR
 - Compare IGBT and Power BJT
 - What is need of free wheeling diode in rectifiers with example.
 - Draw and explain DIAC characteristics
 - What is the need of thyristors in Electronic Circuits?
2. (a) Draw and explain full controlled rectifier with R-L load. Draw waveforms when $\alpha = 60^\circ$ 10
 (b) Explain working of step up Chopper with proper waveforms. 10
3. (a) A single phase half bridge inverter has resistive load of 8 ohms and DC input voltage $E_{dc} = 50V$ Calculate: 10
 (i) RMS output Voltage
 (ii) Average and Peak current of each Thyristor
 (iii) Output Power P_o
 (b) Explain voltage control technique in Inverter using sinusoidal PWM method 10
4. (a) Explain dual converter with proper waveforms 10
 (b) Explain working of three phase bridge Inverter. 10
5. (a) Explain Power MOSFET construction and characteristics. Give one application 10
 (b) Design relaxation oscillator circuit for SCR using UJT for following data: 10
 $\eta = 0.71$, $I_p = 0.5mA$, $V_p = 16V$, $I_v = 2.5mA$, $R_{bb} = 5.5K\Omega$. with emitter open.
 The firing frequency is 3KHz, $C = 0.047 \mu F$
6. Write short notes on:- 20
- Buck-Boost mode regulator
 - Protection circuits for SCR
 - Cyclo-converters and applications
 - Forced commutation in SCR

