Examinations Commencing from 15th June 2021

Program: **Information Technology** Curriculum Scheme: Rev2016 Examination: BE Semester VII

Course Code: ITC703 and Course Name: Artificial Intelligence

Q1.	Choose the correct option for following questions. All the Questions are compulsory and carry equal marks
1	WH'1 C4 C11 ' 11 ATO
1.	Which of the following is not covered by AI?
Option A:	Linguistic
Option B:	Economics
Option C:	Philosophy
Option D:	Nature Drawing
2.	is a decision making strategy which seeks for ample solution rather than most favorable results.
Option A:	Satisficing
Option B:	Augmented intelligence
Option C:	Optimizing
Option D:	Pruning
- F	
3.	Which of the following sentence/s is/are true? I Rational agent not only do the said task but also learn from its percept history. II Rational agent thinks logically III Rational agent acts only based what he perceives.
Option A:	Only I
Option B:	I and II
Option C:	II and III
Option D:	Only II
4.	Consider an example of ALEXA, what kind of environment it required to perform well.
Option A:	Fully Observable, Deterministic, Episodic, Dynamic, Discrete
Option B:	Partially Observable, Stochastic, Episodic, Dynamic, Discrete
Option C:	Partially Observable, Stochastic, Sequential, Dynamic, Continuous
Option D:	Partially Observable, Stochastic, Sequential, Dynamic, Discrete
5.	For a Simulated annealing algorithm, for a very high value of T, the algorithm behaves like and as T becomes 0, the behavior move towards
Option A:	Random Walk, Hill Climbing
Option B:	Hill Climbing, Random Walk
Option C:	DFS, Random Walk
Option D:	Tabu Search, Random Walk

6.	What is MINIMAX value of a game tree of Tic-Tac-Toe	
Option A:	Win	
Option B:	Draw	
Option C:	Loose	
Option D:	Withdraw	
1		
7. Which statement is true:		
	I- A* is complete and admissible	
	II- A* search algorithm's time complexity is more than DFS	
	III- A* search algorithm's time and space complexity depends on heuristic	
	function	
Option A:	I and II	
Option B:	II and III	
Option C:	I and III	
Option D:	Only I	
8.	Which of the following is the important property of CSP?	
Option A:	Commutative	
Option B:	Constraint propagation	
Option C:	Forward checking	
Option D:	Incremental	
9.	Every rat has a tail, can be represented as	
Option A:	$\exists x \text{ has } (x, \text{tail})$	
Option B:	$\forall x \text{ has } (x, \text{tail})$	
Option C:	$\exists x \operatorname{rat}(x) \to \operatorname{has}(x, \operatorname{tail})$	
Option D:	$\forall x \operatorname{rat}(x) \rightarrow \operatorname{has}(x, \operatorname{tail})$	
10	The second direction of a hidiward and involved in the	
10.	The symbolization of a bidirectional implication is	
Option A:	$p \rightarrow q$	
Option B:	p & q	
Option C:	p v q	
Option D:	$p \leftrightarrow q$	
11.	Which of the following is not a type of plan?	
Option A:	Partial order	
	Conditional	
Option B: Option C:	Unconditional	
Option D:	Hierarchical	
Орион Д.	THETATEMENT	
12.	Which of the following is a feature of quantifiers?	
Option A:	Universal quantifier is used to get exact number of entities.	
Option B:	Neither Existential quantifier nor Universal quantifier give exact number of	
	entities.	
Option C:	Existential quantifier is negation of zero.	
Option D:	Existential quantifier implies half the number of entities.	
13.	For Air cargo transport problem, the precondition for Unload(x,y, Mumbai) is	
Option A:	Load(x,y, Mumbai) and Fly(y, Mumbai, Mumbai)	
Option B:	Load(x,y, Pune) and Fly(y, Pune, Mumbai)	

Option D: Load(y,x, Mumbai) and Fly(z, Mumbai, Mumbai) 14. Plan for making lunch which includes Roti, Dal and Rice is Option A: Only Total order Option B: Only Partial order Option D: Only conditional 15. Probabilities express Option A: the agent's inability to reach a definite decision regarding the truth of a sentence, and summarize the agent's beliefs. Option B: the agent's inability to reach a definite decision regarding the truth of a sentence, and summarize the agent's beliefs. Option C: the agent's inability to reach an indefinite decision regarding the truth of a sentence, and summarize the agent's beliefs. Option D: the agent's sability to reach an indefinite communication regarding the truth of a sentence, and summarize the agent's beliefs. Option D: the agent's sability to reach an indefinite communication regarding the truth of a sentence, and summarize the agent's beliefs. 16. BELIEF NETWORK represents Option A: Relation between outcomes Option B: the dependence between variables Option C: the dependence between outcomes Option D: Collection of outcomes 17. Which of the following is an application of NLP Option A: Document clustering Option B: Map coloring Option D: Resource allocation 18. Which of the following is a Natural Language Processing stage? Option C: Ottp Transaction Option D: Datatype casting Option D: Pragmatic analysis 19. Which of the following concepts make a system cognitive? Option A: Random learning Option B: Continuous learning from data across time Option C: Data cleaning Option D: Data cleaning Option D: Data certaction	Option C:	Load(y,x, Pune) and Fly(z, Pune, Mumbai)	
14. Plan for making lunch which includes Roti, Dal and Rice is Option A: Only Total order Option B: Only Partial order Option C: Combination of all types Option D: Only conditional 15. Probabilities express Option A: the agent's inability to reach a definite decision regarding the truth of a sentence, and summarize the agent's beliefs. Option B: the agent's ability to reach a definite decision regarding the truth of a sentence, and summarize the agent's beliefs. Option C: the agent's inability to reach an indefinite decision regarding the truth of a sentence, and summarize the agent's beliefs. Option D: the agent's ability to reach an indefinite communication regarding the truth of a sentence, and summarize the agent's beliefs. 16. BELIEF NETWORK represents Option A: Relation between outcomes Option B: the dependence between variables Option C: the dependence between variables Option D: Collection of outcomes 17. Which of the following is an application of NLP Option A: Document clustering Option B: Map coloring Option B: Map coloring Option D: Resource allocation 18. Which of the following is a Natural Language Processing stage? Option A: Query optimization Option B: Crypt Arithmetic Option C: Datatype casting Option D: Pragmatic analysis 19. Which of the following concepts make a system cognitive? Option A: Random learning Option C: Data cleaning Option D: Data extraction			
Option A: Only Total order Option B: Only Partial order Option C: Combination of all types Option D: Only conditional 15. Probabilities express Option A: the agent's inability to reach a definite decision regarding the truth of a sentence, and summarize the agent's beliefs. Option B: the agent's ability to reach a definite decision regarding the truth of a sentence, and summarize the agent's beliefs. Option C: the agent's inability to reach an indefinite decision regarding the truth of a sentence, and summarize the agent's beliefs. Option D: the agent's ability to reach an indefinite communication regarding the truth of a sentence, and summarize the agent's beliefs. Option D: Relation between outcomes Option A: Relation between outcomes Option B: the dependence between variables Option C: the dependence between variables Option D: Collection of outcomes 17. Which of the following is an application of NLP Option A: Document clustering Option B: Map coloring Option D: Resource allocation 18. Which of the following is a Natural Language Processing stage? Option D: Datatype casting Option D: Pragmatic analysis 19. Which of the following concepts make a system cognitive? Option A: Random learning Option B: Continuous learning from data across time Option C: Data cleaning Option D: Data extraction 20. What types of problems are solved by supervised learning?	1		
Option A: Only Total order Option B: Only Partial order Option C: Combination of all types Option D: Only conditional 15. Probabilities express Option A: the agent's inability to reach a definite decision regarding the truth of a sentence, and summarize the agent's beliefs. Option B: the agent's ability to reach a definite decision regarding the truth of a sentence, and summarize the agent's beliefs. Option C: the agent's inability to reach an indefinite decision regarding the truth of a sentence, and summarize the agent's beliefs. Option D: the agent's ability to reach an indefinite communication regarding the truth of a sentence, and summarize the agent's beliefs. Option D: Relation between outcomes Option A: Relation between outcomes Option B: the dependence between variables Option C: the dependence between variables Option D: Collection of outcomes 17. Which of the following is an application of NLP Option A: Document clustering Option B: Map coloring Option D: Resource allocation 18. Which of the following is a Natural Language Processing stage? Option D: Datatype casting Option D: Pragmatic analysis 19. Which of the following concepts make a system cognitive? Option A: Random learning Option B: Continuous learning from data across time Option C: Data cleaning Option D: Data extraction 20. What types of problems are solved by supervised learning?	14.	Plan for making lunch which includes Roti, Dal and Rice is	
Option B: Only Partial order Option C: Combination of all types Option D: Only conditional 15. Probabilities express Option A: the agent's inability to reach a definite decision regarding the truth of a sentence, and summarize the agent's beliefs. Option B: the agent's ability to reach a definite decision regarding the truth of a sentence, and summarize the agent's beliefs. Option C: the agent's inability to reach an definite decision regarding the truth of a sentence, and summarize the agent's beliefs. Option D: the agent's ability to reach an indefinite decision regarding the truth of a sentence, and summarize the agent's beliefs. Option D: the agent's ability to reach an indefinite communication regarding the truth of a sentence, and summarize the agent's beliefs. 16. BELIEF NETWORK represents Option A: Relation between outcomes Option B: the dependence between variables Option C: Other of outcomes 17. Which of the following is an application of NLP Option A: Document clustering Option A: Document clustering Option C: OLTP Transaction Option D: Resource allocation 18. Which of the following is a Natural Language Processing stage? Option A: Query optimization Option B: Crypt Arithmetic Option C: Datatype casting Option D: Pragmatic analysis 19. Which of the following concepts make a system cognitive? Option A: Random learning Option B: Continuous learning from data across time Option C: Data cleaning Option D: Data extraction	Option A:		
Option C: Ombination of all types Option D: Only conditional 15. Probabilities express Option A: the agent's inability to reach a definite decision regarding the truth of a sentence, and summarize the agent's beliefs. Option B: the agent's inability to reach a definite decision regarding the truth of a sentence, and summarize the agent's beliefs. Option C: the agent's inability to reach an indefinite decision regarding the truth of a sentence, and summarize the agent's beliefs. Option D: the agent's ability to reach an indefinite communication regarding the truth of a sentence, and summarize the agent's beliefs. 16. BELIEF NETWORK represents Option A: Relation between outcomes Option B: the dependence between variables Option C: the dependence between variables Option D: Collection of outcomes 17. Which of the following is an application of NLP Option A: Option A: Ocument clustering Option B: Map coloring Option D: Resource allocation 18. Which of the following is a Natural Language Processing stage? Option C: OLTP Transaction Option B: Crypt Arithmetic Option C: Datatype casting Option D: Pragmatic analysis 19. Which of the following concepts make a system cognitive? Option A: Random learning Option B: Continuous learning from data across time Option C: Data cleaning Option D: Data cleaning Option D: Data cextraction		•	
Option D: Only conditional 15. Probabilities express Option A: the agent's inability to reach a definite decision regarding the truth of a sentence, and summarize the agent's beliefs. Option B: the agent's ability to reach a definite decision regarding the truth of a sentence, and summarize the agent's beliefs. Option C: the agent's inability to reach an indefinite decision regarding the truth of a sentence, and summarize the agent's beliefs. Option D: the agent's ability to reach an indefinite communication regarding the truth of a sentence, and summarize the agent's beliefs. 16. BELIEF NETWORK represents Option A: Relation between outcomes Option B: the dependence between variables Option C: the dependence between outcomes Option D: Collection of outcomes 17. Which of the following is an application of NLP Option A: Document clustering Option B: Map coloring Option D: Resource allocation 18. Which of the following is a Natural Language Processing stage? Option A: Ouery optimization Option B: Crypt Arithmetic Option C: Datatype casting Option D: Pragmatic analysis 19. Which of the following concepts make a system cognitive? Option A: Random learning Option B: Continuous learning from data across time Option C: Data cleaning Option D: Data cleaning Option D: Data extraction			
15. Option A: the agent's inability to reach a definite decision regarding the truth of a sentence, and summarize the agent's beliefs. Option B: the agent's ability to reach a definite decision regarding the truth of a sentence, and summarize the agent's beliefs. Option C: the agent's inability to reach an indefinite decision regarding the truth of a sentence, and summarize the agent's beliefs. Option D: the agent's ability to reach an indefinite communication regarding the truth of a sentence, and summarize the agent's beliefs. 16. BELIEF NETWORK represents Option A: Relation between outcomes Option B: the dependence between variables Option C: the dependence between variables Option D: Collection of outcomes 17. Which of the following is an application of NLP Option A: Document clustering Option B: Map coloring Option C: OLTP Transaction Option D: Resource allocation 18. Which of the following is a Natural Language Processing stage? Option A: Query optimization Option B: Crypt Arithmetic Option C: Datatype casting Option D: Pragmatic analysis 19. Which of the following concepts make a system cognitive? Option A: Random learning Option B: Continuous learning from data across time Option C: Data cleaning Option D: Data cleaning Option D: Data cleaning Option D: Data extraction			
Option A: the agent's inability to reach a definite decision regarding the truth of a sentence, and summarize the agent's beliefs. Option C: the agent's ability to reach an indefinite decision regarding the truth of a sentence, and summarize the agent's beliefs. Option D: the agent's inability to reach an indefinite decision regarding the truth of a sentence, and summarize the agent's beliefs. Option D: the agent's ability to reach an indefinite communication regarding the truth of a sentence, and summarize the agent's beliefs. 16. BELIEF NETWORK represents Option A: Relation between outcomes Option B: the dependence between variables Option C: the dependence between outcomes Option D: Collection of outcomes 17. Which of the following is an application of NLP Option A: Option B: Map coloring Option D: Resource allocation 18. Which of the following is a Natural Language Processing stage? Option A: Option B: Crypt Arithmetic Option C: Datatype casting Option D: Pragmatic analysis 19. Which of the following concepts make a system cognitive? Option A: Random learning Option B: Continuous learning from data across time Option C: Data extraction What types of problems are solved by supervised learning?	1		
Option A: the agent's inability to reach a definite decision regarding the truth of a sentence, and summarize the agent's beliefs. Option C: the agent's ability to reach an indefinite decision regarding the truth of a sentence, and summarize the agent's beliefs. Option D: the agent's inability to reach an indefinite decision regarding the truth of a sentence, and summarize the agent's beliefs. Option D: the agent's ability to reach an indefinite communication regarding the truth of a sentence, and summarize the agent's beliefs. 16. BELIEF NETWORK represents Option A: Relation between outcomes Option B: the dependence between variables Option C: the dependence between outcomes Option D: Collection of outcomes 17. Which of the following is an application of NLP Option A: Option B: Map coloring Option D: Resource allocation 18. Which of the following is a Natural Language Processing stage? Option A: Option B: Crypt Arithmetic Option C: Datatype casting Option D: Pragmatic analysis 19. Which of the following concepts make a system cognitive? Option A: Random learning Option B: Continuous learning from data across time Option C: Data extraction What types of problems are solved by supervised learning?	15.	Probabilities express	
and summarize the agent's beliefs. Option B: the agent's ability to reach a definite decision regarding the truth of a sentence, and summarize the agent's beliefs. Option C: the agent's inability to reach an indefinite decision regarding the truth of a sentence, and summarize the agent's beliefs. Option D: the agent's ability to reach an indefinite communication regarding the truth of a sentence, and summarize the agent's beliefs. 16. BELIEF NETWORK represents Option A: Relation between outcomes Option B: the dependence between variables Option C: the dependence between outcomes Option D: Collection of outcomes 17. Which of the following is an application of NLP Option A: Document clustering Option B: Map coloring Option C: OLTP Transaction Option D: Resource allocation 18. Which of the following is a Natural Language Processing stage? Option A: Query optimization Option B: Crypt Arithmetic Option C: Datatype casting Option D: Pragmatic analysis 19. Which of the following concepts make a system cognitive? Option A: Random learning Option B: Continuous learning from data across time Option C: Data cleaning Option D: Data extraction What types of problems are solved by supervised learning?	Option A:		
Option B: the agent's ability to reach a definite decision regarding the truth of a sentence, and summarize the agent's beliefs. Option C: the agent's inability to reach an indefinite decision regarding the truth of a sentence, and summarize the agent's beliefs. Option D: the agent's ability to reach an indefinite communication regarding the truth of a sentence, and summarize the agent's beliefs. 16. BELIEF NETWORK represents	1		
and summarize the agent's beliefs. Option C: the agent's inability to reach an indefinite decision regarding the truth of a sentence, and summarize the agent's beliefs. Option D: the agent's ability to reach an indefinite communication regarding the truth of a sentence, and summarize the agent's beliefs. 16. BELIEF NETWORK represents Option A: Relation between outcomes Option B: the dependence between variables Option C: the dependence between outcomes Option D: Collection of outcomes 17. Which of the following is an application of NLP Option A: Document clustering Option B: Map coloring Option C: OLTP Transaction Option D: Resource allocation 18. Which of the following is a Natural Language Processing stage? Option A: Query optimization Option B: Crypt Arithmetic Option C: Datatype casting Option D: Pragmatic analysis 19. Which of the following concepts make a system cognitive? Option A: Random learning Option B: Continuous learning from data across time Option C: Data cleaning Option D: Data extraction	Option B:		
Option C: the agent's inability to reach an indefinite decision regarding the truth of a sentence, and summarize the agent's beliefs. Option D: the agent's ability to reach an indefinite communication regarding the truth of a sentence, and summarize the agent's beliefs. 16. BELIEF NETWORK represents Option A: Relation between outcomes Option B: the dependence between variables Option C: ollection of outcomes Option D: Collection of outcomes 17. Which of the following is an application of NLP Option A: Document clustering Option B: Map coloring Option C: OLTP Transaction Option D: Resource allocation 18. Which of the following is a Natural Language Processing stage? Option A: Query optimization Option B: Crypt Arithmetic Option C: Datatype casting Option D: Pragmatic analysis 19. Which of the following concepts make a system cognitive? Option A: Random learning Option B: Continuous learning from data across time Option C: Data eleaning Option D: Data extraction	1		
sentence, and summarize the agent's beliefs. Option D: the agent's ability to reach an indefinite communication regarding the truth of a sentence, and summarize the agent's beliefs. 16. BELIEF NETWORK represents Option A: Relation between outcomes Option B: the dependence between variables Option C: the dependence between outcomes Option D: Collection of outcomes 17. Which of the following is an application of NLP Option A: Document clustering Option B: Map coloring Option C: OLTP Transaction Option D: Resource allocation 18. Which of the following is a Natural Language Processing stage? Option A: Query optimization Option B: Crypt Arithmetic Option C: Datatype casting Option D: Pragmatic analysis 19. Which of the following concepts make a system cognitive? Option A: Random learning Option B: Continuous learning from data across time Option C: Data cleaning Option D: Data extraction	Option C:	9	
sentence, and summarize the agent's beliefs. 16. BELIEF NETWORK represents Option A: Relation between outcomes Option B: the dependence between variables Option C: the dependence between outcomes Option D: Collection of outcomes 17. Which of the following is an application of NLP Option A: Document clustering Option B: Map coloring Option C: OLTP Transaction Option D: Resource allocation 18. Which of the following is a Natural Language Processing stage? Option A: Query optimization Option B: Crypt Arithmetic Option C: Datatype casting Option D: Pragmatic analysis 19. Which of the following concepts make a system cognitive? Option A: Random learning Option B: Continuous learning from data across time Option C: Data cleaning Option D: Data extraction	1		
sentence, and summarize the agent's beliefs. 16. BELIEF NETWORK represents Option A: Relation between outcomes Option B: the dependence between variables Option C: the dependence between outcomes Option D: Collection of outcomes 17. Which of the following is an application of NLP Option A: Document clustering Option B: Map coloring Option C: OLTP Transaction Option D: Resource allocation 18. Which of the following is a Natural Language Processing stage? Option A: Query optimization Option B: Crypt Arithmetic Option C: Datatype casting Option D: Pragmatic analysis 19. Which of the following concepts make a system cognitive? Option A: Random learning Option B: Continuous learning from data across time Option C: Data cleaning Option D: Data extraction	Option D:	the agent's ability to reach an indefinite communication regarding the truth of a	
16. BELIEF NETWORK represents Option A: Relation between outcomes Option B: the dependence between variables Option C: the dependence between outcomes Option D: Collection of outcomes 17. Which of the following is an application of NLP Option A: Document clustering Option B: Map coloring Option C: OLTP Transaction Option D: Resource allocation 18. Which of the following is a Natural Language Processing stage? Option A: Query optimization Option B: Crypt Arithmetic Option B: Crypt Arithmetic Option C: Datatype casting Option D: Pragmatic analysis 19. Which of the following concepts make a system cognitive? Option A: Random learning Option B: Continuous learning from data across time Option C: Data cleaning Option D: Data extraction	1		
Option A: Relation between outcomes Option B: the dependence between variables Option C: the dependence between outcomes Option D: Collection of outcomes 17. Which of the following is an application of NLP Option A: Document clustering Option B: Map coloring Option C: OLTP Transaction Option D: Resource allocation 18. Which of the following is a Natural Language Processing stage? Option A: Query optimization Option B: Crypt Arithmetic Option C: Datatype casting Option D: Pragmatic analysis 19. Which of the following concepts make a system cognitive? Option A: Random learning Option B: Continuous learning from data across time Option C: Data cleaning Option D: Data extraction			
Option B: the dependence between variables Option C: the dependence between outcomes Option D: Collection of outcomes 17. Which of the following is an application of NLP Option A: Document clustering Option B: Map coloring Option C: OLTP Transaction Option D: Resource allocation 18. Which of the following is a Natural Language Processing stage? Option A: Query optimization Option B: Crypt Arithmetic Option C: Datatype casting Option D: Pragmatic analysis 19. Which of the following concepts make a system cognitive? Option A: Random learning Option B: Continuous learning from data across time Option C: Data cleaning Option D: Data extraction	16.	BELIEF NETWORK represents	
Option C: the dependence between outcomes Option D: Collection of outcomes 17. Which of the following is an application of NLP Option A: Document clustering Option B: Map coloring Option C: OLTP Transaction Option D: Resource allocation 18. Which of the following is a Natural Language Processing stage? Option A: Query optimization Option B: Crypt Arithmetic Option C: Datatype casting Option D: Pragmatic analysis 19. Which of the following concepts make a system cognitive? Option A: Random learning Option B: Continuous learning from data across time Option C: Data eleaning Option D: Data extraction 20. What types of problems are solved by supervised learning?	Option A:	Relation between outcomes	
Option D: Collection of outcomes 17. Which of the following is an application of NLP Option A: Document clustering Option B: Map coloring Option C: OLTP Transaction Option D: Resource allocation 18. Which of the following is a Natural Language Processing stage? Option A: Query optimization Option B: Crypt Arithmetic Option C: Datatype casting Option D: Pragmatic analysis 19. Which of the following concepts make a system cognitive? Option A: Random learning Option B: Continuous learning from data across time Option C: Data cleaning Option D: Data extraction 20. What types of problems are solved by supervised learning?	Option B:		
Option D: Collection of outcomes 17. Which of the following is an application of NLP Option A: Document clustering Option B: Map coloring Option C: OLTP Transaction Option D: Resource allocation 18. Which of the following is a Natural Language Processing stage? Option A: Query optimization Option B: Crypt Arithmetic Option C: Datatype casting Option D: Pragmatic analysis 19. Which of the following concepts make a system cognitive? Option A: Random learning Option B: Continuous learning from data across time Option C: Data cleaning Option D: Data extraction 20. What types of problems are solved by supervised learning?	Option C:	_	
Option A: Document clustering Option B: Map coloring Option C: OLTP Transaction Option D: Resource allocation 18. Which of the following is a Natural Language Processing stage? Option A: Query optimization Option B: Crypt Arithmetic Option C: Datatype casting Option D: Pragmatic analysis 19. Which of the following concepts make a system cognitive? Option A: Random learning Option B: Continuous learning from data across time Option C: Data cleaning Option D: Data extraction 20. What types of problems are solved by supervised learning?		Collection of outcomes	
Option A: Document clustering Option B: Map coloring Option C: OLTP Transaction Option D: Resource allocation 18. Which of the following is a Natural Language Processing stage? Option A: Query optimization Option B: Crypt Arithmetic Option C: Datatype casting Option D: Pragmatic analysis 19. Which of the following concepts make a system cognitive? Option A: Random learning Option B: Continuous learning from data across time Option C: Data cleaning Option D: Data extraction 20. What types of problems are solved by supervised learning?			
Option B: Map coloring Option C: OLTP Transaction Option D: Resource allocation 18. Which of the following is a Natural Language Processing stage? Option A: Query optimization Option B: Crypt Arithmetic Option C: Datatype casting Option D: Pragmatic analysis 19. Which of the following concepts make a system cognitive? Option A: Random learning Option B: Continuous learning from data across time Option C: Data cleaning Option D: Data extraction 20. What types of problems are solved by supervised learning?	17.	Which of the following is an application of NLP	
Option C: OLTP Transaction Option D: Resource allocation 18. Which of the following is a Natural Language Processing stage? Option A: Query optimization Option B: Crypt Arithmetic Option C: Datatype casting Option D: Pragmatic analysis 19. Which of the following concepts make a system cognitive? Option A: Random learning Option B: Continuous learning from data across time Option C: Data cleaning Option D: Data extraction 20. What types of problems are solved by supervised learning?	Option A:	Document clustering	
Option D: Resource allocation 18. Which of the following is a Natural Language Processing stage? Option A: Query optimization Option B: Crypt Arithmetic Option C: Datatype casting Option D: Pragmatic analysis 19. Which of the following concepts make a system cognitive? Option A: Random learning Option B: Continuous learning from data across time Option C: Data cleaning Option D: Data extraction 20. What types of problems are solved by supervised learning?	Option B:	Map coloring	
18. Which of the following is a Natural Language Processing stage? Option A: Query optimization Option B: Crypt Arithmetic Option C: Datatype casting Option D: Pragmatic analysis 19. Which of the following concepts make a system cognitive? Option A: Random learning Option B: Continuous learning from data across time Option C: Data cleaning Option D: Data extraction 20. What types of problems are solved by supervised learning?	Option C:	OLTP Transaction	
Option A: Query optimization Option B: Crypt Arithmetic Option C: Datatype casting Option D: Pragmatic analysis 19. Which of the following concepts make a system cognitive? Option A: Random learning Option B: Continuous learning from data across time Option C: Data cleaning Option D: Data extraction 20. What types of problems are solved by supervised learning?	Option D:	Resource allocation	
Option A: Query optimization Option B: Crypt Arithmetic Option C: Datatype casting Option D: Pragmatic analysis 19. Which of the following concepts make a system cognitive? Option A: Random learning Option B: Continuous learning from data across time Option C: Data cleaning Option D: Data extraction 20. What types of problems are solved by supervised learning?			
Option B: Crypt Arithmetic Option C: Datatype casting Option D: Pragmatic analysis 19. Which of the following concepts make a system cognitive? Option A: Random learning Option B: Continuous learning from data across time Option C: Data cleaning Option D: Data extraction 20. What types of problems are solved by supervised learning?	18.	Which of the following is a Natural Language Processing stage?	
Option C: Datatype casting Option D: Pragmatic analysis 19. Which of the following concepts make a system cognitive? Option A: Random learning Option B: Continuous learning from data across time Option C: Data cleaning Option D: Data extraction 20. What types of problems are solved by supervised learning?	Option A:	Query optimization	
Option D: Pragmatic analysis 19. Which of the following concepts make a system cognitive? Option A: Random learning Option B: Continuous learning from data across time Option C: Data cleaning Option D: Data extraction 20. What types of problems are solved by supervised learning?	Option B:	Crypt Arithmetic	
19. Which of the following concepts make a system cognitive? Option A: Random learning Option B: Continuous learning from data across time Option C: Data cleaning Option D: Data extraction 20. What types of problems are solved by supervised learning?	Option C:	Datatype casting	
19. Which of the following concepts make a system cognitive? Option A: Random learning Option B: Continuous learning from data across time Option C: Data cleaning Option D: Data extraction 20. What types of problems are solved by supervised learning?	_		
Option A: Random learning Option B: Continuous learning from data across time Option C: Data cleaning Option D: Data extraction 20. What types of problems are solved by supervised learning?			
Option B: Continuous learning from data across time Option C: Data cleaning Option D: Data extraction 20. What types of problems are solved by supervised learning?	19.	Which of the following concepts make a system cognitive?	
Option B: Continuous learning from data across time Option C: Data cleaning Option D: Data extraction 20. What types of problems are solved by supervised learning?	Option A:	Random learning	
Option C: Data cleaning Option D: Data extraction 20. What types of problems are solved by supervised learning?			
Option D: Data extraction 20. What types of problems are solved by supervised learning?	Option C:	_	
20. What types of problems are solved by supervised learning?			
Option A: Descriptive analysis problem	20.	What types of problems are solved by supervised learning?	
1 1 1 1	Option A:	Descriptive analysis problem	
Option B: Grouping of similar items			
Option C: Classification or regression problems		Grouping of similar items	
Option D: Quantification	Option B:	Classification or regression problems	

Q2.	Solve any Two Questions out of Three 10 marks each	
A	What do you mean by Uninformed, Informed and Local Search Algorithms? Discuss the OPEN and CLOSED List as the algorithm DFS and BFS progresses.	
В	 Convert the following to predicates: Bina makes tea if she has honey otherwise makes coffee. Coffee is a bitter drink. Bina has honey. Will Bina make a bitter drink? Use backward reasoning. 4 marks 	
С	Explain different components of Natural Language processing? Also, explain different levels of knowledge used in language understanding?	

Q3.	Solve any Two Questions out of Three 10 marks each
A	What is Constraint Satisfaction Problem? What would be the constraints for the crypto arithmetic problem described in below figure. Solve it. FOVE + XEVEN + FOVE MAOKU
В	Plan and explain spare tire changing.
С	Explain inferencing in Belief network with example.

Program: INFORMATION TECHNOLGY

Curriculum Scheme: Rev2016 Examination: BE Semester VII

Course Code: <u>ITC703</u> and Course Name: <u>Artificial Intelligence</u>

Question Number	Correct Option (Enter either 'A' or 'B' or 'C' or 'D')
Q1.	D
Q2.	A
Q3.	В
Q4	В
Q5	A
Q6	В
Q7	C
Q8.	A
Q9.	D
Q10.	D
Q11.	С
Q12.	В
Q13.	В
Q14.	С
Q15.	A
Q16.	В
Q17.	A
Q18.	D
Q19.	В
Q20.	С

Examinations Commencing from 15th June 2021

Program: ALL_Institute Level Optional Course 1

Curriculum Scheme: Rev2016 Examination: BE Semester VII

Course Code: ILO 7016 and Course Name: Cyber Security and Laws

Q1.	Choose the correct option for following questions. All the Questions are compulsory and carry equal marks	
1		
1.	Which is not an element of information security?	
Option A:	Confidentiality	
Option B:	Integrity	
Option C:	Authentication	
Option D:	Standardization	
2.	Cyber -vandalism is	
Option A:	Using cyber-technology in unauthorized ways to reproduce copies of propriety software and proprietary information	
Option B:	To distribute proprietary information across a network	
Option C:	Using cyber-technology to gain unauthorized access to an individual's or organization's computer system.	
Option D:	Using cyber-technology to unleash one or more programs that disrupt the transmission of electronic information across one or more computer networks, including the Internet.	
3.	Which of the following is a non-violent cybercrime?	
Option A:	Internet gambling	
Option B:	Cyberstalking	
Option C:	Piracy	
Option D:	Identity theft	
1		
4.	By Salami Attack virus we mean:	
Option A:	Trapdoors persist	
Option B:	Control viruses	
Option C:	A small amount of money is shaved from each computation	
Option D:	Poor error checking	
5.	For attacking the database of a system / website which method is used by the criminals.	
Option A:	HTML injection	
Option B:	SQL Injection	
Option C:	Malicious code injection	
Option D:	XML Injection	

6.	If you are contacted via telephone by someone posing to represent a financial institution you do business with and are asked to provide or update personal or account information, you should:
Option A:	Give all your confidential and personal data to them
Option B:	Ask to speak to a senior supervisor
Option C:	Hang up!
Option D:	Hang up and find the phone number of that institution in one of your account statements, credit cards or their verifiable website address and call that number to check on the request.
7.	If a user's session is compromised by another person with the intention of either misuse of the user's credentials without his/her knowledge or exploiting the user's data and perform malicious activities is called
Option A:	Social engineering
Option B:	Session hijacking
Option C:	Cookie stuffing
Option D:	Baiting
8.	The first step in hacking is
Option A:	Remote attack
Option B:	Port scanning
Option C:	Reconnaissance
Option D:	Clear logs
9.	is a technique of hiding confidential information inside a picture?
Option A:	Image processing
Option B:	Stenography
Option C:	Key loggers
Option D:	DoS attack
10	
10.	The purpose of a Denial of Service attack is
Option A:	To overload a system so that it is no longer operational
Option B:	To shutdown services by turning them off
Option C:	To crack the password of a system To assess the vulnerabilities
Option D:	10 assess the vulnerabilities
11.	Comparing the value of the congry with the original value, can halp and identify if
11.	Comparing the value of the canary with the original value, can help one identify if a has occurred.
Option A:	ahas occurred. DDoS
Option B:	Nuking
Option C:	Buffer overflow
Option D:	Block cipher
Pron D.	
12.	This type of contract is used for online services like creating a new e-mail account. This contract is known as
Option A:	Shrink wrap contract
Option B:	Click wrap contract
Option C:	Browse wrap contract
-	

Option D:	Void contract	
13.	Digital Signature Certificate is requirement under various	
13.	applications	
Option A:	Statutory	
Option B:	Legislative	
Option C:	Governmental	
Option D:	Voluntary	
14.	Which of the following cannot be exploited by assigning or by licensing the rights of others.	
Option A:	Patent	
Option B:	Design	
Option C:	Trademark	
Option D:	Copyright	
15.	Which is the Act which provides legal framework for e-Governance in India	
Option A:	IT (amendment) Act 2008	
Option B:	Indian Penal Code	
Option C:	IT Act 2000	
Option D:	Indian Evidence Act, 1872	
1.6		
16.	Which following Act was not amended in Information Technology Act 2000?	
Option A:	The Bankers Books Evidence Act, 1891	
Option B:	BSNL IT Policy RBI Act 1934.	
Option C: Option D:	The Indian Evidence Act, 1872	
Option D.	The findian Evidence Act, 1872	
17.	The punishment for hacking of computers under ITAA 2008?	
Option A:	Fine up to ten lakhs or imprisonment up to three years or both	
Option B:	Fine up to five lakhs or imprisonment up to three years or both	
Option C:	Fine up to five lakhs or imprisonment up to five years or both	
Option D:	Fine up to ten lakhs or imprisonment up to five years or both	
18.	Communication and according to displace on an almost malitime basis he information	
10.	Companies are required to disclose on an almost real time basis he information	
	concerning material changes in its financial conditions or operations. Which is this key provision?	
Option A:	SOX section 302	
Option B:	SOX section 302	
Option C:	SOX section 409	
Option C:	SOX section 806	
19.	is a type of program that is installed with or without your	
	permission or knowledge on your personal computer to collect information about	
	users. It tracks every activity of the user including their browsing habits and sends	
	them to a remote user.	
Option A:	Adware	
Option B:	Spyware	
Option C:	Virus	

Option D:	Worm
20.	To protect mobile phones from viruses, one should not
Option A:	Update system and application software
Option B:	Disable Bluetooth, infrared or Wi-Fi when they are not in use
Option C:	Be cautious while opening e-mail and text message attachments and clicking links
Option D:	Join unknown public Wi-Fi networks

Q.2	
A	Solve any Two 5 marks each
i.	Explain cyber defamation.
ii.	Write a note on classification of cybercrime.
iii.	Differentiate between virus and worms.
В	Solve any One 10 marks each
i.	Is your data safe on cloud? Justify your answer.
ii.	Explain SQL injection attack? State different countermeasures to prevent
	the attack.
Q.3	
A	Solve any Two 5 marks each
i.	What is intellectual property? What are the different types of intellectual
	property?
ii.	Mention the key IT requirements of FISMA.
iii.	Identify the type of E-commerce category for the following websites:
	A) www.bigbasket.com
	B) www. IndiaMART.com
	C) www.Olx.in
	D) www.Freelancer.com
	E) https://indianvisaonline.gov.in
В	Solve any One 10 marks each
i.	The way banking operations are conducted has changed tremendously with
	the development of technology. Explain this statement by discussing
	various electronic banking services provided by the banks in India.
ii.	What is the Indian Information Technology Act,2000? Explain it's
	objectives and features?

$Program: {\bf ALL_Institute\ Level\ Optional\ Course}$

1Curriculum Scheme: Rev2016 Examination: BE Semester VII

Course Code: ILO 7016 and Course Name: Cyber Security and Laws

Question Number	Correct Option (Enter either 'A' or 'B' or 'C' or 'D')
Q1.	D
Q2.	D
Q3.	A
Q4	C
Q5	В
Q6	D
Q7	В
Q8.	C
Q9.	D
Q10.	A
Q11.	C
Q12.	В
Q13.	A
Q14.	С
Q15.	C
Q16.	В
Q17.	В
Q18.	С
Q19.	В
Q20.	D

Examinations Commencing from 15th June 2021

Program: **Information Technology**Curriculum Scheme: Rev2016
Examination: BE Semester VII

Course Code: ITC701 and Course Name: Enterprise Network Design

Q1.	Choose the correct option for following questions. All the Questions are compulsory and carry equal marks
1.	Which layer of the Cisco SONA Architecture is responsible for providing Security and identity services.
Option A:	Interactive Services layer
Option B:	Networked Infrastructure layer
Option C:	Transport Layer
Option D:	Application Layer
2.	Organization has implemented Reactive Fault Management system, which is capable of fault detection and correction. Which phase of PPDIOO life cycle is the organization currently in.
Option A:	Prepare
Option B:	Design
Option C:	Optimize
Option D:	Implement
3.	Of the following which is not the benefit of the Top Down Approach of Network Design.
Option A:	Since the Business requirements are gathered from Top Management incorporating the customer organization's business requirements is possible.
Option B:	Selecting the devices and technologies and then identifying the services and applications allow fast deployment of solution to a request by customer.
Option C:	Since the Network Designer is aware of the business goals, technical goals and various constraints— the network designer has the "big picture" of organization while designing the network.
Option D:	Network is designed by considering not only the current but future requirements.
4.	Of the following which is not the service provided by the Internet Connectivity function of the Enterprise Edge Network
Option A:	Internet and the intranet mail services
Option B:	External and Internal Domain Name Service
Option C:	Basic filtering and multilayer connectivity to the Internet through Edge Routers.
Option D:	Terminate dial-in connections and authenticate individual remote users
5.	is the message sent by the SNMP Agent to SNMP Manager when change in the state of a device, a device or component failure

Option A:	Get Request
Option B:	InformRequest
Option C:	Trap
Option D:	Set Request
6.	Of the following at which layer RMON1 can be used for network monitoring.
Option A:	Network Layer
Option B:	Data Link Layer
Option C:	Application Layer
Option D:	Session Layer
7	
7.	Of the following statements which is FALSE
Option A:	Device Redundancy can ensure high – availability but increase the cost of implementation.
Option B:	Business goal and technical goals of the organization play no role in designing the
Option B.	strategy for redundancies.
Option C:	Attachment through a redundant transceiver is a way to improve availability of
1	Server Farm
Option D:	Route redundancy helps to minimize the effect of link failure.
8.	IP Phone Calls is an example of Application.
Option A:	Client–local server
Option B:	Client–Server Farm
Option C:	Peer-Peer
Option D:	Client–Enterprise Edge server
1	
9.	T1 - 90/201 - f1'4'
9.	The 80/20 rule for client/server applications says that
Option A:	20 percent of the traffic is local to the LAN segment and 80 percent leaves the
	segment.
O ti D	
Option B:	80 percent of the traffic is local to the LAN segment and 20 percent leaves the
	segment.
Option C:	80 percent of the traffic is local to the LAN segment and 80 percent leaves the
opnon c.	
	segment.
Option D:	20 percent of the traffic is local to the LAN segment and 20 percent leaves the
	segment.
10.	Which one of the following supports end-to-end QOS for network Traffic.
Option A:	Integrated Services
_	
Option B:	Bandwidth Optimization
Option C:	Congestion Control Mechanism

Option D:	Best effort Delivery
11.	Which one of the following architecture design support functions of Core and
	Distribution layers combined in to a single layer for small campus network.
Option A:	Cisco SONA Architectural Framework
Option B:	Collapsed Core Architecture
Option C:	3 layered - Hierarchical network Architecture
Option D:	Non-Collapsed Core Architecture
12.	Asynchronous transfer mode uses
Option A:	Packet Switching technology
Option B:	Circuit Switching technology
Option C:	Cell Switching technology
Option D:	Message switching technology
13.	What is IPsec?
Option A:	A tunnel encapsulation and a security protocol
Option B:	Evasdroping protocol
Option C:	Network Monitoring protocol
Option D:	Mapping IP address to Mac address protocol.
14.	What is the use of Real-Time Transport Protocol?
Option A:	Carry packetized Audio and video traffic over Circuit Switched Network.
Option B:	Carry Network Management information over an IP network.
Option C:	Carry control messages over an cell network.
Option D:	Carry packetized Audio and video traffic over an IP network.
15.	Which are valid ways of writing the following IPv6 address: 3103:0000:256C:0000:0000:08T5:0001:009F?
Option A:	3103:: 256C:0:0: 8T5:1: 9F
Option B:	3103:: 256C:: 08T5:1:009F
Option C:	3103:0: 256C: 8T5:1: 9F
Option D:	3103:0: 256C:: 08T5:1:009F
16.	An enterprise Teleworker gadget or machine will be assigned a
Option A:	Private Address
Option B:	Public Address
Option C:	Private and Public Address
Option D:	Primary Address

17.	is used for address to name resolution
Option A:	DHCP
Option B:	NAT
Option C:	DNS
Option D:	ATN
18.	In class A, the host Id is number of bits
Option A:	16
Option B:	24
Option C:	8
Option D:	10
19.	The interface is defined as the connection between the controller
	and the applications
Option A:	EastBound API
Option B:	SouthBound API
Option C:	NorthBound API
Option D:	WestBound API
20.	The basic difference between traditional networks and enterprise networks is
Option A:	Intelligence
Option B:	Feasibility
Option C:	Throughput
Option D:	Speed

Q2 (20 Marks)	
A	Solve any Two 5 marks each
i.	What are Application Requirements of WAN design.
ii.	What are different types of redundancies that are used in Enterprise Network Design? Explain any two redundancies in detail.
iii.	Draw and explain the PPDIOO network life cycle.
В	Solve any One 10 marks each
i.	With reference to the architectural diagram, differentiate between the traditional and SDN network. Also specify the drawbacks of traditional Networks
ii.	With the help of diagram illustrate the deployment of various routing protocols in Enterprise Architecture.

Q3 (20 Marks)		
A	Solve any Two	5 marks each
i.	Write short notes on Open flow in cloud computing	

ii.	An organization has mission-critical applications hosted on common servers that are accessible to only top level managers throughout the organization's multiple buildings. Where and how would you recommend that these servers be placed within the network?
iii.	Explain the IPv4 to IPv6 Transition Strategies
В	Solve any One 10 marks each
i.	Write short note on: Enterprise Branch Design Considerations
ii.	An organization has a computer terminal with the IP address 208.10.10.101 and subnet mask of 255.255.255.240 a) Identify which class the IP address belong to and why? b) Calculate how many host machines can be connected in one subnet? c) Calculate the total number of the subnets that can be formed? d) Identify the Subnetwork ID and Broadcast ID for above IP address. e) If the subnet mask is changed to 255.255.255.192 then how many subnets can be formed?

Program: INFORMATION TECHNOLGY

Curriculum Scheme: Rev2016 Examination: BE Semester VII

Course Code: ITC701 and Course Name: Enterprise Network Design

Question Number	Correct Option (Enter either 'A' or 'B' or 'C' or 'D')
Q1.	A
Q2.	C
Q3.	В
Q4	D
Q5	C
Q6	В
Q7	В
Q8.	C
Q9.	В
Q10.	A
Q11.	В
Q12.	C
Q13.	A
Q14.	D
Q15.	D
Q16.	A
Q17.	С
Q18.	В
Q19.	С
Q20.	A

Examinations Commencing from 15th June 2021

Program: INFORMATION TECHNOLOGY

Curriculum Scheme: Rev2016 Examination: BE Semester VII

Course Code: ITC702 and Course Name: Infrastructure Security

Time: 2 hour Max. Marks: 80

Q1.	Choose the correct option for following questions. All the Questions are compulsory and carry equal marks
1.	Which of the following is known as authentication methods types
Option A:	use of tokens
Option B:	use of fingerprints
Option C:	use of passwords
Option D:	use of signature
2.	How to accomplish authorization.
Option A:	Restrict what operations/data the user can access
Option B:	Determine if the user is an attacker
Option C:	Flag the user if he/she misbehaves
Option D:	Determine who the user is
3.	Which malicious code works in background and steals sensitive data?
Option A:	Trojan
Option B:	Virus
Option C:	Worms
Option D:	Shareware
4.	From following which type of rootkit will patch, hook, or replace the version of system call to hide information?
Option A:	Library level rootkits
Option B:	Kernel level rootkits
Option C:	System level rootkits
Option D:	Application level rootkits
5.	In cross-site scripting where does the malicious script execute?
Option A:	On the web server
Option B:	In the user's browser
Option C:	On the attacker's system
Option D:	In the web app model code
6.	Fencing technique refers to-
Option A:	A technique that assigns properties, using several markings, to each memory

	address
Option B:	A technique that used two registers to divide the memory and can be used in a
opiion B.	multi-user OS environment
Option C:	A technique in which memory is divided in two parts – one for OS and one for
option c.	the user
Option D:	A technique which divides physical memory into virtual memory address pages
Option D.	A technique which divides physical memory into virtual memory address pages
7.	is a security service in cloud that provides a way for cloud users to
/.	monitor how their data is accessed and is critical for compliance enforcement.
Option A:	Secure Data Access
Option B:	Data Confidentiality Assurance
Option C:	Data Integrity Protection
Option D:	Service Audition
Option D.	Service Addition
8.	Which one of the following is not an approach to limit the damage caused by a
0.	successful exploitation for cloud application.
Option A:	Sandboxing
Option B:	Security Information and event monitoring
Option C:	Single Sign On
Option D:	Backup
Option D.	Баскир
9.	is designed to work with native applications not just in web browser
Option A:	SAML
Option B:	OAuth
Option C:	Identity Management
Option D:	Managed Security Services.
1	
10.	In GSM Security related information like A3/A8 algorithm are stored on
Option A:	SIM
Option B:	Mobile Data Card
Option C:	Base Station Subsystem
Option D:	Mobile RAM
-	
11.	Which database is used to store A3,A5 & A8 security algorithms in GSM
	architecture.
Option A:	Authentication Center (AuC)
Option B:	Equipment Identity Register (EIR)
Option C:	Visitor Location Register (VLR)
Option D:	Home Location Register(HLR)
12	
12.	Define Side Channel attack (which is also known as Partitioning attack)
Option A:	Attacker is able to disable the connection between mobile station and the base station subsystem
Option B:	Attacker is able to partition the MSSC
Option C:	Attacker can use a false BTS same as users network and impersonate
_	himself/herself.
Option D:	Attacker is capable of extracting Ki even if he/she has access to SIM for a minute.
1	, , , , , , , , , , , , , , , , , , , ,

13.	manages its elements within the network by communicating with other
	areas of network .
Option A:	Mobile Switching Centre
Option B:	Serving GPRS Support Node
Option C:	Gateway Mobile Switching Centre
Option D:	Gateway GPRS Support Node
14.	Web server will log which part of a GET request?
Option A:	Hidden tags
Option B:	Query Strings
Option C:	Header
Option D:	Cookies
-	
15.	A Web site that allows users to enter text, such as a comment or a name, and
	then stores it and later displays it to other users, is potentially vulnerable to a
	kind of attack called a attack.
Option A:	Two-factor authentication
Option B:	Cross-site request forgery
Option C:	Cross-site scripting
Option D:	Cross-site scoring scripting
1	- Control of the cont
16.	The URL of the page that had the link that the user clicked to access the page is
	called as
Option A:	Source
Option B:	Linker
Option C:	Leaker
Option D:	Referrer
1	
17.	At the lower layer of SSL, a protocol for transferring data using a variety of
Ontion A.	predefined cipher and authentication combinations called the
Option A:	SSL handshake protocol
Option B:	SSL authentication protocol
Option C:	SSL record protocol
Option D:	SSL cipher protocol
18.	Controlling access to sensitive electronic information so only those with a
	legitimate need to access it are allowed to do so is known as?
Option A:	Privacy
Option B:	Ethics
Option C:	IT Security
Option D:	Availability
1	
19.	When cookies are used as session identifiers, how are they then used as a
	potential security hazard?
i	
Option A:	They emulate user's by downloading all the victims information onto a virtual
Option A:	They emulate user's by downloading all the victims information onto a virtual machine
Option A: Option B:	They emulate user's by downloading all the victims information onto a virtual machine User's cookies are altered to a virus-like state

Option D:	Attackers emulate users by stealing their cookies
20.	Which languages are vulnerable to Cross Site Scripting attacks?
Option A:	С
Option B:	C#
Option C:	Perl
Option D:	VB

Q2	Solve any Four out of Six 5 marks each
A	Explain cross-site scripting attack and the role of Same Origin Policy.
В	Illustrate VPN and different security protocols used in VPN
С	Explain mandatory access control policy to achieve confidentiality of the data.
D	Explain different risk analysis approaches.
Е	Explain Cloud Identity and Access Management
F	Explain how security is achieved in E-mail using S-MIME protocol.

Q3.	Solve any Two Questions out of Three 10 marks each
A	How can SSL protocols encounter the following mention attacks?
	Replay attack password sniffing in applications.
В	Illustrate Oauth Authorization flow with example
	Explain the restricting access control rules stated in Bell-La-Padula model.
C	Does this model achieve integrity or confidentiality or both, of the data?
	How?

Program: INFORMATION TECHNOLOGY

Curriculum Scheme: Rev2016 Examination: BE Semester VII

Course Code: ITC702 and Course Name: Infrastructure Security

Question Number	Correct Option (Enter either 'A' or 'B' or 'C' or 'D')
Q1.	C
Q2.	A
Q3.	A
Q4	A
Q5	В
Q6	C
Q7	D
Q8.	C
Q9.	В
Q10.	A
Q11.	A
Q12.	D
Q13.	В
Q14.	В
Q15.	C
Q16.	D
Q17.	С
Q18.	C
Q19.	D
Q20.	С

Examinations Commencing from 15th June 2021

Program: INFORMATION TECHNOLOGY

Curriculum Scheme: Rev2016 Examination: BE Semester VII

Course Code: ITDLO7032 and Course Name: Mobile Application Development

Q1.	Choose the correct option for following questions. All the Questions are compulsory and carry equal marks (40 Marks)
1	
1.	Which Library is used for application user interfaces?
Option A:	android.webkit
Option B:	android.os
Option C:	android.app
Option D:	android.view
2.	When an activity is no longer visible which callback method is called
Option A:	onDestroy()
Option B:	onRestart()
Option C:	onStop()
Option D:	onVisible()
3.	handle communication between Android OS and applications
Option A:	Activities
Option B:	Services
Option C:	Broadcast Receivers
Option D:	Content Providers
4.	For a foreground activity in Android what is the lifecycle order?
Option A:	onCreate() -> onStart() -> onResume()
Option B:	onCreate() -> onStart () -> onResume() -> onStop()
Option C:	onCreate() -> onStart() -> onStop()
Option D:	onCreate() -> onStart() -> onResume() -> onStop() -> onRestart()
5.	What method is called when a fragment is no longer interactive and the user is about to leave the fragment
Option A:	onResume()
Option B:	onDetach()
Option C:	onDestroy()
Option D:	onPause()
_	

6.	Which is the best suited dimension for font sizes in Android?
Option A:	dp
Option B:	px
Option C:	sp
Option D:	pt
7.	What attribute can be used to change the location of the child view in
	FrameLayout
Option A:	gravity
Option B:	name
Option C:	position
Option D:	content_wrap
8.	The process of deciding which Activity to start when an implicit Intent is passed into Start Activity is called
Option A:	Broadcast Intents
Option B:	PendingIntent
Option C:	Intent resolution
Option D:	Intent Filter
9.	Which is the best suited dimension for font sizes in AndroidWhat does this code do? Intent intent=new Intent(); intent.setAction(Intent.ACTION_VIEW):
	intent.setData(android.net.uri.parse("http://www.mu.ac.in")); startActivity(intent);
Option A:	Starts a subActivity
Option B:	Starts a service
Option C: Option D:	sends result to another activity
Орион D.	starts an activity using an implicit intent
10.	handles the HTTP connection and monitors connectivity changes and system reboots to ensure each download completes successfully
Option A:	Intent
Option B:	Download Manager
Option C:	Internet
Option D:	Linkify
11.	are a mechanism used to attack primitive values to an Intent
Option A:	Extras
Option B:	Service Linking
Option C:	linkify
Option D:	Intent
12.	Which class is used to upgrade a lower version of database to higher version in android Sqlite?
Option A:	Helper Class
Option B:	Cursor Class
Option C:	Intent Class
Option D:	Sqlite class

Option A: Broadcast Receivers Option B: Intents Option D: Services 14. Which of the following is not a JSON type? Option A: Object Option B: date Option B: date Option D: string 15. The requests from Content Provider class is handled by which method Option B: onSelect Option B: onSelect Option B: onSelect Option D: ContentResolver 16. Which datatype is not supported by the SQLite storage classes? Option D: Acal Option A: Integer Option B: Real Option C: Text Option D: Varchar 17. Moving to a specific location in the media player can be done by which of the MediaPlayer method? Option B: seek(int msee) Option B: seek(int msee) Option D: goto(int msee) Option D: moveTo(float msee) Option B: READ OPHONE STATE Option B: READ NETWORK STATE Option C: READ NETWORK STATE Option C: READ NETWORK STATE Option C: Android level security Option B: App and kernel level security Option C: Java level security Option A: Android level security Option A: Android level security Option C: Java level security Option A: Java,xml,manifest code without apk Option B: Java,xml,manifest code without apk Option B: Only apk file Option B: Signed apk file	13.	What runs in the background and doesn't have any UI Components?
Option C: Activities Option D: Services 14. Which of the following is not a JSON type? Option B: date Option C: Array Option D: string 15. The requests from Content Provider class is handled by which method Option A: onCreate Option C: onClick Option D: ContentResolver 16. Which datatype is not supported by the SQLite storage classes? Option A: Integer Option B: Real Option D: Varchar 17. Moving to a specific location in the media player can be done by which of the MediaPlayer method? Option A: seekCint msee) Option C: moveTo(float msee) Option D: goto(int msee) 18. The following object helps in getting the status of the android call? Option A: READ_PHONE_STATE Option B: READ_CONTACT Option D: READ_NETWORK_INFO 19. Which of the following is a security provided by Android? Option A: Android level security Option B: App and kernel level security Option D: Java level security Option D: Java level security Option D: Java level security Option A: Java,Xml_manifest code without apk Option A: Java,Xml_manifest code without apk Option B: Only apk file Option B: Only apk file Option C: Signed apk file	Option A:	
Option D: Services 14. Which of the following is not a JSON type? Option A: Object Option B: date Option D: Array Option D: string 15. The requests from Content Provider class is handled by which method Option A: onCreate Option B: onSelect Option C: onClick Option D: ContentResolver 16. Which datatype is not supported by the SQLite storage classes? Option B: Real Option B: Real Option D: Varchar 17. Moving to a specific location in the media player can be done by which of the MediaPlayer method? Option A: seek(int msec) Option B: seekTo(int msec) Option D: goto(int msec) Option D: goto(int msec) 18. The following object helps in getting the status of the android call? Option A: READ_PHONE_STATE Option D: READ_NETWORK_INFO 19. Which of the following is a security provided by Android? Option C: Android level security Option C: Java Level Security Option D: App and kernel level security Option C: In order to publish app so that they can be deploy on others devices the following should be ready from developer's perspective Option A: Java,Xml,manifest code without apk Option B: Only apk file Option B: Only apk file Option C: Signed apk file	Option B:	Intents
14. Which of the following is not a JSON type? Option A: Object Option B: date Option C: Array Option D: string 15. The requests from Content Provider class is handled by which method Option A: onCreate Option B: onSelect Option D: ContentResolver 16. Which datatype is not supported by the SQLite storage classes? Option B: Real Option C: Text Option B: Real Option C: Text Option D: Varehar 17. Moving to a specific location in the media player can be done by which of the MediaPlayer method? Option A: seek(int msec) Option B: seekTo(int msec) Option D: goto(int msec) 18. The following object helps in getting the status of the android call? Option A: READ_PHONE_STATE Option B: READ_ONTACT Option D: READ_NETWORK_INFO 19. Which of the following is a security provided by Android? Option B: App and kernel level security Option B: App and kernel level security Option D: Android provides no security 20. In order to publish app so that they can be deploy on others devices the following should be ready from developer's perspective Option B: Only apk file Option C: Signed apk file Option C: Signed apk file	Option C:	Activities
Option A: Option B: Option C: Array Option D: string 15. The requests from Content Provider class is handled by which method Option A: Option B: Option B: Option B: Option C: Option D: ContentResolver 16. Which datatype is not supported by the SQLite storage classes? Option A: Option A: Option A: Option A: Option B: Real Option C: Option D: Varchar 17. Moving to a specific location in the media player can be done by which of the MediaPlayer method? Option B: seek(To (int msee) Option C: Option D: Seek(To (int msee) Option D: Option D: Seek(To (int msee) Option D: Seek(To (int msee) Option D: Array Option A: Seek(To (int msee) Option D: Seek(To (int msee) Option D: Array Option A: Option A: Option A: Option A: Option B: Option C: Seek(To (int msee) Option D: Array Option C: Option C: Option C: Option D: Array Option B: App and kernel level security Option D: Android level security Option D: Android provides no security Option D: In order to publish app so that they can be deploy on others devices the following should be ready from developer's perspective Option B:	Option D:	Services
Option A: Option B: Option C: Array Option D: string 15. The requests from Content Provider class is handled by which method Option A: Option B: Option B: Option B: Option C: Option D: ContentResolver 16. Which datatype is not supported by the SQLite storage classes? Option A: Option A: Option A: Option A: Option B: Real Option C: Option D: Varchar 17. Moving to a specific location in the media player can be done by which of the MediaPlayer method? Option B: seek(To (int msee) Option C: Option D: Seek(To (int msee) Option D: Option D: Seek(To (int msee) Option D: Seek(To (int msee) Option D: Array Option A: Seek(To (int msee) Option D: Seek(To (int msee) Option D: Array Option A: Option A: Option A: Option A: Option B: Option C: Seek(To (int msee) Option D: Array Option C: Option C: Option C: Option D: Array Option B: App and kernel level security Option D: Android level security Option D: Android provides no security Option D: In order to publish app so that they can be deploy on others devices the following should be ready from developer's perspective Option B:		
Option B: date Option C: Array Option D: string 15. The requests from Content Provider class is handled by which method Option A: onCreate Option B: onSelect Option D: ContentResolver 16. Which datatype is not supported by the SQLite storage classes? Option A: Integer Option B: Real Option B: Real Option D: Varchar 17. Moving to a specific location in the media player can be done by which of the MediaPlayer method? Option A: seek(int msec) Option B: seekTo(int msec) Option B: seekTo(int msec) Option D: goto(int msec) Option D: goto(int msec) Option D: READ PHONE STATE Option A: READ PHONE STATE Option C: READ NETWORK STATE Option D: READ NETWORK INFO 19. Which of the following is a security provided by Android? Option C: Java Level security Option C: Java Level security Option D: Android level security Option D: Android provides no security Option D: Java Level security Option A: Java,Xml,mamifest code without apk Option B: Java,Xml,mamifest code without apk Option B: Only apk file Option B: Signed apk file		
Option C: Option D: string 15. The requests from Content Provider class is handled by which method Option A: onCreate Option B: onSelect Option D: ContentResolver 16. Which datatype is not supported by the SQLite storage classes? Option A: Integer Option B: Real Option C: Text Option D: Varchar 17. Moving to a specific location in the media player can be done by which of the MediaPlayer method? Option A: seck(int msec) Option B: seckTo(int msec) Option D: goto(int msec) 18. The following object helps in getting the status of the android call? Option B: READ_CONTACT Option B: READ_CONTACT Option B: READ_NETWORK_STATE Option D: READ_NETWORK_INFO 19. Which of the following is a security provided by Android? Option A: Android level security Option C: Java level security Option D: Android provides no security 20. In order to publish app so that they can be deploy on others devices the following should be ready from developer's perspective Option B: Only apk file Option B: Signed apk file		, v
Option D: 15. The requests from Content Provider class is handled by which method onCreate Option B: onClick Option C: OnClick Option D: ContentResolver 16. Which datatype is not supported by the SQLite storage classes? Option B: Real Option C: Option B: Real Option D: Varchar 17. Moving to a specific location in the media player can be done by which of the MediaPlayer method? Option A: Seek(Int msec) Option B: seek(Int msec) Option B: seek(Int msec) Option D: goto(int msec) 18. The following object helps in getting the status of the android call? Option A: READ_PHONE_STATE Option B: READ_CONTACT Option C: READ_NETWORK_INFO 19. Which of the following is a security provided by Android? Option A: Android level security Option A: Android provides no security 20. In order to publish app so that they can be deploy on others devices the following should be ready from developer's perspective Option B: Only apk file Option B: Only apk file Option B: Only apk file Option C: Signed apk file		date
15. The requests from Content Provider class is handled by which method Option A: onCreate Option B: onSelect Option D: ContentResolver 16. Which datatype is not supported by the SQLite storage classes? Option A: Integer Option B: Real Option D: Varehar 17. Moving to a specific location in the media player can be done by which of the MediaPlayer method? Option A: seek(int msec) Option B: seekTo(int msec) Option C: moveTo(float msec) Option D: goto(int msec) 18. The following object helps in getting the status of the android call? Option A: READ_PHONE_STATE Option B: READ_NETWORK_INFO 19. Which of the following is a security provided by Android? Option A: Android level security Option C: Java level security Option C: Java level security Option D: Android provides no security 10. In order to publish app so that they can be deploy on others devices the following should be ready from developer's perspective Option A: Java,Xml,manifest code without apk Option B: Only apk file Option C: Signed apk file Option C: Signed apk file Option C: Signed apk file	_	Array
Option A: onCreate Option B: onSelect Option C: onClick Option D: ContentResolver 16. Which datatype is not supported by the SQLite storage classes? Integer Option B: Real Option C: Text Option D: Varchar 17. Moving to a specific location in the media player can be done by which of the MediaPlayer method? Option B: seekTo(int msec) Option B: seekTo(int msec) Option D: goto(int msec) Option D: goto(int msec) 18. The following object helps in getting the status of the android call? Option B: READ_PHONE_STATE Option B: READ_NETWORK_STATE Option C: READ_NETWORK_INFO 19. Which of the following is a security provided by Android? Option A: Android level security Option B: App and kernel level security Option C: Java level security Option D: Android provides no security 20. In order to publish app so that they can be deploy on others devices the following should be ready from developer's perspective Option A: Option A: Java,Xml,manifest code without apk Option A: Option B: Only apk file Option C: Signed apk file	Option D:	string
Option A: onCreate Option B: onSelect Option C: onClick Option D: ContentResolver 16. Which datatype is not supported by the SQLite storage classes? Integer Option B: Real Option C: Text Option D: Varchar 17. Moving to a specific location in the media player can be done by which of the MediaPlayer method? Option B: seekTo(int msec) Option B: seekTo(int msec) Option D: goto(int msec) Option D: goto(int msec) 18. The following object helps in getting the status of the android call? Option B: READ_PHONE_STATE Option B: READ_NETWORK_STATE Option C: READ_NETWORK_INFO 19. Which of the following is a security provided by Android? Option A: Android level security Option B: App and kernel level security Option C: Java level security Option D: Android provides no security 20. In order to publish app so that they can be deploy on others devices the following should be ready from developer's perspective Option A: Option A: Java,Xml,manifest code without apk Option A: Option B: Only apk file Option C: Signed apk file		
Option B: onSelect Option C: onClick Option D: ContentResolver 16. Which datatype is not supported by the SQLite storage classes? Option A: Integer Option B: Real Option C: Text Option D: Varchar 17. Moving to a specific location in the media player can be done by which of the MediaPlayer method? Option A: seek(int msec) Option B: seekTo(int msec) Option D: goto(int msec) 18. The following object helps in getting the status of the android call? Option A: READ_PHONE_STATE Option B: READ_CONTACT Option C: READ_NETWORK_STATE Option D: READ_NETWORK_INFO 19. Which of the following is a security provided by Android? Option A: Android level security Option B: App and kernel level security Option C: Java level security Option D: In order to publish app so that they can be deploy on others devices the following should be ready from developer's perspective Option A: Option A: Java,Xml,manifest code without apk Option B: Only apk file Option C: Signed apk file		1
Option C: Option D: Option A: Option B: Real Option C: Option C: Option B: Option C: Option D: Moving to a specific location in the media player can be done by which of the MediaPlayer method? SeekTo(int msec) Option B: Option C: Option D: Option D: Integor Option C: Option		
Option D: ContentResolver 16. Which datatype is not supported by the SQLite storage classes? Option A: Integer Option B: Real Option C: Text Option D: Varchar 17. Moving to a specific location in the media player can be done by which of the MediaPlayer method? Option A: seek(int msec) Option B: seekTo(int msec) Option D: goto(int msec) Option D: goto(int msec) 18. The following object helps in getting the status of the android call? Option A: READ_PHONE_STATE Option B: READ_CONTACT Option C: READ_NETWORK_STATE Option D: READ_NETWORK_INFO 19. Which of the following is a security provided by Android? Option A: Android level security Option B: App and kernel level security Option C: Java level security Option D: Android provides no security 20. In order to publish app so that they can be deploy on others devices the following should be ready from developer's perspective Option A: Java,Xml,manifest code without apk Option B: Only apk file Option C: Signed apk file	_	
16. Which datatype is not supported by the SQLite storage classes? Option A: Integer Option B: Real Option C: Text Option D: Varchar 17. Moving to a specific location in the media player can be done by which of the MediaPlayer method? Option A: seek(int msec) Option B: seekTo(int msec) Option C: moveTo(float msec) Option D: goto(int msec) Option D: goto(int msec) 18. The following object helps in getting the status of the android call? Option B: READ_CONTACT Option B: READ_NETWORK_STATE Option D: READ_NETWORK_INFO 19. Which of the following is a security provided by Android? Option A: Android level security Option B: App and kernel level security Option D: Java level security Option D: Android provides no security 20. In order to publish app so that they can be deploy on others devices the following should be ready from developer's perspective Option A: Java,Xml,manifest code without apk Option B: Only apk file Option C: Signed apk file		
Option A: Integer Option B: Real Option C: Text Option D: Varchar 17. Moving to a specific location in the media player can be done by which of the MediaPlayer method? Option A: seek(int msec) Option B: seekTo(int msec) Option D: goto(int msec) Option D: goto(int msec) 18. The following object helps in getting the status of the android call? Option A: READ_PHONE_STATE Option B: READ_CONTACT Option C: READ_NETWORK_STATE Option D: READ_NETWORK_INFO 19. Which of the following is a security provided by Android? Option A: Android level security Option B: App and kernel level security Option D: Java level security Option D: In order to publish app so that they can be deploy on others devices the following should be ready from developer's perspective Option B: Java,Xml,manifest code without apk Option B: Only apk file Option C: Signed apk file	Option D:	ContentResolver
Option A: Integer Option B: Real Option C: Text Option D: Varchar 17. Moving to a specific location in the media player can be done by which of the MediaPlayer method? Option A: seek(int msec) Option B: seekTo(int msec) Option D: goto(int msec) Option D: goto(int msec) 18. The following object helps in getting the status of the android call? Option A: READ_PHONE_STATE Option B: READ_CONTACT Option C: READ_NETWORK_STATE Option D: READ_NETWORK_INFO 19. Which of the following is a security provided by Android? Option A: Android level security Option B: App and kernel level security Option D: Java level security Option D: In order to publish app so that they can be deploy on others devices the following should be ready from developer's perspective Option B: Java,Xml,manifest code without apk Option B: Only apk file Option C: Signed apk file	1.6	William to the state of the sta
Option B:		7.2 2.2 7 - 9
Option C: Text Option D: Varchar 17. Moving to a specific location in the media player can be done by which of the MediaPlayer method? Option A: seek(int msec) Option B: seekTo(int msec) Option D: moveTo(float msec) Option D: goto(int msec) 18. The following object helps in getting the status of the android call? Option A: READ_PHONE_STATE Option B: READ_CONTACT Option C: READ_NETWORK_STATE Option D: READ_NETWORK_INFO 19. Which of the following is a security provided by Android? Option A: Android level security Option B: App and kernel level security Option C: Java level security Option D: Android provides no security 20. In order to publish app so that they can be deploy on others devices the following should be ready from developer's perspective Option A: Java,Xml,manifest code without apk Option B: Only apk file Option C: Signed apk file		•
Option D: Varchar 17. Moving to a specific location in the media player can be done by which of the MediaPlayer method? Option A: seek(int msec) Option B: seekTo(int msec) Option D: goto(int msec) 18. The following object helps in getting the status of the android call? Option A: READ_PHONE_STATE Option B: READ_CONTACT Option C: READ_NETWORK_STATE Option D: READ_NETWORK_INFO 19. Which of the following is a security provided by Android? Option A: Android level security Option B: App and kernel level security Option C: Java level security Option D: Android provides no security 20. In order to publish app so that they can be deploy on others devices the following should be ready from developer's perspective Option A: Java,Xml,manifest code without apk Option B: Only apk file Option C: Signed apk file		
17. Moving to a specific location in the media player can be done by which of the MediaPlayer method? Option A: seek(int msec) Option B: seekTo(int msec) Option D: moveTo(float msec) Option D: goto(int msec) 18. The following object helps in getting the status of the android call? Option A: READ_PHONE_STATE Option B: READ_CONTACT Option C: READ_NETWORK_STATE Option D: READ_NETWORK_INFO 19. Which of the following is a security provided by Android? Option A: Android level security Option B: App and kernel level security Option C: Java level security Option D: Android provides no security 20. In order to publish app so that they can be deploy on others devices the following should be ready from developer's perspective Option A: Java,Xml,manifest code without apk Option B: Only apk file Option C: Signed apk file		
MediaPlayer method? Option A: seek(int msec) Option B: seekTo(int msec) Option C: moveTo(float msec) Option D: goto(int msec) 18. The following object helps in getting the status of the android call? Option A: READ_PHONE_STATE Option B: READ_CONTACT Option C: READ_NETWORK_STATE Option D: READ_NETWORK_INFO 19. Which of the following is a security provided by Android? Option A: Android level security Option B: App and kernel level security Option C: Java level security Option D: Android provides no security 20. In order to publish app so that they can be deploy on others devices the following should be ready from developer's perspective Option A: Java,Xml,manifest code without apk Option B: Only apk file Option C: Signed apk file	Option D:	varcnar
MediaPlayer method? Option A: seek(int msec) Option B: seekTo(int msec) Option C: moveTo(float msec) Option D: goto(int msec) 18. The following object helps in getting the status of the android call? Option A: READ_PHONE_STATE Option B: READ_CONTACT Option C: READ_NETWORK_STATE Option D: READ_NETWORK_INFO 19. Which of the following is a security provided by Android? Option A: Android level security Option B: App and kernel level security Option C: Java level security Option D: Android provides no security 20. In order to publish app so that they can be deploy on others devices the following should be ready from developer's perspective Option A: Java,Xml,manifest code without apk Option B: Only apk file Option C: Signed apk file	17.	Moving to a specific location in the media player can be done by which of the
Option B: seekTo(int msec) Option C: moveTo(float msec) Option D: goto(int msec) 18. The following object helps in getting the status of the android call? Option A: READ_PHONE_STATE Option B: READ_CONTACT Option C: READ_NETWORK_STATE Option D: READ_NETWORK_INFO 19. Which of the following is a security provided by Android? Option A: Android level security Option B: App and kernel level security Option C: Java level security Option D: Android provides no security 20. In order to publish app so that they can be deploy on others devices the following should be ready from developer's perspective Option A: Java,Xml,manifest code without apk Option B: Only apk file Option C: Signed apk file		
Option C: moveTo(float msec) Option D: goto(int msec) 18. The following object helps in getting the status of the android call? Option A: READ_PHONE_STATE Option B: READ_CONTACT Option C: READ_NETWORK_STATE Option D: READ_NETWORK_INFO 19. Which of the following is a security provided by Android? Option A: Android level security Option B: App and kernel level security Option C: Java level security Option D: Android provides no security 20. In order to publish app so that they can be deploy on others devices the following should be ready from developer's perspective Option A: Java,Xml,manifest code without apk Option C: Signed apk file Option C: Signed apk file	Option A:	
Option D: goto(int msec) 18. The following object helps in getting the status of the android call? Option A: READ_PHONE_STATE Option B: READ_CONTACT Option C: READ_NETWORK_STATE Option D: READ_NETWORK_INFO 19. Which of the following is a security provided by Android? Option A: Android level security Option B: App and kernel level security Option C: Java level security Option D: Android provides no security 20. In order to publish app so that they can be deploy on others devices the following should be ready from developer's perspective Option A: Java,Xml,manifest code without apk Option B: Only apk file Option C: Signed apk file	_	
18. The following object helps in getting the status of the android call? Option A: READ_PHONE_STATE Option B: READ_CONTACT Option C: READ_NETWORK_STATE Option D: READ_NETWORK_INFO 19. Which of the following is a security provided by Android? Option A: Android level security Option B: App and kernel level security Option C: Java level security Option D: Android provides no security 20. In order to publish app so that they can be deploy on others devices the following should be ready from developer's perspective Option A: Java,Xml,manifest code without apk Option B: Only apk file Option C: Signed apk file		
Option A: READ_PHONE_STATE Option B: READ_CONTACT Option C: READ_NETWORK_STATE Option D: READ_NETWORK_INFO 19. Which of the following is a security provided by Android? Option A: Android level security Option B: App and kernel level security Option C: Java level security Option D: Android provides no security 20. In order to publish app so that they can be deploy on others devices the following should be ready from developer's perspective Option A: Java,Xml,manifest code without apk Option B: Only apk file Option C: Signed apk file	Option D:	goto(int msec)
Option A: READ_PHONE_STATE Option B: READ_CONTACT Option C: READ_NETWORK_STATE Option D: READ_NETWORK_INFO 19. Which of the following is a security provided by Android? Option A: Android level security Option B: App and kernel level security Option C: Java level security Option D: Android provides no security 20. In order to publish app so that they can be deploy on others devices the following should be ready from developer's perspective Option A: Java,Xml,manifest code without apk Option B: Only apk file Option C: Signed apk file		
Option B: READ_CONTACT Option C: READ_NETWORK_STATE Option D: READ_NETWORK_INFO 19. Which of the following is a security provided by Android? Option A: Android level security Option B: App and kernel level security Option C: Java level security Option D: Android provides no security 20. In order to publish app so that they can be deploy on others devices the following should be ready from developer's perspective Option A: Java,Xml,manifest code without apk Option B: Only apk file Option C: Signed apk file		The following object helps in getting the status of the android call?
Option C: READ_NETWORK_STATE Option D: READ_NETWORK_INFO 19. Which of the following is a security provided by Android? Option A: Android level security Option B: App and kernel level security Option C: Java level security Option D: Android provides no security 20. In order to publish app so that they can be deploy on others devices the following should be ready from developer's perspective Option A: Java,Xml,manifest code without apk Option B: Only apk file Option C: Signed apk file		
Option D: READ_NETWORK_INFO 19. Which of the following is a security provided by Android? Option A: Android level security Option B: App and kernel level security Option C: Java level security Option D: Android provides no security 20. In order to publish app so that they can be deploy on others devices the following should be ready from developer's perspective Option A: Java,Xml,manifest code without apk Option B: Only apk file Option C: Signed apk file	_	_
19. Which of the following is a security provided by Android? Option A: Android level security Option B: App and kernel level security Option C: Java level security Option D: Android provides no security 20. In order to publish app so that they can be deploy on others devices the following should be ready from developer's perspective Option A: Java,Xml,manifest code without apk Option B: Only apk file Option C: Signed apk file		
Option A: Android level security Option B: App and kernel level security Option C: Java level security Option D: Android provides no security 20. In order to publish app so that they can be deploy on others devices the following should be ready from developer's perspective Option A: Java,Xml,manifest code without apk Option B: Only apk file Option C: Signed apk file	Option D:	KEAD_NETWORK_INFO
Option A: Android level security Option B: App and kernel level security Option C: Java level security Option D: Android provides no security 20. In order to publish app so that they can be deploy on others devices the following should be ready from developer's perspective Option A: Java,Xml,manifest code without apk Option B: Only apk file Option C: Signed apk file	10	Which of the following is a security provided by Android?
Option B: App and kernel level security Option C: Java level security Option D: Android provides no security 20. In order to publish app so that they can be deploy on others devices the following should be ready from developer's perspective Option A: Java,Xml,manifest code without apk Option B: Only apk file Option C: Signed apk file		• • • • • • • • • • • • • • • • • • • •
Option C: Java level security Option D: Android provides no security 20. In order to publish app so that they can be deploy on others devices the following should be ready from developer's perspective Option A: Java,Xml,manifest code without apk Option B: Only apk file Option C: Signed apk file		
Option D: Android provides no security 20. In order to publish app so that they can be deploy on others devices the following should be ready from developer's perspective Option A: Java,Xml,manifest code without apk Option B: Only apk file Option C: Signed apk file		
20. In order to publish app so that they can be deploy on others devices the following should be ready from developer's perspective Option A: Java,Xml,manifest code without apk Option B: Only apk file Option C: Signed apk file		
should be ready from developer's perspective Option A: Java,Xml,manifest code without apk Option B: Only apk file Option C: Signed apk file	Option D.	7 marora provides no security
should be ready from developer's perspective Option A: Java,Xml,manifest code without apk Option B: Only apk file Option C: Signed apk file	20.	In order to publish app so that they can be deploy on others devices the following
Option A: Java,Xml,manifest code without apk Option B: Only apk file Option C: Signed apk file		
Option B: Only apk file Option C: Signed apk file	Option A:	
Option C: Signed apk file		*
	Option D:	Unsigned apk file

Q2	Solve any Two Questions out of Three	10 marks each
A	Explain what data consistency is? How can it be achi content provider in detail	eved? Also explain
В	Explain how to get current location of android device fo location based service	r providing various
С	What is Fragment? Explain the lifecycle of the Fragments in	Android.

Q3	Solve any Two Questions out of Three	10 marks each
A	List different Notification techniques supported by the System. Explain any one of them in detail.	Android Operating
В	Explain the button click event listener and callback example	method with an
С	Create an app which take two values using EditText addition of two number using Toast on button click. Writ	

Program: INFORMATION TECHNOLOGY

Curriculum Scheme: Rev2016 Examination: BE Semester VII

Course Code: ITDLO7032 and Course Name: Mobile Application Development

Question Number	Correct Option (Enter either 'A' or 'B' or 'C' or 'D')
Q1.	D
Q2.	C
Q3.	C
Q4	A
Q5	D
Q6	C
Q7	A
Q8.	C
Q9.	D
Q10.	В
Q11.	A
Q12.	A
Q13.	D
Q14.	В
Q15.	D
Q16.	D
Q17.	В
Q18.	A
Q19.	В
Q20.	С

Examinations Commencing from 15th June 2021

Program: ALL_Institute Level Optional Course 1

Curriculum Scheme: Rev2016 Examination: BE Semester VII

Course Code: ILO 7019 and Course Name: Development Engineering

Time: 2 hour Max. Marks: 80

Q1.	Choose the correct option for following questions. All the Questions are compulsory and carry equal marks
1.	Why did Gandhiji advocate decentralization
Option A:	It weakens the state
Option B:	It brings power to the people
Option C:	It is an alternative to Parliamentary democracy
Option D:	All of the above
2.	Which constitutional amendments give recognition and protection to local
	government
Option A:	64th and 65th
Option B:	73rd and 74th
Option C:	69th and 70th
Option D:	83rd and 84th
3.	Social ethics
Option A:	Defines behaviour of people in society
Option B:	Examines ethics in business environment
Option C:	Are moral principles that guide religion
Option D:	Based on individual's belief of right and wrong
4.	Development Engineering encompasses the following fields
Option A:	Economics
Option B:	Social sciences
Option C:	Engineering
Option D:	All of the above
5.	The term Panchayati Raj signifies (1) urban local self government,(2) rural local
	self government. Which of the following is true
Option A:	1 only
Option B:	2 only
Option C:	both
Option D:	none
6.	Infant mortality
Option A:	is defined as the annual number of deaths of infant under 1 year old per 1,000 live births.
Option B:	reflects the availability of primary education, the rights of employment and social

	security.
Option C:	is life expectancy up to age 3.
Option D:	reflects the availability of hospitals and childcare facilities, and the parents'
1	wealth.
7.	Which is not a terminology associated with Development Engineering
Option A:	Engineering for Design
Option B:	Engineering for change
Option C:	Humanitarian engineering
Option D:	Engineering for impact
8.	Consider the following statements regarding Human Development Index (HDI):
	I. The Human Development Index (HDI) is a composite index that measures the
	average achievements in a country in three basic dimensions of human
	development.
	II. The basic dimensions are a long and healthy life, knowledge and a decent
	standard of living.
	Which of the following statement(s) is/are correct?
Option A:	Only I
Option B:	Only II
Option C:	Both I, II
Option D:	Neither I,II
0	
9.	To which type of engineers can code of ethics conceived by professional
Onting	engineering societies be of any use
Option A:	Engineers who are licensed professionals
Option B: Option C:	Engineers who belong to professional engineering societies Engineers who are working in Public Sector Enterprise
Option C. Option D:	All those people who engage in engineering practice
Option D.	An those people who engage in engineering practice
10.	Which of the following statements is correct regarding 73rd amendment (1)
10.	Added eleventh schedule to the constitution (2) Added a new part-IX to the
	constitution of India, entitled as the Panchayats (3) Gives constitutional status to
	the PRI (4) Significant landmark in the evolution of grass root democratic
	institutions in the country
Option A:	1,2,3
Option B:	1,2.4
Option C:	2,3,4
Option D:	1,2,3,4
_	
11.	What are the possible ethical dilemma that a whistleblower can face (1) Public
	interest vs. private interest (2) Citizenship vs. employment(3) Private benefit vs.
	employers benefit(4) Short term view vs. Long term view
Option A:	1,2,4
Option B:	1,3,4
Option C:	1,2,3
Option D:	1,4
12.	Which of the following criteria for judging whether proposed research involving
	human subjects is ethically sound?(1) Risk to subject are minimized (2)Risks are
	reasonable compared to anticipated benefits (3) Prior informed consent will be

maintained. Which of the following is correct? Option A: 1,2 Option B: 1,3,4 Option C: 1,2,3,4 Option D: 1,3 13. Which of the following statements are true about values (1) People are alw aware of their values (2) Values are the links between needs and action,(3)M values are the most fundamental form of values (4) Values are the basi emotions Option A: 1,2,3 Option B: 2,3,4 Option C: 1,2,3,4 Option D: 2,4 14. Panchayati Raj in India was first introduced in 1959 in which state	
Option B: 1,3,4 Option C: 1,2,3,4 Option D: 1,3 13. Which of the following statements are true about values (1) People are alw aware of their values (2) Values are the links between needs and action,(3)N values are the most fundamental form of values (4) Values are the basi emotions Option A: 1,2,3 Option B: 2,3,4 Option C: 1,2,3,4 Option D: 2,4 14. Panchayati Raj in India was first introduced in 1959 in which state	
Option C: 1,2,3,4 Option D: 1,3 13. Which of the following statements are true about values (1) People are alw aware of their values (2) Values are the links between needs and action,(3) No values are the most fundamental form of values (4) Values are the basis emotions Option A: 1,2,3 Option B: 2,3,4 Option C: 1,2,3,4 Option D: 2,4 14. Panchayati Raj in India was first introduced in 1959 in which state	
Option D: 1,3 13. Which of the following statements are true about values (1) People are alw aware of their values (2) Values are the links between needs and action,(3) Not values are the most fundamental form of values (4) Values are the basis emotions Option A: 1,2,3 Option B: 2,3,4 Option C: 1,2,3,4 Option D: 2,4 14. Panchayati Raj in India was first introduced in 1959 in which state	
13. Which of the following statements are true about values (1) People are alw aware of their values (2) Values are the links between needs and action,(3)M values are the most fundamental form of values (4) Values are the basis emotions Option A: 1,2,3 Option B: 2,3,4 Option C: 1,2,3,4 Option D: 2,4 14. Panchayati Raj in India was first introduced in 1959 in which state	
aware of their values (2) Values are the links between needs and action,(3)M values are the most fundamental form of values (4) Values are the basic emotions Option A: 1,2,3 Option B: 2,3,4 Option C: 1,2,3,4 Option D: 2,4 Panchayati Raj in India was first introduced in 1959 in which state	
aware of their values (2) Values are the links between needs and action,(3)M values are the most fundamental form of values (4) Values are the basic emotions Option A: 1,2,3 Option B: 2,3,4 Option C: 1,2,3,4 Option D: 2,4 Panchayati Raj in India was first introduced in 1959 in which state	
Option B: 2,3,4 Option C: 1,2,3,4 Option D: 2,4 14. Panchayati Raj in India was first introduced in 1959 in which state	Ioral
Option C: 1,2,3,4 Option D: 2,4 14. Panchayati Raj in India was first introduced in 1959 in which state	
Option D: 2,4 14. Panchayati Raj in India was first introduced in 1959 in which state	
14. Panchayati Raj in India was first introduced in 1959 in which state	
Option A: Rajasthan	
Option B: Kerala	
Option C: Tamil Nadu	
Option D: West Bengal	
15. The Human Development Index ranks the countries based on their performance the key areas of (1) health, (2) sex-ratio, (3) education (4) access to resources	e in
Option A: 1,2,3	
Option B: 2,3,4	
Option C: 1,3,4	
Option D: 1,2,4	
16. Which of the following statements is the most correct description of the	
relationship between humans and technology	
Option A: Technology impacts upon human action and human beings	
Option B: Human beings" act on, use, make" technology	
Option C: Technology provides apparatus for human action	
Option D: Technology hijacks human autonomy	
17. (1) In Panchayat seats are reserved for SC, ST and women but not for backw classes of citizens (2) Not less than 1/3 of the seats are reserved for wo including number of seat reserved for women of SC and ST. Which of t statements is true	men
Option A: Only 1	
Option B: Only 2	
Option C: Both	
Option D: none	
18. Which state first reserved 50% seats for women	
Option A: Andhra Pradesh	
Option B: Uttar Pradesh	
Option C: Madhya Pradesh	
Option D: Bihar	

19.	Which statement is not correct regarding Gram Sabha
Option A:	It is a body consisting of persons registered in the electoral rolls of a village
	comprised within the area of the Panchayat level.
Option B:	It is a village assembly consisting of all the registered voters in the area of the
	Panchayat.
Option C:	Its powers have been determined by the Central Government
Option D:	Its powers and functions at village level are like state legislature at the state level
20.	Which of the following description best describes the principles concerning
	professional ethics
Option A:	Professional duties must be judged by ethical standards independent of time,
	place and circumstance
Option B:	Judging professional duties always involves reciprocal adjustment between ends
	and means
Option C:	Professional duties must by nature be deontological, i.e. he end must not come at
	the cost of the means
Option D:	Professional duties must be judged only by what they achieve in line with the
	ends prescribed by the ideals of business

Q2	Solve any Four out of Six 5 marks eac	h
A	As an engineer give your opinion on "Is the use of and development nuclear power plant ethical?	of
В	Explain the Gandhian philosophy of rural development	
С	List some problems and challenges faced by cooperatives today	
D	Discuss the cannons of engineering ethics	
Е	Explain the four pillars of Smart city	
F	Corporates become profitable at the cost of ethics. Argue in favour or against the statement and provide examples to justify your arguments	

Q3	Solve any Four out of Six 5 marks each
A	What is the concept of Community development
В	Give high lights of Balwant Rai Mehta committee report of 1957
С	Explain the Gandhian philosophy of rural development
D	Define Ethics, Ethical Dilemma
Е	What are the functions of women cooperatives?
F	What is a gram sabha and how does it contribute to the development of a village
	Al Dog

Program: ALL_Institute Level Optional Course 1

Curriculum Scheme: Rev2016 Examination: BE Semester VII

Course Code: ILO 7019 and Course Name: Development Engineering

Time: 2 hour Max. Marks: 80

Question Number	Correct Option (Enter either 'A' or 'B' or 'C' or 'D')
Q1.	D
Q2.	В
Q3.	A
Q4	D
Q5	В
Q6	A
Q7	A
Q8.	C
Q9.	D
Q10.	D
Q11.	C
Q12.	C
Q13.	В
Q14.	A
Q15.	C
Q16.	C
Q17.	С
Q18.	D
Q19.	C
Q20.	В

Examinations Commencing from 15th June 2021

Program: ALL_Institute Level Optional Course 1

Curriculum Scheme: Rev2016 Examination: BE Semester VII

Course Code: ILO 7017 Course Name: Disaster Management and Mitigation Measures
Time: 2 hour

Max. Marks: 80

Q1.	Choose the correct option for following questions. All the Questions are compulsory and carry equal marks
1.	Hazards can be prioritized by:
Option A:	Manageability, Urgency, Growth, Seriousness
Option B:	Urgency, Manageability, Seriousness, Growth
Option C:	Growth, Manageability, Urgency, Seriousness
Option D:	Seriousness, Manageability, Urgency, Growth
2.	can be defined as threat to life, health, property, and environment.
Option A:	Hazards
Option B:	Vulnerability
Option C:	Disaster
Option D:	Risk
3.	Urbanization usually results in an increase in flood frequency because:
Option A:	Less water can runoff in streams
Option B:	Less water can infiltrate into the ground, so instead is discharged rapidly into streams
Option C:	More water is used by humans and then discharged to streams
Option D:	Rainfall is greater in urban areas than in rural areas
4.	The cycle of disaster consists of the following components:
Option A:	Mitigation, Preparedness, Response, Recovery
Option B:	Preparedness, vulnerability assessment, risk assessment, recovery
Option C:	Mitigation, Risk assessment, Response and Recovery
Option D:	Mitigation, vulnerability assessment, Response and Recovery
5.	Which of the following is not part of geological disaster?
Option A:	Volcanoes
Option B:	Earthquake
Option C:	Tsunami
Option D:	Sea surge
- r	
6.	Pandemic disease is defined as:
Option A:	Outbreak of a disease in international scale

Option B:	Outbreak of a disease beyond the area of a disease
Option C:	Congestion in urban areas.
Option D:	Outbreak of a disease in local area
7.	The primary goal of a disaster preparedness plan is:
Option A:	To protect the population
Option B:	To protect valuable resources
Option C:	To keep communications lines open
Option D:	To protect environmental health personnel
8.	Which of the following is not the causes of manmade disaster?
Option A:	Technological
Option B:	Transportation
Option C:	Landslides
Option D:	Production errors
9.	Which of the following coordinate the research activities in different aspects of
	management at national level?
Option A:	CDM
Option B:	National center for disaster management
Option C:	NICEE
Option D:	Disaster management institute
10.	Various types of funds have been created under which legal frame work
Option A:	Disaster Management Act 2005
Option B:	Disaster Management Act 2006
Option C:	Disaster Management Act 2002
Option D:	National Plan 2008
1.1	XXII: 1 C.1 C.11 ' ' ' ' 1
11.	Which of the following organizations is the apex authority of disaster
	management in India?
Option A:	NDA NDMA
Option B:	NDMA
Option C:	CDMA
Option D:	INDR
12.	The Richter scale expresses an earthquake
Option A:	Magnitude Magnitude
Option B:	Location
	Duration
Option D:	Depth
_	
13.	The technique of acquisition of information about an object or phenomenon
	without being physical contact with the object.
Option A:	Data acquisition
Option B:	Remote Sensing
Option C:	Management system
Option D:	Image processing
Option C: Option D: 13. Option A: Option B: Option C:	Duration Depth The technique of acquisition of information about an object or phenomenon without being physical contact with the object. Data acquisition Remote Sensing Management system

14.	What is called for the manuals that identify the role of each officer in State for
-	managing the natural disasters?
Option A:	State Relief Manuals
Option B:	State Environmental Protection Manuals
Option C:	State Disaster Manuals
Option D:	State Protection Manuals
opnon 2.	
15.	An extreme natural phenomenon capable of causing disaster leading to loss of
-	lives or damage to property is known as-
Option A:	Natural hazard
Option B:	Hazard calculation
Option C:	Desertification
Option D:	Risk
option D.	TARIAL TA
16.	Which of the following sentence about insurance is not true?
Option A:	Insurance guarantees fixed compensation amount prior
Option B:	Insurance market of India is in developed stage, there is no limitations on the
орион В.	cover under insurance for natural disaster.
Option C:	Insurance is limited to major industrial and commercial properties.
Option D:	Role of insurance agencies in disaster management needs to be given more
option b.	importance.
	importance.
17.	The National Disaster Management Authority (NDMA) is headed by:
Option A:	Prime Minister of India
Option B:	President of India
Option C:	Governor of States
Option D:	Chief Minister of States
Орион Б.	Chief Willister of States
18.	International Tsunami information Center is located in
Option A:	Honolulu
Option B:	Goa
Option C:	Jakarta
Option D:	Puducherry
Option D.	1 uduction y
19.	What is the main role of Government Agencies in Disaster Relief Funding
Option A:	The financial assistance to meet the rescue & relief expenditure
Option A.	during any disaster
Option B:	To build houses in different disasters
Option C:	To advice state government how to manage various disasters
Option D:	To act as common platform for Central & State Government
20	Who is the Chairmanan of NEC National Everytive Committee?
20.	Who is the Chairperson of NEC, National Executive Committee?
Option A:	Home Secretary
Option B:	Finance Secretary
Option C:	Home Minister
Option D:	Finance Minister

Q2. Solve any Four out of Six 5 marks each	
--	--

A	Write a short note on direct and indirect effects of disaster.
В	Describe any 4-natural disaster in brief.
С	Explain objectives of disaster management policy.
D	Write a short note on DM act.
Е	Write a short note on role of media in effective disaster management.
F	Explain Community base disaster preparedness.

Q3.	Solve any Four out of Six 5 marks each
A	Define hazards and also brief about modes and causes of hazards.
В	Explain the role of growing population in frequent occurrences of manmade disasters.
С	Draw and explain phases of Disaster Management cycle.
D	Write a short note on advantages of GIS and any one application of GIS in disaster management.
Е	Write a short note on various activities conducted by SDMA.
F	Explain in detail pre- disaster and post disaster measures.

Program: ALL_Institute Level Optional Course1

Curriculum Scheme: Rev2016 Examination: BE Semester VII Course Code: ILO 7017

Course Name: Disaster Management and Mitigation Measures

Question Number	Correct Option (Enter either 'A' or 'B' or 'C' or 'D')
Q1.	C
Q2.	A
Q3.	В
Q4	A
Q5	D
Q6	A
Q7	A
Q8.	С
Q9.	В
Q10.	A
Q11.	В
Q12.	A
Q13.	В
Q14.	A
Q15.	A
Q16.	В
Q17.	A
Q18.	A
Q19.	A
Q20.	A

Examinations Commencing from 15th June 2021

Program: ALL_Institute Level Optional Course 1

Curriculum Scheme: Rev2016 Examination: BE Semester VII

Course Code: ILO 7014 and Course Name: Design of Experiments

1. What is FALSE about strategy of experimentation called as best- gues Option A: Guess dependent solution is produced Option B: May take long time Option C: Experimenters having knowledge are preferred Option D: Experimenters with good guessing power are preferred 2. Consider the mathematical model y = f (x, z);	ss approach
Option A: Guess dependent solution is produced Option B: May take long time Option C: Experimenters having knowledge are preferred Option D: Experimenters with good guessing power are preferred 2. Consider the mathematical model	ss approach
Option B: May take long time Option C: Experimenters having knowledge are preferred Option D: Experimenters with good guessing power are preferred 2. Consider the mathematical model	
Option C: Experimenters having knowledge are preferred Option D: Experimenters with good guessing power are preferred 2. Consider the mathematical model	
Option D: Experimenters with good guessing power are preferred 2. Consider the mathematical model	
2. Consider the mathematical model	
y = f(x, z);	
$\Delta y = \frac{\Box}{\Box} \Delta x + \frac{\Box}{\Box} \Delta z$	
Now — —	
determining the optimized x variability so that the variability of y	y is small is
called	
Option A: Process control	
Option B: Process optimization	
Option C: Robust design	
Option D: Process characterization	
3. The analysis procedure used for experimental data with uncontrol	
	ollable and
measurable nuisance factor is	
Option A: Analysis of covariance	
Option B: Blocking	
Option C: Analysis of variance	
Option D: Analysis of average	
4. In the testing for Lack of Fit (LOF) the formula for sum of square for p	oure error is
given by	
Option A:	
$SS_{PE} = \sum \sum (\overline{y}_y + \hat{y})^2$	
□=1 □=1	
Option B:	
$SS_{PE} = \sum_{i} \sum_{j} (\overline{y}_{ij} - \hat{y})^2$	
□=1 □=1 Option C: 1	
$SS_{PF} = \sum_{i} \sum_{j} \sum_{k} (w_{i} - w_{j})^{2}$	
$SS_{PE} = \sum_{\underline{C} = 1} \sum_{\underline{C} = 1} (y_{\underline{C}} - \hat{y})^2$	

Option D:	1
	$SS_{PE} = \frac{1}{2} \sum \sum (y + \hat{y})^2$
	□=1 □=1
5.	Adding center points to a $2k$ factorial design allows the experimenter
J.	to obtain an estimate of pure experimental error. This allows the partitioning of
	the residual sum of squares SSE into two components. Which of the following is
	correct expression for SSE?
Option A:	$SS_E = SS_{PE} + SS_{LOF}$
1	
Option B:	$SS_E = SS_{PE} - SS_{LOF}$
Option C:	$SS_E = SS_{PE} * SS_{LOF} / (SS_{PE} + SS_{LOF})$
Ontion Di	
Option D:	$SS_E = SS_{PE} * SS_{LOF} / / (SS_{PE} - SS_{LOF})$
6.	A 2 X 2 factorial .
Option A:	is essentially two designs that have been combined into a single study.
Option B:	contains four factors.
Option C:	does not have enough factors to show interactions.
Option C.	does not have chough factors to show interactions.
Option D:	is extremely difficult to interpret if interactions are found.
1	· · · · · · · · · · · · · · · · · · ·
7.	What is the appropriate statistical test for a factorial design?
Option A:	the Modes test
Option B:	ANOVA
Option C:	t-test
Option D:	chi-square
1	
8.	Each main plot is divided into subplots depending on the number of
Option A:	Sub plot treatments
Option B:	Pre plot treatments
Option C:	Post plot treatments
Option D:	Modified plot treatments
0	In field and only contain fortons many many many many many many many many
9. Option A:	In field experiments certain factors may requireplots than for others. Lesser
Option B:	Same
Option C:	Larger
Option D:	Small
1	
10.	Factorial designs
Option A:	include no more than one research hypothesis.
Option B:	cannot test participants across more than one condition.

Option C:	contain more than one null hypothesis.
Option D:	are ineffective when matched participants are included.
11.	What type of control chart can be used to plot "number of defectives in the output
11.	of a process for making a machine part"data?
Option A:	C
Option B:	U
Option C:	S
Option D:	P
12.	The design in which no main effect is aliased with any other main effect, or with
12.	any two-factor interaction, but two-factor interactions are aliased with each other
	are called .
Option A:	Resolution VI design
Option B:	Resolution V design
Option C:	Resolution IV design
Option D:	Resolution III design
13.	Which of the following would be a useful contributor to a strategy of mass
	customization?
Option A:	Economics of scale
Option B:	Modular Design
Option C:	Offshoring
Option D:	Fixed Automation
14.	Which of the following is true?
Option A:	Having more than one dependent variable allows the examination of interactions
option in	between them.
Option B:	There must be the same number of independent variables as there are dependent
	variables.
Option C:	An experiment can have more than one dependent variable.
Option D:	An experiment can only have one dependent variable.
1.7	
15.	Small differences in results from trial to trial can happen in case of
Option A:	good data sets bad data sets
Option B: Option C:	sample data sets
Option C:	attribute data sets
opnon D.	and the data seed
16.	Which of the followings is true about sample size?
Option A:	the sample size should be as small as possible
Option B:	the sample size can be random
Option C:	the sample size is insignificant
Option D:	depends upon the quality characteristic under evaluation i.e. Variable or attribute
17	
17.	Which of the following is an example of attribute data?
Option A:	volume switch on & switch off
Option B:	
Option C: Option D:	Temperature
Ե րոսո D .	pressure

A method for quantitatively identifying the right inputs and parameter levels for
making a high quality product or service is called as -
regression analysis
design of experiments
random factor design
split plot design
2 ³ indicates how many levels?
2
3
4
8
Larger the better S/N ratio is chosen in case of -
undesirable characteristics
bad characteristics
desirable characteristics
good characteristics

Q2.	Solve any Four out of Six	5 marks each
(20 Marks)		
A	What are Experimental Designs? Give its applications.	
В	What are guidelines for designing experiments?	
С	Write short note on S/N ratios.	
D	What are Good and Bad datasets?	
Е	What is RMS?	
F	Explain Construction of Normal Probability Plot.	

Q3. (20 Marks)	Solve any Two Questions out of Three	10 marks each
A	What do you understand from the term 2 ^k design? example.	Explain with an
В	Discuss testing for lack of fit	
С	What are statistical aspects of conducting tests?	

$Program: {\bf ALL_Institute} \ {\bf Level} \ {\bf Optional} \ {\bf Course}$

1Curriculum Scheme: Rev 2016 Examination: BE Semester VII

Course Code: ILO 7014 and Course Name: Design of Experiments

Question Number	Correct Option (Enter either 'A' or 'B' or 'C' or 'D')
Q1.	D
Q2.	В
Q3.	A
Q4	В
Q5	A
Q6	A
Q7	В
Q8.	A
Q9.	С
Q10.	С
Q11.	D
Q12.	С
Q13.	В
Q14.	С
Q15.	В
Q16.	D
Q17.	В
Q18.	В
Q19.	A
Q20.	С

Examinations Commencing from 15th June 2021

Program: ALL_Institute Level Optional Course 1

Curriculum Scheme: Rev2016 Examination: BE Semester VII

Course Code: ILO 7018 and Course Name: EAM

Q1.	Choose the correct option for following questions. All the Questions are compulsory and carry equal marks
1	
1.	Choose an incorrect form of natural gas as energy source.
Option A:	Nitrogen
Option B:	LPG
Option C:	LNG
Option D:	CNG
2.	Which of the following power generation type have very least share in India's total installed capacity? (Ref. year Feb2014)
Option A:	Thermal
Option B:	Hydro-electric
Option C:	Nuclear
Option D:	Renewable
1	
3.	In which sector the energy consumption is highest in India?
Option A:	Agriculture
Option B:	Transport
Option C:	Residential
Option D:	Industry
1	
4.	The energy management aims at producing goods and provide services with
Option A:	only the least environmental effect
Option B:	Only the least cost
Option C:	least cost and least environmental effect
Option D:	either least cost or least environmental effect
5.	The type of Energy Audit to be performed depends on:
Option A:	Cost of energy
Option B:	Depth to which final audit is needed
Option C:	The type of Fuel used in Industries
Option D:	Manpower in an Industry
6.	Understanding energy cost is important factor for :
Option A:	Improving system Efficiency
Option B:	Awareness creation and Saving calculation
Option C:	For manpower calculation
Option D:	For material procurement

7.	Penalties were imposed in HT Electricity bills before 1st April 2020 due to:
Option A:	Crossing Maximum Demand
Option B:	Not maintaining Power Factor above specified value
Option C:	Both for crossing maximum demand and non-maintaining power factor above specified
1	value
Option D:	Not maintaining the duration of Electricity use
8.	Plant energy performance (PEP) is the measure of:
Option A:	Material getting used in an Industry
Option B:	Manpower utilization in an Industry
Option C:	How well the energy management programme is doing
Option D:	Utilization of resources available
9.	A utility bill shows an average pf of 0.72 with average KW of 627.How much KVAr is
	required to improve pf to 0.95
Option A:	425KVAr
Option B:	336 KVAr
Option C:	398 KVAr
Option D:	192 KVAr
10	
10.	Capacitors with automatic power factor controller when installed in a plant:
Option A:	Reduces the voltage of the plant
Option B: Option C:	Reduces the reactive power drawn from grid
Option C. Option D:	Reduces active power drawn from grid Increases the load current of the plant
Option D.	increases the load current of the plant
11.	The following function cannot be achieved with automatic power factor controllers.
Option A:	KVAr control
Option B:	kW control
Option C:	PF control
Option D:	Voltage control
- F	
12.	The material used for core of Energy efficient transformer is
Option A:	Cold Rolled Gain Oriented Steel
Option B:	Silicon alloyed iron(grain oriented)
Option C:	Copper
Option D:	Amorphous core - metallic glass alloy
13.	The characteristic of conventional ballast in lighting application is one among the
	following:
Option A:	They have low operational losses than electronic ballasts
Option B:	They do not require a mechanical switch (starter)
Option C:	They have tuned circuit to deliver power at very high frequency
Option D:	They have high operational losses and high temperature rise
14.	Following is NOT the property of Soft starter
Option A:	less Mechanical stress
Option B:	Improved Power factor
Option C:	Lower maximum demand
Option D:	High Mechanical stress

15.	Length of interior, Width of interior and the mounting height are required to calculate
Option A:	Lux level
Option B:	Colour Rendering Index
Option C:	Power in watts
Option D:	Room Index
16.	Which of the following lamps has the maximum lamp efficiency in lumens/Watt?
Option A:	Metal Hallide
Option B:	HPSV
Option C:	Incandescent
Option D:	Fluorescent
17.	Slip method for measurement of motor loading has disadvantage of
Option A:	High cost
Option B:	Large time required
Option C:	Less accuracy
Option D:	More calculations
18.	Which of the following produces energy because of temperature difference at various levels in ocean
Option A:	Tidal energy
Option B:	Wave energy
Option C:	Solar energy
Option D:	Ocean thermal energy
	9.
19.	What percentage of the sun's energy falling on a silicon solar panel gets converted into electricity?
Option A:	Around 35
Option B:	Around 15
Option C:	Around 75
Option D:	Around 50
20.	Identify the type of steam if it floats out intermittently in a whitish cloud
Option A:	Leaking steam
Option B:	Flash steam
Option C:	Cloud steam
Option D:	Superheated Steam

Q2		
A	Solve any Two	5 marks each
i.	Explain any five features of Energy Conservation Act 2001	
ii.	Define monitoring and targeting. Explains elements of M & T	system.
iii.	Explain demand charges and TOD tariff.	
В	Solve any One 1	0 marks each
i.	Explain general fuel economy measures in boilers.	
ii.	A 415 V, 20kW, 3-ph, 50Hz Induction motor operates at full	load, with

	86% efficiency and 0.85		
	a) Find the current drawn by the motor		
		ed by 92% energy efficient motor of same capac	
	·	what will be the power savings in terms of kW. I	
	_	that motor are 7000 and rate of electricity is Rs.	10
	per Kwh, find annual end	ergy saving.	
Q3			
A	Solve any Two	5 marks ea	ach
i.	List any Five Energy Co	nservation opportunities in lighting system	
ii.	Explain step by step app	roach of electrical load management.	
iii.	What are the advantages	of green buildings and state 3 examples of green	n
	buildings in India?		
В	Solve any One	10 marks ea	ach
i.	Explain energy saving of	pportunities in steam distribution systems.	
ii.		trial illumination system where colour rendering	in
	1	x level measured 500lux. Room dimensions	
		e suspended from ceiling at 0.5m. Height of work	
	1 *	10 tube lights of 52W each in the room. Suggest	
	· ·	and find annual wastage if any, If lamps are used	ĺ
		0 days in a year. The room index and associate	
		mentioned system is as follows	
	Room Index	Target lux/W/m ²	
	1	52	
	1.25	55	
	1.5	58	
	2	61	
	2.5	64	
	3	65	
	4	66	
	5	67	

Program: ALL_Institute Level Optional Course 1

Curriculum Scheme: Rev2016 Examination: BE Semester VII

Course Code: ILO 7018 and Course Name: EAM

Question Number	Correct Option (Enter either 'A' or 'B' or 'C' or 'D')
Q1.	А
Q2.	С
Q3.	D
Q4	С
Q5	В
Q6	В
Q7	С
Q8.	С
Q9.	С
Q10.	В
Q11.	В
Q12.	D
Q13.	D
Q14.	D
Q15.	D
Q16.	В
Q17.	С
Q18.	D
Q19.	В
Q20.	В

Examinations Commencing from 15th June 2021

Program: Information Technology
Curriculum Scheme: Rev2016
Examination: BE Semester VII

Course Code: ITDLO7033 and Course Name: High Performance Computing

Q1.	Choose the correct option for following questions. All the Questions are compulsory and carry equal marks
1.	A processor performing fetch or decoding of various instruction during execution of another instruction is called
Option A:	Parallel Processor
Option B:	Pipeline Processor
Option C:	Super computer
Option D:	Scaler processor
2.	SIMT represents of the followings.
Option A:	Single instruction, multiple threads
Option B:	Single instruction, multiple tasks
Option C:	Single interface, multiple threads
Option D:	Single interface, multiple tasks
3.	Which of the following is the fastest storage unit in a memory hierarchy?
Option A:	Main memory
Option B:	Hard disk
Option C:	Register
Option D:	Cache
4.	Which value has the speedup of a parallel program that achieves an efficiency of 75% on 32 processors?
Option A:	18
Option B:	24
Option C:	16
Option D:	20
5.	Flynn's classification depends upon the parallelism onandstreams
Option A:	instruction, data
Option B:	task, data
Option C:	thread, data
Option D:	instruction, program
1	

6.	What is diameter of binary tree switch network?
Option A:	n log n
Option B:	log n
Option C:	2log n
Option D:	$n^2 \log n$
-	
7.	The system performance and throughput capability system does not depend on
Option A:	clock speed
Option B:	number of instructions per second
Option C:	number of processors
Option D:	Programming language
8.	Parallelizing Compilers demonstratesparallelism.
Option A:	Implicit
Option B:	Explicit
Option C:	Implicit as well as Explicit
Option D:	Compile time
9.	Granularity of the decomposition does not dependent on
Option A:	Number of tasks
Option B:	Size of tasks
Option C:	Number of lines of code
Option D:	Number of functions
10	Which of the following decomposition techniques was divide and common
10.	Which of the following decomposition techniques uses divide and conquer strategy?
Option A:	Data decomposition
_	Recursive decomposition
Option B: Option C:	Exploratory decomposition
Option C:	Speculative decomposition
Option D.	Speculative decomposition
11.	Data parallel programming utilizes data allocation.
11.	Data paratici programming utilizes data anocation.
Option A:	Implicit
Option B:	Explicit
Option C:	Semi explicit
Option D:	Implicit or semi-explicit
1,	
12.	Speed up is the ratio of sequential execution time and
Option A:	Parallel execution time
Option B:	Total computational time
Option C:	Parallel execution time and number of processors
Option D:	Number of processors
13.	Message passing programs exploitparallelism.
Option A:	large-grain
O 4 D .	£
Option B: Option C:	fine-grain Synchronous

Option D:	implicit
1.4	WILL CALCIL COMPLETE COMPLETE COMPLETE
14.	Which of the following is true for MPI communication function: MPI_Gatherv.
Option A:	Operation in which different processes may contribute different numbers of elements
Ontion D.	
Option B:	Operation in which all to all exchange of data elements among processes.
Option C:	Operation in which number of elements collected from different processes may vary
Option D:	Operation in which different processes may end up with different number of elements
15.	Cost of solving a problem on a parallel system is the product of parallel runtime andused.
Option A:	Number of iterations
Option B:	Number of dependent tasks
Option C:	Number of processors
Option D:	Number of independent tasks
16.	Which of the following is not valid with reference to Message Passing Interface?
Option A:	MPI can run on any hardware platform
Option B:	The programming model is a distributed memory model
Option C:	All parallelism is implicit
Option D:	MPI communication returns total number of MPI processes in specified
	communication
17.	Which of the parameter is not used in send primitive in MPI?
Option A:	Buffer to store data
Option B:	Number of data units
Option C:	Destination process
Option D:	Sender process
18.	Amdahl's law is based onspeedup metric.
Option A:	Fixed problem size
Option B:	Fixed time speedup
Option C:	Memory bound speedup
Option D:	recursion bound speedup
19.	What is GPU?
Option A:	General Purpose Unit
Option B:	Graphics Processing Unit
Option C:	Graphical Portable unit
Option C:	Graphics Programming Unit
орион D:	Orapines i rogramming om
20.	Parallel programs: Which speedup could be achieved according to Amdahl's law for infinite number of processors if 5% of a program is sequential and the remaining part is ideally parallel?
Option A:	100
Option B:	50

Option C:	20
Option D:	10

Q2.	Solve any Four out of Six 5 marks each	
A	Explain Non-Blocking Communication using MPI.	
В	What are the principles of Message Passing Programming?	
С	Discuss the categories of computers based on Flynn's classification.	
D	Explain synchronization mechanism.	
Е	Explain CUDA processor architecture	
F	State Amdahl's and Gustafson's law.	

Q3.	Solve any Two Questions out of Three	10 marks each
A	What are the different network topologies? Explain in detail.	
В	What are the different Performance metrics?	
C	Explain in detail Architecture of NVIDIA GPU.	

Program: INFORMATION TECHNOLOGY

Curriculum Scheme: Rev2016 Examination: BE Semester VII

Course Code: ITDLO7033 and Course Name: High Performance Computing

Question Number	Correct Option (Enter either 'A' or 'B' or 'C' or 'D')
Q1.	В
Q2.	A
Q3.	C
Q4	В
Q5	A
Q6	С
Q7	D
Q8.	A
Q9.	С
Q10.	В
Q11.	D
Q12.	A
Q13.	A
Q14.	С
Q15.	С
Q16.	С
Q17.	D
Q18.	A
Q19.	В
Q20.	С

Q.2

- A. Explanation with illustrative example 5 Marks
- B. All principles- 5 Marks
- C. Complete classification based on different categories- 5 Marks
- D. Explanation of Synchronization with illustrative example 5 Marks
- E. Architecture diagram- 2 Marks, Explanation- 3 Marks
- F. Amdahl's law- 2 Marks, Gustafson's law- 3 Marks

Q 3

- A. Categorization 2 Marks, Explanation of at least 4 2 Marks each
- B. Performance metrics listing- 2 Marks, Explanation with illustrative example- 8 Marks
- C. Architecture diagram- 5 Marks, Explanation- 5 Marks

Examinations Commencing from 15th June 2021

Program: ALL

Curriculum Scheme: Rev2016 Examination: BE Semester VII

Course Code: ILO7013 and Course Name: Management Information System Time: 2 hour Max. Marks: 80

Q1.	Choose the correct option for following questions. All the Questions are
	compulsory and carry equal marks
1.	Vital roles that the information systems does not perform for a business enterprise
	includes
Option A:	Support of business processes and applications
Option B:	Support of decision making by employees and managers
Option C:	Support for paper based accounting ledger
Option D:	Support of strategies for competitive advantage
2.	Possible response of the ethical challenges faced by Business managers to
	implement applications of Information Technology includes
Option A:	Implementation of information system solutions
Option B:	Infringement on piracy
Option C:	Inaccurate information
Option D:	Incentives
3.	External forces that affected by element of knowledge management includes
Option A:	Globalization of business
Option B:	Technology capability
Option C:	Effectiveness of human resource
Option D:	Disseminating knowledge
4.	Types of data warehouse does not include
Option A:	Enterprise data warehouse
Option B:	Data marts

Option C:	Data acquisition centre
Option D:	Operational data warehouse
5.	Identify the correct setup in a database environment
Option A:	User, database, DBMS
Option B:	User, DBMS, database
Option C:	Database, user, DBMS
Option D:	DBMS, database, user
6.	Metadata is the data that describes
Option A:	The collection and management of data
Option B:	The subset of the data warehouse
Option C:	The data in the warehouse
Option D:	Operations and shares among users
7.	The reverse auction is normally used in marketplace model
Option A:	Buy-side
Option B:	Sell-side
Option C:	Group purchasing
Option D:	Electronic exchange
8.	is the intangible property created by individuals or corporations.
Option A:	Intellectual property
Option B:	Copyright
Option C:	Patent
Option D:	Trade secret

9.	Which is not a Fundamental Tenets of Ethics
Option A:	Responsibility
Option B:	Accountability
Option C:	Liability
Option D:	Digital dossiers
10.	Exposure is
Option A:	The harm, loss or damage that can result if a threat compromises an information resource
Option B:	Any danger to which a system/information resource may be exposed
Option C:	The procedures, devices, or software aimed at preventing a compromise to a system.
Option D:	The possibility that the system/information resource will suffer harm by a threat.
11.	Organization XYZ tries to attract customers by providing them with experiences tailored to them. What is this technique referred to?
Option A:	Inbound Marketing
Option B:	Outbound Marketing
Option C:	Search Engine
Option D:	Conversation
12.	act as online intermediaries that harness the power of social
	networks for introducing, buying, and selling products and services.
Option A:	Group shopping sites
Option B:	Social marketplaces

Option C:	Shopping Communities
Option D:	Peer-to-peer shopping models
13.	Banner advertising
Option A:	Is sent directly to potential customers via e-mail
Option B:	Forces customers to click on an ad to get more information.
Option C:	Is of limited value because it cannot be customized to the target audience.
Option D:	Is another name for pop-up advertising.
14.	All the following describe a VDN execut.
Option A:	All the following describe a VPN except: A VPN uses the Internet as its main backbone network.
Option B:	A VPN relies on network firewalls, encryption, and other Internet and intranet
Option B.	security features.
Option C:	A VPN uses the Internet to establish secure intranets between its distant offices and
option c.	locations.
Option D:	A VPN is available for use by anyone with access to the Internet.
1	
15.	Older, traditional mainframe-based business information systems are called
	systems.
Option A:	Historical
Option B:	Standard
Option C:	Legacy
Option D:	Application
1.6	
16.	A communications medium that consists of one or more central wires surrounded
Ontion A:	by thick insulation is calledcable. Coaxial
Option A:	
Option B: Option C:	Fiber optic Twisted-pair
	Packet-transmission
Option D:	r acket-ualisiiiissioii

17.	Data that have been processed by the organization's are inputs into the						
	organization's database.						
Option A:	Office automation systems						
Option B:	Functional area information systems						
Option C:	Transaction processing systems						
Option D:	Decision support systems						
18.	Which of the following are disadvantages of the buy option for acquiring IS applications?						
Option A:	The software exactly meet the company's needs.						
Option B:	The software is easy to modify.						
Option C:	The companies have control over software improvements.						
Option D:	The software may not integrate with existing systems.						
19.	Which of the following statements is false?						
Option A:	Companies that use Software-as-a-Service are running applications on the vendor's						
	hardware.						
Option B:	Application service providers are similar to Software-as-a-Service providers.						
Option C:	Companies that purchase open-source software cannot modify it.						
Option D:	Outsourcing refers to acquiring IT applications from outside contractors.						
20.	Place the stages of the systems development life cycle in order:						
Option A:	Investigation – analysis – design – programming/testing – implementation –						
	operation/maintenance						
Option B:	Investigation – design – analysis – programming/testing – implementation –						
	operation/maintenance						
Option C:	Analysis – design – investigation – operation/maintenance – programming/testing						
	- implementation						
Option D:	Investigation – analysis – design – programming/testing – operation/maintenance –						
	implementation						

Q2	Solve any Four out of Six 5 marks each
(20 Marks)	
A	Explain the elements and objectives of Information Systems with a neat diagram
В	Explain the role of information system in framing organizational strategy and bringing competitive advantage
С	Differentiate between knowledge and information and explain the significance of knowledge for a business firm
D	Define and explain the various types of data warehouse
Е	Identify the five factors that contribute to the increasing vulnerability of information resources, and provide a specific example of each one?
F	Compare and contrast human mistakes and social engineering, and provide a specific example of each one?

Q3	Solve any Four out of Six 5 marks each					
(20 Marks)						
A	Briefly describe the benefits of social commerce to customers.					
В	Discuss why social computing is so important in customer relationship management?					
С	Differentiate computer network wired and wireless technology?					
D	Describe how cloud computing can help organizations expand the scope of their business operations.					
Е	Explain various ERP implementation strategies					
F	Describe the tools that augment the traditional SDLC.					

Program: ALL

Curriculum Scheme: Rev2016 Examination: BE Semester VII

Course Code: ILO7013 and Course Name: Management Information Systems
Time: 2 hour Max. Marks: 80

Question Number	Correct Option (Enter either 'A' or 'B' or 'C' or 'D')
Q1.	С
Q2.	D
Q3.	A
Q4	D
Q5	В
Q6	C
Q7	A
Q8.	A
Q9.	D
Q10.	A
Q11.	A
Q12.	В
Q13.	В
Q14.	D
Q15.	С
Q16.	A
Q17.	С
Q18.	D
Q19.	С
Q20.	A

University of Mumbai Examinations Commencing from 15th June 2021

Program: ALL

Curriculum Scheme: R2016 Examination: BE Semester VII

Course Code: ILO7015 and Course Name: Operations Research

Q1.	Choose the correct option for following questions. All the Questions are compulsory and carry equal marks
1.	Which of the following assumptions of Linear Programming is not obeyed in Integer Linear Programming?
Option A:	Lineraity
Option B:	Continuity
Option C:	Additivity
Option D:	Finiteness
2.	Consider the LP problem Maximise $Z = x_1 - 3x_2 + 3x_3$ Subject to, $3x_1 - x_2 + 2x_3 \le 7$ $2x_1 + 4x_2 \ge -12$ $-4x_1 + 3x_2 + 8x_3 \le 10$ Where $x_1, x_2, x_3 \ge 0$ In the simplex algorithm, the variables that enters first is and this variable
	replaces variable
Option A:	X_1, S_1
Option B:	X_2, S_3
Option C:	X_3, S_2
Option D:	X_1, S_2
3.	$\begin{array}{lll} \text{Which statement holds true for the given LP problem:} \\ \text{Maximise} & Z=3x_1+5x_2 \\ \text{Subject to,} & 2x_1+x_2\geq 7 \\ & x_1+x_2\geq 6 \\ & x_1+3x_2\geq 9 \\ \text{Where} & x_1,x_2\geq 0 \end{array}$
Option A:	This LP has no solution
Option B:	This LP has redundant constraints
Option C:	This LP has multiple solutions.
Option D:	This LP has an unbounded solution
4.	If two jobs J1 and J2 have same minimum process time under first machine but processing time of J1 is less than that of J2 under second machine, then J1 occupies:
Option A:	Second available place from left

Option B:	First available place from the left					
Option C:	First available place from right					
Option D:	Second available place from right					
5.	To solve degeneracy in the transportation problem we have to:					
Option A:	Allocate the smallest element epsilon in such a cell, which will form a closed loop					
1	with other loaded cells.					
Option B:	Allocate the smallest element epsilon in such a cell, which will not form a closed					
	loop with other loaded cells.					
Option C:	Put allocation in one of the empty cell as zero					
Option D:	Put a small element epsilon in any one of the empty cell					
6.	Consider the following six jobs J1,J2,J3,J4,J5,J6 to be processed on two					
	machines A and B in the order A,B. The processing times on machine A are					
	[1,3,8,5,6,3] and on machine B are [5,6,3,2,2,10]. The optimal sequence is :					
Option A:	J1-J2-J3-J4-J5-J6					
Option B:	J1-J2-J6-J3-J5-J4					
Option C:	J1-J2-J4-J5-J6-J4					
Option D:	J1-J2-J3-J6-J5-J4					
7.	Have many marked and a soil-le if throughling colleges a travel of six oit of					
	How many routes are possible if travelling salesman travels six cities?					
Option A:	5					
Option B: Option C:						
Option C. Option D:	120					
Option D.	120					
8.	In a departmental store, one cashier is there to serve the customers and the					
	customers pick up their needs by themselves. The arrival rate is 7 customers for					
	every 5 minutes and the cashier can serve 10 customers in 5 minutes. Assuming					
	Poisson arrival rate and exponential distribution for service rate, the average					
	number of customers in the system are					
Option A:	1.4					
Option B:	0.5					
Option C:	0.714					
Option D:	2					
9.	The characteristics of a queuing model is independent of:					
Option A:	Service Pattern					
Option B:	Number of service stations					
Option C:	Queue discipline					
Option D:	Limit of length of queue					
10						
10.	For a simple queue (M / M / 1), Probability that a person arriving will have to					
0	wait is known as					
Option A:	Random factor					
Option B:	Traffic intensity					
Option C:	Poisson busy period					
Option D:	Exponential service factor					
11.	If the outcome at any decision stage is unique and known for the mahlem them					
11.	If the outcome at any decision stage is unique and known for the problem, then					

	the Dynamic programming problem is known as:					
Option A:	Static dynamic programming problem					
Option B:	Deterministic dynamic programming problem					
Option C:	Probabilistic dynamic programming problem					
Option D:	Stochastic dynamic programming problem					
option B.	Stochastic dynamic programming proofem					
12.	In Dynamic Programming Problems, the decisions are made in					
Option A:	Single stage					
Option B:	No decision making process					
Option C:	2-stages					
Option D:	Multi-stages					
1						
13.	If there are 'n' stages, and recursive equations for each stage is f1, f2fn and if they are solved in the order f1 to fn and optimal return for f1 is r1 and that of f2 is r2 and so on, then the method of calculation is known as –					
Option A:	Direct Computational Procedure					
Option B:	Forward computational procedure					
Option C:	Reverse Computational Procedure					
Option D:	Backward Computational Procedure					
1						
14.	Dynamic Programming is also called as :					
Option A:	Multistage problem					
Option B:	Structural programming					
Option C:	State problems					
Option D:	Recursive optimization					
15.	The value of the following game G is—					
	[1 13 11]					
	$ \begin{bmatrix} 1 & 13 & 11 \\ -9 & 5 & -11 \\ 0 & -3 & 13 \end{bmatrix} $					
	-9 5 -11					
Option A:	0					
Option B:	-1					
Option C:	+1					
Option D:	+11					
16.	One of the assumption in the game theory is—					
Option A:	Winner alone acts rationally					
Option B:	All players act rationally and intelligently					
Option C:	Loser acts intelligently					
Option D:	Both the players believe luck					
17.	Which statement holds true for the given game:					

	Player B					
	Player A X -3 3 Y -2 4 Z 3					
Option A:	Game is fair					
Option B:	Game is strictly Determinable					
Option C:	Saddle point is (1,3)					
Option D:	No saddle point exists					
18.	Setup costs do not include :					
Option A:	Cost of processing the work piece					
Option B:	Ordering cost of raw material					
Option C:	Maintenance cost of the machines					
Option D:	Labour cost of setting up machines					
19.	The demand for a commodity is 100 units per day. Every time an order is placed, a fixed cost of Rs. 300 is incurred. Holding cost is Rs. 0.06/- per unit per day. If the lead time is 13 days, then economic lot size is:					
Option A:	300					
Option B:	1000					
Option C:	1200					
Option D:	100					
20.	A particular item has demand of 3000 units per year. The cost of one procurement is Rs. 100 and the holding cost per unit is Rs. 2.40 per year. The replacement is instantaneous and no shortages are allowed. What will be the total cost in per year if the cost of one unit is Rs. 1?					
Option A:	4200					
Option B:	3500					
Option C:	3120					
Option D:	3849					

Q2	Solve any four 5 marks each
A.	A branch of Canara Bank has only one typist. Since the typing work varies in length (number of pages to be typed), the typing rate is randomly distributed approximating a Poisson distribution with mean service rate of 8 letters per hour. The letters arrive at a rate of 5 per hour during the entire 8-hour work day. If the typewriter is valued at Rs. 1.50 per hour, determine—Equipment utilization, average cost due to waiting on the part of typewriter i.e it remaining idle.
В.	A company manufactures around 200 mopeds. Depending upon the availability of

raw materials and other conditions, the daily production has been varying from 196 to 204 mopeds, whose probability distribution is as given below:

Production/day	196	197	198	199	200	201	202	203	204
Probability	0.05	0.09	0.12	0.14	0.20	0.15	0.11	0.08	0.06

The finished mopeds are transported in a specifically designed three-storeyed lorry that can accommodate only 200 mopeds. Using the following 15 random numbers 82,89,78,24,53,61,18,45,04,23,50,77,27,54 and 10, simulate the process to find out what will be the average number of mopeds waiting in the factory?

C. A firm has divided its marketing area into three zones. The amount of sales depends upon the number of salesman in each zone. The firm has been collecting the data regarding sales and salesman in each area over a number of past years. The information is given as below.

No. of	Zone 1	Zone 2	Zone 3
Salesman			
0	30	35	42
1	45	45	54
2	60	52	60
3	70	64	70
4	79	72	82
5	90	82	95
6	98	93	102
7	105	98	110
8	100	100	110
9	90	100	110

For the next year firm has only 9 salesman and the problem is to allocate these salesman to three different zones so that the total sales are maximum.

- D. An aircraft company uses rivets at an approximate customer rate of 2,500kg per year. Each unit costs Rs. 30 per kg and the company personnel estimate that it costs Rs. 130 to place an order, and that the carrying cost of inventory is 10 percent per year. How frequently should orders for rivets be placed? Also, determine the optimum size of each order.
- E. A and B play a game in which each has three coins a 5p, a 10p and a20p. Each player selects a coin without the knowledge of the other's choice. If the sum of the coins is an odd amount, A wins B's coin; if the sum is even, B wins A's coin. Find the best strategy for each player and the value of the game.

F. Write the dual of the LPP:

Maximise Subject to,	$Z = 30x_1 + 23x_2 + 20x_3$ $6x_1 + 5x_2 + 3x_3 \le 26$ $4x_1 + 2x_2 + 5x_3 \le 7$	
Where	$x_1, x_2, x_3 \ge 0$	

Q3	Solve ar	ny Tw	0				10 marks	each
A.	Solve the following LPP:							
	Maximise Subject to,			$Z = 4x_1 + x_2 + 3x_3 + 5x_4$ $4x_1 - 6x_2 - 5x_3 - 4x_4 \ge -20$ $-3x_1 - 2x_2 + 4x_3 + x_4 \le 10$				
	Where			$-3x_1 - 2x_2 + 3x_1 - 3x_2 + 3x_1 - 3x_2 + 3x_2 +$	$+3x_3+2x_3$			
B.	Four jobs 1, 2, 3 and 4 are to be processed on each of the five machines A, B, C,I and E in the order ABCDE. Find the total minimum elapsed time if no passing o jobs is permitted and determine idle time for each machine.							
	ক)	Job	Machine A	Machine B	Machine C	Machine D	Machine E	
		1	7	5	2	3	9	
		2	6	6	4	5	10	
		3	5	4	5	6	8	
			0	_	_			
		4	8	3	3	2	6	
		4	8	3	3	2		

<i>x</i>	Warehouse A	Warehouse B	Warehouse C	Availability
Factory F1	8	7	3	60
Factory F2	3	8	9	70
Factory F3	11	3	5	80
Demand	50	80	80	

Program: ALL

Curriculum Scheme: R2016 Examination: BESemester VII

Course Code: ILO7015 and Course Name: Operations Research

Question Number	Correct Option (Enter either 'A' or 'B' or 'C' or 'D')
Q1.	В
Q2.	В
Q3.	D
Q4	A
Q5	В
Q6	В
Q7	D
Q8.	A
Q9.	C
Q10.	В
Q11.	В
Q12.	D
Q13.	В
Q14.	D
Q15.	C
Q16.	В
Q17.	В
Q18.	A
Q19.	В
Q20.	A

Examinations Commencing from 15th June 2021

Program: ALL_Institute Level Optional Course 1

Curriculum Scheme: Rev2016 Examination: BE Semester VII

Course Code: ILO 7012 and Course Name: Reliability Engineering

Q1.	Choose the correct option for following questions. All the Questions are compulsory and carry equal marks
	company and early equal marks
1.	What is the failure cost of a product possessing reliability R=1?
Option A:	Zero
Option B:	Unity
Option C:	Infinity
Option D:	Negative
1	
2.	Which among the below mentioned types of redundancy exhibits maximum
	failure rate?
Option A:	Cold standby
Option B:	Warm or Tepid
Option C:	Hot or Active
Option D:	Negative
3.	At a certain university, 4% of men are over 6 feet tall and 1% of women are over 6 feet tall. The total student population is divided in the ratio 3:2 in favour of women. If a student is selected at random from among all those over six feet tall, what is the probability that the student is a woman?
Option A:	2/5
Option B:	3/5
Option C:	3/11
Option D:	1/100
- F	
4.	The probability density function of a Markov process is
Option A:	p(x1,x2,x3xn) = p(x1)p(x2/x1)p(x3/x2)p(xn/xn-1)
Option B:	$p(x_1,x_2,x_3,,x_n) = p(x_1)p(x_1/x_2)p(x_2/x_3)p(x_n-1/x_n)$
Option C:	$p(x_1,x_2,x_3,,x_n) = p(x_1)p(x_2)p(x_3),,p(x_n)$
Option D:	p(x1,x2,x3xn) = p(x1)p(x2*x1)p(x3*x2)p(xn*xn-1)
_	
5.	The operational availability is calculated as:
Option A:	L=
Option B:	
Option C:	

Option D:	
1	
6.	It is suitable to use Binomial Distribution only for
Option A:	Large values of 'n'
Option B:	Fractional values of 'n'
Option C:	Small values of 'n'
Option D:	Any value of 'n'
- F	
7.	What is MTTF?
Option A:	Maximum time to failure
Option B:	Mean time to failure
Option C:	Minimum time to failure
Option D:	Moderate Time to Failure
1	
8.	Which one of the below is measured by MTBF?
Option A:	Tolerance
Option B:	Life time
Option C:	Reliability
Option D:	Quality
9.	Normal Distribution is applied for
Option A:	Continuous Random Distribution
Option B:	Discrete Random Variable
Option C:	Irregular Random Variable
Option D:	Uncertain Random Variable
10.	A go/no-go device is tested until it fail. If X is the number of tests to first failure
	with no wear our present, and the probability of success on each test is 0.99, then the probability that X is greater than 5 is:
Option A:	0.931
Option B:	0.941
Option C:	0.9510
Option C:	0.9610
Option D.	0.9010
11.	Inherent availability is the steady state availability when considering only
Option A:	the corrective maintenance of mean time of the system
Option B:	the corrective maintenance of median time of the system
Option C:	the correlative maintenance of mean time of the system
Option D:	the corrective maintenance of downtime of the system
1	,
12.	What is the area under a conditional Cumulative density function?
Option A:	Zero
Option B:	Infinity
Option C:	One
Option D:	Changes with CDF
13.	What will be the reliability of the system for a 100-hour mission, the system has
	three subsystems are reliability-wise in parallek, Subsystem 1 has a reliability of
	99.5%, Subsystem 2 has a reliability of 98.7% and Subsystem31 has a reliability
-	What will be the reliability of the system for a 100-hour mission, the system has three subsystems are reliability-wise in parallek, Subsystem 1 has a reliability of

	of 97.3%,
Option A:	0.96
Option B:	0.97
Option C:	0.98
Option D:	0.99
1	
14.	According to exponential law of reliability, the relationship between the reliability and the system failure due to consistency in occurrence of failure rate, can be generally expressed as
Option A:	$R = \lambda t$
Option B:	$R = -\lambda t$
Option C:	$R = e \lambda t$
Option D:	$R = e - \lambda t$
1	
15.	Failure rates in reliability analysis for the exponential case :
Option A:	Are multiplied together for independent events
Option B:	Increase to the mean value and then decrease
Option C:	Are summed to combine independent series elements in reliability analysis
Option D:	Are used to model the Weibull when $\beta = 2$
16.	which of the following is not the advantage of the restoration
Option A:	it reduces the cost of test equipment and downtime system
Option B:	it reduces the cost of system restoration
Option C:	it reduces space and size needed for keeping new systems
Option D:	it is possible even if the spare system is not available
17.	Which of the following can be considered as the worst feature of an aircraft in terms of maintainability?
Ontion A:	Requirements of removing number of major structural elements
Option A: Option B:	Easily reachable parts
Option C:	More accessibility is provided for components
Option C. Option D:	Easily accessible parts
Option D.	Easily accessible parts
18.	Markov analysis assumes that conditions are both
Option A:	Complementary and collectively exhaustive.
Option B:	Collectively dependent and complementary.
Option C:	Collectively dependent and mutually exclusive.
Option D:	Collectively exhaustive and mutually exclusive.
Spiron 2.	Constant of the manual of th
19.	Which method prevents the operating condition that exceeds beyond 50% of the
	maximum rating in order to improve the system reliability?
Option A:	Parts Improvement Method
Option B:	Structural Redundancy
Option C:	Effective & creative Design
Option D:	Derating of components
1	
20.	What is the reliability of a four component parallel system when the reliabilities of each component are 0.70?
Option A:	0.9813
Option B:	0.9919

Option C:	0.1681
Option D:	0.9976

Q2	Solve any Four out of Six 5 marks each
A	Explain Mean Time to Failure and Mean Time Between Failure
В	What is series system? Obtain the system failure time density function for a series system with 'n' independent components. Suppose each of the n independent components has an exponential failure time distribution with constant failure rate λ_i , $i = 1,2,3,\ldots,n$. Find the System Reliability.
C	Define (i) Standardization(ii) Interchangeability
D	Explain Fault Tree Analysis with suitable example
Е	Consider a system that has eight components and the system will work if at least any five of the eight components work (5-out-of-8 system). Each component has a reliability of 0.87 for a given period. Find the reliability of the system.
F	Describe in detail the qualitative aspects of Availability.

Q3	Solve any Two out of Three 10 marks each
A	What do you mean by Bays theorem in Probability? Derive Bays Theorem. And
A	explain how Bays Theorem is different from Conditional Probability?
В	Discuss Importance of Reliability, Quality Assurance and Failure Density.
С	Explain Cut-Set method and Decomposition Method with Suitable Example

$Program: {\bf ALL_Institute\ Level\ Optional\ Course}$

1Curriculum Scheme: Rev2016 Examination: BE Semester VII

Course Code: ILO 7012 and Course Name: Reliability Engineering

Question Number	Correct Option (Enter either 'A' or 'B' or 'C' or 'D')
Q1.	A
Q2.	С
Q3.	В
Q4	A
Q5	В
Q6	С
Q7	В
Q8.	С
Q9.	A
Q10.	С
Q11.	D
Q12.	С
Q13.	D
Q14.	D
Q15.	С
Q16.	A
Q17.	A
Q18.	В
Q19.	D
Q20.	В

University of Mumbai

Examinations Commencing from 15th June 2021

Program: INFORMATION TECHNOLOGY

Curriculum Scheme: Rev2016 Examination: BE Semester VII

Course Code: ITDLO7031 and Course Name: SAN

1. Data centre infrastructure is used for Option A: centralized data processing & storage consolidation Option B: distributed data processing & storage division Option C: secured data processing & storage division Option D: secured data processing & storage consolidation 2. two types of implementations on RAID are Option A: external & internal Option B: hardware & software Option C: maximum & minimum Option D: secured & unsecured 3. the three basic components of the storage system are Option A: client, connectivity, storage Option B: server, network, storage Option C: host, connectivity, storage Option D: application, network, storage 4. CHS address mapping mode is Option A: logical addressing type Option B: virtual addressing type Option C: secured addressing type Option D: physical addressing type 5 is an IP-based file-sharing device attached to a local area network Option B: NAS Option C: SAN Option D: IP-SAN	Q1.	Choose the correct option for following questions. All the Questions are compulsory and carry equal marks
Option A: centralized data processing & storage consolidation Option B: distributed data processing & storage division Option C: secured data processing & storage division Option D: secured data processing & storage consolidation 2. two types of implementations on RAID are Option A: external & internal Option B: hardware & software Option D: secured & unsecured 3. the three basic components of the storage system are Option A: client, connectivity, storage Option B: server, network, storage Option C: host, connectivity, storage Option D: application, network, storage 4. CHS address mapping mode is Option A: logical addressing type Option B: virtual addressing type Option C: secured addressing type Option D: physical addressing type 5 is an IP-based file-sharing device attached to a local area network Option A: DAS Option C: SAN	4	
Option B: distributed data processing & storage division Option C: secured data processing & storage division Option D: secured data processing & storage consolidation 2. two types of implementations on RAID are Option A: external & internal Option B: hardware & software Option C: maximum & minimum Option D: secured & unsecured 3. the three basic components of the storage system are Option A: client, connectivity, storage Option B: server, network, storage Option C: host, connectivity, storage Option D: application, network, storage 4. CHS address mapping mode is Option A: logical addressing type Option C: secured addressing type Option D: physical addressing type 5 is an IP-based file-sharing device attached to a local area network Option B: NAS Option C: SAN		
Option C: secured data processing & storage division Option D: secured data processing & storage consolidation 2. two types of implementations on RAID are Option A: external & internal Option C: maximum & minimum Option D: secured & unsecured 3. the three basic components of the storage system are Option A: client, connectivity, storage Option B: server, network, storage Option C: host, connectivity, storage Option D: application, network, storage 4. CHS address mapping mode is Option A: logical addressing type Option C: secured addressing type Option C: physical addressing type Option D: secured addressing type 5 is an IP-based file-sharing device attached to a local area network Option A: DAS Option C: SAN		
Option D: secured data processing & storage consolidation 2. two types of implementations on RAID are Option A: external & internal Option B: hardware & software Option C: maximum & minimum Option D: secured & unsecured 3. the three basic components of the storage system are Option A: client, connectivity, storage Option B: server, network, storage Option C: host, connectivity, storage Option D: application, network, storage 4. CHS address mapping mode is Option A: logical addressing type Option B: virtual addressing type Option C: secured addressing type Option D: physical addressing type 5 is an IP-based file-sharing device attached to a local area network Option B: NAS Option C: SAN		
2. two types of implementations on RAID are Option A: external & internal Option B: hardware & software Option C: maximum & minimum Option D: secured & unsecured 3. the three basic components of the storage system are Option A: client, connectivity, storage Option B: server, network, storage Option C: host, connectivity, storage Option D: application, network, storage 4. CHS address mapping mode is Option A: logical addressing type Option B: virtual addressing type Option C: secured addressing type Option D: physical addressing type 5 is an IP-based file-sharing device attached to a local area network Option A: DAS Option C: SAN		
Option A: external & internal Option B: hardware & software Option C: maximum & minimum Option D: secured & unsecured 3. the three basic components of the storage system are Option A: client, connectivity, storage Option B: server, network, storage Option C: host, connectivity, storage Option D: application, network, storage 4. CHS address mapping mode is Option A: logical addressing type Option B: virtual addressing type Option C: secured addressing type Option D: physical addressing type 5 is an IP-based file-sharing device attached to a local area network Option A: DAS Option C: SAN	Option D:	secured data processing & storage consolidation
Option A: external & internal Option B: hardware & software Option C: maximum & minimum Option D: secured & unsecured 3. the three basic components of the storage system are Option A: client, connectivity, storage Option B: server, network, storage Option C: host, connectivity, storage Option D: application, network, storage 4. CHS address mapping mode is Option A: logical addressing type Option B: virtual addressing type Option C: secured addressing type Option D: physical addressing type 5 is an IP-based file-sharing device attached to a local area network Option A: DAS Option C: SAN		
Option B: hardware & software Option C: maximum & minimum Option D: secured & unsecured 3. the three basic components of the storage system are Option A: client, connectivity, storage Option B: server, network, storage Option C: host, connectivity, storage Option D: application, network, storage 4. CHS address mapping mode is Option A: logical addressing type Option B: virtual addressing type Option C: secured addressing type Option D: physical addressing type 5 is an IP-based file-sharing device attached to a local area network Option A: DAS Option C: SAN		two types of implementations on RAID are
Option C: maximum & minimum Option D: secured & unsecured 3. the three basic components of the storage system are Option A: client, connectivity, storage Option B: server, network, storage Option C: host, connectivity, storage Option D: application, network, storage 4. CHS address mapping mode is Option A: logical addressing type Option B: virtual addressing type Option C: secured addressing type Option D: physical addressing type 5 is an IP-based file-sharing device attached to a local area network Option A: DAS Option B: NAS Option C: SAN		
Option D: secured & unsecured 3. the three basic components of the storage system are Option A: client, connectivity, storage Option B: server, network, storage Option C: host, connectivity, storage Option D: application, network, storage 4. CHS address mapping mode is Option A: logical addressing type Option B: virtual addressing type Option C: secured addressing type Option D: physical addressing type 5 is an IP-based file-sharing device attached to a local area network Option A: DAS Option C: SAN		
3. the three basic components of the storage system are Option A: client, connectivity, storage Option B: server, network, storage Option C: host, connectivity, storage Option D: application, network, storage 4. CHS address mapping mode is Option A: logical addressing type Option B: virtual addressing type Option C: secured addressing type Option D: physical addressing type 5 is an IP-based file-sharing device attached to a local area network Option A: DAS Option C: SAN		
Option A: client, connectivity, storage Option B: server, network, storage Option C: host, connectivity, storage Option D: application, network, storage 4. CHS address mapping mode is Option A: logical addressing type Option B: virtual addressing type Option C: secured addressing type Option D: physical addressing type 5 is an IP-based file-sharing device attached to a local area network Option A: DAS Option B: NAS Option C: SAN	Option D:	secured & unsecured
Option A: client, connectivity, storage Option B: server, network, storage Option C: host, connectivity, storage Option D: application, network, storage 4. CHS address mapping mode is Option A: logical addressing type Option B: virtual addressing type Option C: secured addressing type Option D: physical addressing type 5 is an IP-based file-sharing device attached to a local area network Option A: DAS Option B: NAS Option C: SAN		
Option B: server, network, storage Option C: host, connectivity, storage Option D: application, network, storage 4. CHS address mapping mode is Option A: logical addressing type Option B: virtual addressing type Option C: secured addressing type Option D: physical addressing type 5 is an IP-based file-sharing device attached to a local area network Option A: DAS Option B: NAS Option C: SAN	3.	
Option C: host, connectivity, storage Option D: application, network, storage 4. CHS address mapping mode is Option A: logical addressing type Option B: virtual addressing type Option C: secured addressing type Option D: physical addressing type 5 is an IP-based file-sharing device attached to a local area network Option A: DAS Option B: NAS Option C: SAN	Option A:	client, connectivity, storage
Option D: application, network, storage 4. CHS address mapping mode is Option A: logical addressing type Option B: virtual addressing type Option C: secured addressing type Option D: physical addressing type 5 is an IP-based file-sharing device attached to a local area network Option A: DAS Option B: NAS Option C: SAN	Option B:	server, network, storage
4. CHS address mapping mode is Option A: logical addressing type Option B: virtual addressing type Option C: secured addressing type Option D: physical addressing type 5 is an IP-based file-sharing device attached to a local area network Option A: DAS Option B: NAS Option C: SAN	Option C:	host, connectivity, storage
Option A: logical addressing type Option B: virtual addressing type Option C: secured addressing type Option D: physical addressing type 5 is an IP-based file-sharing device attached to a local area network Option A: DAS Option B: NAS Option C: SAN	Option D:	application, network, storage
Option A: logical addressing type Option B: virtual addressing type Option C: secured addressing type Option D: physical addressing type 5 is an IP-based file-sharing device attached to a local area network Option A: DAS Option B: NAS Option C: SAN		
Option A: logical addressing type Option B: virtual addressing type Option C: secured addressing type Option D: physical addressing type 5 is an IP-based file-sharing device attached to a local area network Option A: DAS Option B: NAS Option C: SAN	4.	CHS address mapping mode is
Option B: virtual addressing type Option C: secured addressing type Option D: physical addressing type 5 is an IP-based file-sharing device attached to a local area network Option A: DAS Option B: NAS Option C: SAN	Option A:	
Option C: secured addressing type Option D: physical addressing type 5 is an IP-based file-sharing device attached to a local area network Option A: DAS Option B: NAS Option C: SAN	Option B:	
5 is an IP-based file-sharing device attached to a local area network Option A: DAS Option B: NAS Option C: SAN	Option C:	secured addressing type
5 is an IP-based file-sharing device attached to a local area network Option A: DAS Option B: NAS Option C: SAN	Option D:	physical addressing type
Option A: DAS Option B: NAS Option C: SAN		
Option B: NAS Option C: SAN	5.	is an IP-based file-sharing device attached to a local area network
Option C: SAN	Option A:	DAS
*	Option B:	NAS
Option D: IP-SAN	Option C:	SAN
	Option D:	IP-SAN
6. CIFS file sharing protocol is used for which OS?	6.	CIFS file sharing protocol is used for which OS?
Option A: UNIX	Option A:	
Option B: WINDOWS	Option B:	WINDOWS
Option C: LINUX		
Option D: MAC		

7.	Arrange the following statements in chronological order as the steps to access the
	hosted files.
	a)Mount file systems. b) Access the file systems. c) Create NAS file systems.
	d) Create storage array volumes. e) Create NAS volumes.
Option A:	e-c-d-a-b
Option B:	b-c-d-a-e
Option C:	c-d-b-a-e
Option D:	d-e-c-a-b
8.	In SAN storage model, the operating system view storage resources as ——————————————————————————————————
Option A:	FC
Option B:	SCSI
Option C:	SAN
Option C:	FCSI
Option D.	TCSI
9.	In FC structure which layer maps block I/O SCSI commands into FC frames?
Option A:	FC-4
Option B:	FC-1
Option C:	FC-0
Option C:	FC-3
Option D.	TC-3
10.	Which one is a major classification of zoning?
Option A:	Freeware
Option B:	Soft
Option C:	Hardware
Option C:	Hard
Option D.	Tialu
11.	Which is true about SAN?
Option A:	It uses a switch to connect servers to storage.
Option B:	It must use Fibre Channel networking.
Option C:	It's best for file-based storage.
Option D:	It attaches directly to a host computer.
Option D.	it attaches directly to a nost computer.
12.	what is capacity planning
Option A:	plan and implement computer resources
Option B:	planning of bug removal activities
Option C:	planning of ouglity assurance
Option C:	planning of quarity assurance planning of testing
Sprion B.	k
13.	what is OLTP workload
Option A:	multiple users performing a set of inconsistent transactions having online
pron 11.	transaction processing workload
Option B:	multiple users performing a set of consistent transactions having online
- 1	transaction processing workload
Option C:	single users performing a set of consistent transactions having online transaction
- 1	processing workload
Option D:	multiple users performing a set of consistent transactions having offline
	transaction processing workload
	1 ~~~
14.	compatibility with the existing network resources & support for multiple file
	1 , 0

	protocols, these features can be provided for workload characterization by
Option A:	SAN
Option B:	IP-SAN
Option C:	NAS
Option D:	DAS
1	
15.	iSCSI is used for
Option A:	SCSI data transfer over supernet
Option B:	SCSI data transfer over subnet
Option C:	SCSI data transfer over intranet
Option D:	SCSI data transfer over internet
opiidi 2.	
16.	Which is a separate facility that does not have any computer equipment but is a
	place where the knowledge workers can move after the disaster?
Option A:	Hot site
Option B:	Cold Site
Option C:	Plan
Option D:	Sessions
1	
17.	Disaster Recovery Plans must focus primarily upon:
Option A:	Recovery of all business functionality
Option B:	Recovery of circuits
Option C:	Recovery of processes
Option D:	Recovery of IT technologies and communications network resources that support
_	time-critical business processes
18.	The purpose of Business Continuity Plans are to:
Option A:	Counteract interruptions to preserve business activities and to protect time-critical
	business processes
Option B:	Mitigate disasters before they occur
Option C:	Comply with audit requirements
Option D:	Meet management by objective requirements
19.	What kind of backup, backs up the data over the SAN without THE data passing
	through the app server?
Option A:	Serverless backup
Option B:	LAN based backup
Option C:	WAN backup
Option D:	LAN-free backup
20	William Control to Con
20.	What does CIM Stands for
Option A:	common information model
Option B:	costless information model
Option C:	customers information model
Option D:	consumers information model

Q2	Solve any Four out of Six 5	marks each
(20 Marks)		
A	Explain the two types of ISS?	
В	Discuss the various factors that affect the NAS performance a availability in detail?	nd
С	Describe FC Protocol Stack?	
D	explain the physical structure of HDD.	
Е	Draw Business Continuity Life cycle and explain	
F	explain how SAN is provided as a solution for OLTP workloa	ıd?

Q3	Solve any four Questions out of six	5 marks each
(20 Marks)		
A	explain how NAS contributes to enterprise web workloa	d?
В	Write a note on: Network file sharing	
С	Explain FC flow control using neat diagram?	
D	what is storage planning and capacity planning?	
Е	Explain Various security challenges in storage?	
F	explain how ILM can be implemented?	

Program: INFORMATION TECHNOLOGY

Curriculum Scheme: Rev2016 Examination: BE Semester VII

Course Code: ITDLO7031 and Course Name:SAN

Question Number	Correct Option (Enter either 'A' or 'B' or 'C' or 'D')
Q1.	A
Q2.	В
Q3.	С
Q4	D
Q5	A
Q6	В
Q7	D
Q8.	В
Q9.	A
Q10.	С
Q11.	A
Q12.	A
Q13.	В
Q14.	С
Q15.	D
Q16.	В
Q17.	D
Q18.	A
Q19.	A
Q20.	A

University of Mumbai

Examinations Commencing from 15th June 2021

Program: INFORMATION TECHNOLOGY

Curriculum Scheme: Rev2016 Examination: BE Semester VII

Course Code: ITDLO7035 and Course Name: Soft Computing

Choose the correct option for following questions. All the Questions are compulsory and carry equal marks
Consider two fuzzy sets, $A = \{1/2 + 0.6/4 + 0.5/6 + 0.2/8\}$ and $B = \{0.5/2 + 0.4/4 + 0.5/6 + 0.2/8\}$
0.2/6 + 0.1/8. What will be the result of Union Operation
{1/2 + 0.6/4 + 0.5/6 + 1/8}
{1/2 + 0.6/4 + 0.5/6 + 0.2/8}
{1/2 + 0.4/4 + 0.1/6 + 0.2/8}
$\{0.5/2 + 0.4/4 + 0.2/6 + 0.1/8\}$
Linearly separable pattern classification
Can be solved by perceptron learning rule
Cannot be solved by perceptron learning rule
Cannot be solved by any neural network
Can be solved by fuzzy controller
Binarization, preprocessing, slant correction and thinning are the steps of
Genetic algorithm
Fuzzy controller
Character recognition
Genetic fuzzy hybrid system
Consider two fuzzy sets, A= $\{1/x1 + 0.75/x2 + 0.3/x3 + 0.15/x4 + 0/x5\}$ and B= $\{1/x1 + 0.6/x2 + 0.2/x3 + 0.1/x4 + 0/x5\}$. Then Intersection of A & B is
· {1/x1 + 0.75/x2 + 0.3/x3 + 0.15/x4 + 0/x5}
$\{0/x1 + 0.4/x2 + 0.8/x3 + 0.9/x4 + 0/x5\}$
$\{1/x1 + 0.6/x2 + 0.2/x3 + 0.1/x4 + 0/x5\}$
$\{0/x1 + 0.2/x2 + 0.6/x3 + 0.9/x4 + 1/x5\}$
Learning is the process of
Adjusting the weights
Maximizing the error
Decreasing number of hidden layers
Incorporating feedback in the network
Genetic algorithm is used for
testing

Option B:	Optimization
Option C:	Learning
Option D:	Converting crisp output to fuzzy set
7.	Error correction, memory based, Boltzmann are types of
Option A:	testing
Option B:	Optimization
Option C:	Learning
Option D:	Feature selection
8.	Fuzzy singleton is a fuzzy set
Option A:	That contains membership value 1 for all elements in X
Option B:	Whose support is a single element in X
Option C:	That contains membership value 0 for all elements in X
Option D:	Whose height is 1
9.	ART1 has full form as
Option A:	Adaptive recovery technique 1
Option B:	Adjustable recovery technique 1
Option C:	Adaptive Resonance theory 1
Option D:	Adjustable Resonance theory 1
10.	Minimum value of membership is used for following operation
Option A:	Union
Option B:	Intersection
Option C:	Algebraic product
Option D:	Bounded difference
11.	Relation R will be arelation if all the three properties:
	Reflexive, Symmetric, Transitivity are satisfied.
Option A:	Fuzzy equivalence
Option B:	Fuzzy satisfaction
Option C:	Fuzzy generative
Option D:	Fuzzy imperative
10	
12.	Considering D as desired output, and O as the actual output, the learning signal
	for perceptron learning rule is
Option A:	0
Option B:	D D
Option C:	D-O
Option D:	D+O
12	The swige act of elements that halamata forms are to a construction.
13.	The crisp set of elements that belong to fuzzy set to a membership degree
Ontion A:	greater than alpha is called as
Option A:	Alpha level set
Option B:	Strong alpha level set
Option C:	Weak alpha level set
Option D:	Perfect alpha level set

14.	In ART1(Adaptive resonance theory 1) network, Vigilance parameter decides
Option A:	whether to consider winner neuron for weight updation or not
Option B:	Neuron's activation function
Option C:	Bias
Option D:	Whether to change the weights for all neurons
15.	Initial Population in Genetic Algorithm (represented by chromosomes) is
Option A:	Set of crossover points
Option B:	Set of Fitness values
Option C:	Set of solution
Option D:	Set of probabilities
16.	In ANFIS architecture the following layer converts crisp inputs to fuzzy sets
Option A:	Fuzzification
Option B:	Defuzzification
Option C:	Normalization
Option D:	Output
1.7	
17.	Fuzzy set is defined as set of ordered pairs of
Option A:	Element x and degree of belongingness
Option B:	Element x and angle of belongingness
Option C:	Element x and probability of belongingness
_	
Option D:	Element x and intuition of belongingness
18.	Which of the following is not encoding method in genetic algorithm
Option A:	Value encoding
Option B:	Adaptive encoding
Option C:	Tree encoding
Option D:	Binary encoding
-	
19.	ANFIS is a hybrid system that have the ability
Option A:	To self-modify their membership function to achieve a desired performance.
Option B:	To self-modify their Accuracy
Option C:	Do not self-modify
Option D:	Not able to achieve any performance
20.	Let us consider random initial population of size N=4 of a binary-coded
	genetic algorithm, as given below:
	1011
	1100
	0100
	0101
	Let us also assume that their fitness values are nothing but their decoded values. Using Roulette-Wheel selection, their probability values of being selected in the
	mating pool are found to be as follows:
	manne poor are round to be as rollows.

Option A:	0.4, 0.3, 0.2, 0.1
Option B:	0.2, 0.4, 0.3, 0.1
Option C:	0.125, 0.156, 0.34, 0.375
Option D:	0.34, 0.375, 0.125, 0.156

Q2.	Solve any Four out of Six 5 marks each
A	Explain fuzzy Extension principle with example.
В	Explain McCulloch Pitts Neuron model.
С	Differentiate between supervised and unsupervised learning.
D	Draw ANFIS architecture
Е	Give basic steps of genetic algorithm
F	Determine alpha level sets for the given fuzzy set. Consider alpha= 0.2, 0.4, 0.6, 0.7, 0.9 $A = \{0.2/x1 + 0.7/x2 + 0.9/x3 + 0.4/x4 + 0.6/x5\}$

Q3.	Solve any Two Questions out of Three 10 marks each
A	Explain any four defuzzification method
В	Describe different crossover and mutation operators in Genetic Algorithm
С	Determine the weights after four steps of training for Perceptron learning rule of single neuron network starting with initial weights:- W=[0 0] ^t , inputs as x1=[2 2] ^t , x2=[1 -2] ^t , x3=[-2 2] ^t , x4=[-1 1] ^t , d1=0, d2=1, d3=0, d4=1 and c=1

Program: INFORMATION TECHNOLOGY

Curriculum Scheme: Rev2016 Examination: BE Semester VII

Course Code: ITDLO7035 and Course Name: Soft Computing

Question Number	Correct Option
Q1.	В
Q2.	А
Q3.	С
Q4.	С
Q5.	Α
Q6.	В
Q7.	С
Q8.	В
Q9.	С
Q10.	В
Q11.	А
Q12.	С
Q13.	В
Q14.	А
Q15.	С
Q16.	Α
Q17.	Α
Q18.	В
Q19.	А
Q20.	D

University of Mumbai

Examinations Commencing from 15th June 2021

Program: INFORMATION TECHNOLOGY

Curriculum Scheme: Rev-2016
Semester VII

Course Code: ITDILO7034 and Course Name: Sodftware Testing and Quality Assurance
Time: 2 hour

Max. Marks: 80

Examination: BE

Q1.	Choose the correct option for following questions. All the Questions are compulsory and carry equal marks	
1.	Which of following phase can be described as the revolutionary turning point in	
	the history of software testing.	
Option A:	Debugging-oriented Phase	
Option B:	Destruction-oriented Phase	
Option C:	Evaluation-oriented Phase	
Option D:	Demonstration-oriented Phase	
2	William Alaska Alaska Asamana	
2.	When the test leader approves that the bug is genuine, its state becomes	
Option A:	New	
Option B:	Open	
Option C:	Closed	
Option D:	Deferred	
3.	In case-effect graphing based testing method, a cause is	
Option A:	Based on the analysis of the specification	
Option B:	Transformed into a Boolean graph linking	
Option C:	A high probability that errors made in a previous project is repeated again	
Option C:	Distinct input condition identified in the problem	
Option D.	Distinct input condition identified in the problem	
4.	The objective of any test case is	
Option A:	To have minimum coverage and capability to discover more and more errors.	
Option B:	To have maximum coverage and capability to discover more and more errors.	
Option C:	To have minimum coverage and capability to discover less errors.	
Option D:	To have maximum coverage and capability to discover less errors.	
1	5 1 7	
5.	Which entity is not considered in software measurement?	
Option A:	Processes	
Option B:	Resource	
Option C:	Internal attributes	
Option D:	Development	
6.	All software features and combinations of features are to be tested in which	
0.	components of test plan	
Option A:	Test Plan Identifier components	
Option B:	Introduction components	
Option C:	Approach components	

Option D:	Features to be tested components	
7.	Which is not type of software design complexity that can also be used in testing?	
Option A:	Structural complexity	
Option B:	Data complexity	
Option C:	System complexity	
Option D:	Functional complexity	
1		
8.	Testing is performed to examine if all the functions of your web app works as expected	
Option A:	Integration	
Option B:	Functional	
Option C:	Smoke	
Option D:	Regression	
9.	How do we measure the size of user story for an Agile project?	
Option A:	Story points Function points	
Option B: Option C:	Function points Module points	
Option D:	Velocity points	
Option D.	velocity points	
10.	In ISO 9126 Quality Characteristic Portability is	
Option A:	A set of attributes that bear on the capability of software to maintain its	
option 71.	performance level under stated conditions for a stated period of time.	
Option B:	A set of attributes that bear on the existence of a set of functions and their	
1	specified properties. The functions are those that satisfy stated or implied needs.	
Option C:	A set of attributes that bear on the relationship between the software's	
	performance and the amount of resource used under stated conditions	
Option D:	A set of attributes that bear on the ability of software to be transferred from one	
	environment to another.	
1.1	Wilitation of the management o	
11.	Which is not the measure to assess a web application?	
Option A:	Maintainability	
Option B: Option C:	Usability Navigability	
Option C:	The content	
Option D.	The content	
12.	Scope of Quality management is than control or assurance	
Option A:	Smaller	
Option B:	Same	
Option C:	Larger	
Option D:	Not related	
13.	Software metrics are used by the software industry to quantify	
Option A:	The development and maintenance of the software	
Option B:	The design and implement of the software	
Option C:	The testing and coding of the software	
Option D:	The document and design of the software	
-		

14.	Tracking test progress is the goal of	
Option A:	Size category metrics	
Option B:	Quality category metrics	
Option C:	Cost category metrics	
Option D:	Progress category metrics	
- F	and the same of th	
15.	Quality of test plan is the attributes of	
Option A:	Size category metrics	
Option B:	Quality category metrics	
Option C:	Cost category metrics	
Option D:	Progress category metrics	
P	and the same of th	
16.	Because of; successful test execution automation difficult	
Option A:	Because the tools for automated testing require too much effort for learning	
Option B:	Because the maintenance of the test system is difficult	
Option C:	Because the test robot tools are restricted in their ability to recognize outputs	
Option D:	Because the test robot roots are restricted in their ability to recognize outputs Because the test robot needs to be supported by a test management	
Option D.	because the test robot needs to be supported by a test management	
17.	If the outputs are not according to the standards or conventions, then it is	
Option A:	Critical bugs	
Option B:	Major bug	
Option C:	Medium bugs	
Option D:	Minor bugs	
18.	What is Condition stub in decision table?	
Option A:	It is a list of resulting actions which will be performed if a combination of input condition is satisfied	
Option B:	It is a list of input conditions for which the complex combination is made.	
Option C:	It is a specific entry in the table corresponding to input conditions mentioned in	
1	the condition stub	
Option D:	It is the entry in the table for the resulting action to be performed	
1	, J 1	
19.	If we extend the concept of Boundary Value Checking by considering more than	
	one variable on the boundary the it is called as	
Option A:	Equivalence class	
Option B:	Robustness testing	
Option C:	Fitness testing	
Option D:	Worst-case testing method	
1		
20.	A node with more than one arrow leaving it is called a .	
Option A:	Decision node	
Option B:	Junction node	
Option C:	Region	
Option D:	Complex node	
Cruon D.	1 composition and a	

Q2	Solve any FOUR Questions out of Three 10 marks each	
(20 Marks Each)		
A	What are your views on 'Testing is the process of executing a program with the intent of finding errors.'	
В	What are the guidelines for selecting Testing tool for any software project	
С	A program calculates the total salary of an employee with the conditions that if the working hours are less than or equal to 52, then give normal salary. The hours over 52 on normal working days are calculated at the rate of 1.20 of the salary. However, on holidays or Sundays, the hours are calculated at the rate of 2.50 times of the salary. Design test cases using decision table testing.	

Q3	Solve any Two Questions out of Three 10	marks each
(20 Marks Each)		
A	What are your views on "Process affects Quality "What different quality factors	at are
В	Explain challenges faced in testing for web based system	
C	Consider the following program segment: main() { int number, index; 1. printf("Enter a number"); 2. scanf("%d, &number); 3. index = 2; 4. while(index <= number - 1) 5. { 6. if (number % index == 0) 7. { 8. printf("Not a prime number"); 9. break; 10. } 11. index++; 12. } 13. if(index == number) 14. printf("Prime number"); 15. } //end main (a) Draw the DD graph for the program. (b) Calculate cyclomatic complexity of the program usi methods. (c) List all independent paths.	ng all the

(d) Design test cases from independent paths.

Program: INFORMATION TECHNOLOGY

Curriculum Scheme: Rev-2012

Examination: BE Semester VII

Course Code: ITC8046 and Course Name: Sodftware Testing Quality Assurance

Question Number	Correct Option (Enter either 'A' or 'B' or 'C' or 'D')
Q1.	В
Q2.	C
Q3.	В
Q4	D
Q5	D
Q6	D
Q7	В
Q8.	С
Q9.	В
Q10.	В
Q11.	C
Q12.	С
Q13.	D
Q14.	A
Q15.	D
Q16.	В
Q17.	A
Q18.	В
Q19.	D
Q20.	В